7. Literatur

Agricola H., Hertel W. und Penzlin H. (1988) Octopamine: neurotransmitter, neuromodulator and neurohormone. Zool. Jb. Physiol 92: 1-45

Alley K. E. und Omerza F. F. (1998) Reutilization of trigeminal motorneurons and metamorphic reorganization of the jaw myoneural systems in frogs. Brain Res 813: 187-190

Axelrod J. und Saavedra J. M. (1977) Octopamine. Nature 265: 501-504

Bacon J. P., Thompson K. S. J. und Stern M. (1995) Identified octopaminergic neurons provide an arousal mechanism in the locust brain. J Neurophysiol 74: 2739-2743

Bässler u. und Büschges A. (1998) Pattern generation for stick insect walking movements-multisensory control of a locomotor program. Brain Res Rev 27: 65-88

Baines D. und Downer R. G. (1994) Octopamine enhances phagocytosis in cockroach hemocytes: involvement of inositol trisphosphate. Arch Insect Biochem Physiol 26: 249-261

Baudoux S., Duch C. und Morris O. T. (1998) Coupling of efferent neuromodulatory neurons to rhythmical leg motor activity in the locust. J Neurophysiol 79: 361-370

Baudoux S. und Burrows M. (1998) Synaptic activation of efferent neuromodulatory neurones in the locust Schistocerca gregaria. J Exp Biol 201: 3339-3354

Becker A., Schlöder P., Steele J. E. und Wegener G. (1996) The regulation of trehalose metabolism in insects. Experementia 52: 433-439

Beenakkers A. M., Van der Horst D. J. und Van Marrewijk W. J. (1985) Insect lipids and lipoproteins, and their role in physiological processes. Prog Lipid Res 24: 19-67

Blau C. und Wegener G. (1994) Metabolic integration in locust flight: the effect of octopamine on fructose 2,6-bisphosphate content of flight muscle in vivo. J Comp Physiol B 164: 11-15

Blau C., Wegener G. und Candy D. J. (1994) The effect of octopamine on the glycolytic activator fructose 2,6-bisphosphate in perfused locust flight muscle. Insect Biochem Molec Biol 24: 677-683

Bollenbacher W. E., Smith S. L., Goodman W. und Gilbert L. I. (1981) Ecdysteroid titer during the laval –pupal –adult development of the tabacco hornworm, Manduca sexta. Gen Comp Endocrinol 44: 302-306

Burrows M. (1995) Motor patterns during kicking movements in the locust. J Comp Physiol A 176: 289-305

Burrows M. (1996) The neurobiology of an insect brain. Oxford University Press, Oxford New York Tokyo

Burrows M. und Pflüger H. J. (1995) Action of locust neuromodulatory neurons is coupled to specific motor patterns. J Neurophysiol 74: 347-357

Burns M. D. (1979) The control of walking in Orthoptera. I Leg movement in normal walking. J Exp Biol 58: 45-58

Burns M. D. und Usherwood P. N. R. (1979) The control of walking in Orthoptera. II Motorneuron aczivity in normal free walking animals. J Exp Biol 123: 285-306

Bräunig P., Stevenson P. A. und Evans P.D. (1994) A locust octopamin-immunoreactive dorsal unpaired median neuron forming terminal networks on sympathetic nerves. J Exp Biol 192: 225-238

Bräunig P. (1997) The peripheral branching pattern of identified dorsal unpaired median (DUM) neurones of the locust. Cell Tissue Res 290: 641-654

Bräunig P. und Eder M. (1998) Locust dorsal unpaired median (DUM) neurones directly innervate and modulate hindleg proprioceptors. J Exp Biol 201: 3333-3338

Bräunig P. und Pflüger H.J. (2001) The unpaired median neurons of insects Adv Insect Physiol 28: 185-266

Buddenbrock W. v. (1921) Der Rhythmus bei der Schreitbewegung der Stabheuschrecke *Dixippus*. Biol Zentralbl. 41: 41-28

Budnik V., Zhong Y. und Wu C. F. (1990) Morphological plasticity of motor axons in Drosophila mutants with altered excitability. J Neurosci 10: 3754-3768

Campbell H. R., Thompson K. J. und Siegler M. V. S. (1995) Neurons of the median neuroblast lineage of the grasshopper: a population study of the efferent DUM neurons. J Comp Neurol 358: 541-551

Candy D. J., Becker a. und Wegener G. (1997) Coordination and integration of metabolism in insect flight. Comp Biochem Physiol 117: 497-512

Cheeseman P. und Goldsworthy G. J. (1979) The release of adipokinetic hormone during flight and starvation in Locusta. Gen Comp Endocrinol 37: 35-43

Chiel H.J., Weiss K. R. und Kupfermann I. (1990) Multiple roles of a histaminergic afferent neuron in the feeding behavior of Aplysia. Trends in Neurosci 13: 223-227

Clausen T. und Flatman J. A. (1977) The effect of catecholamines on Na-K transport and membrane potential in rat soleus muscle. J Physiol 270: 283-414

Consoulas C., Duch C., Bayline R. J. und Levine R. B. (2000) Behavioral transformations during metamorphosis: Remodeling of neural and motor systems. Brain Res Bull 53: 571-583

Cromarty S. I., Cobb J. S. und Kass-Simon G. (1991) Behavioral analysis of the escape response in the juvenile lobster Homurus americanus over the molt cycle. J Exp Biol 158: 565-581

Delcomyn F. (1972) The locomotion of the cockroach, *Periplaneta americana*. J Exp Biol 59: 629-642

Dominick O. S. und Truman J. W. (1984a) The physiology of wandering behavior in *Manduca sexta*. I Temporal organization and the influence of the internal and external environments. J Exp Biol 110: 35-51

Dominick O. S. und Truman J. W. (1984b) The physiology of wandering behavior in *Manduca sexta*. II The endocrine control of wandering behavior. J Exp Biol 110: 35-51

Duch C. (1997) Aktivierung der modulatorischen, oktopaminergen dorsalen ungepaarten medianen (DUM) Neurone bei der afrikanischen Wüstenheuschrecke, *Schistocerca gregaria Forskål*, Doktorarbeit, Freie Universität Berlin

Duch C. und Pflüger H. J. (1995) Motor patterns for horizontal and upside down walking and vertical climbing in the locust. J Exp Biol 198(Pt 9):1963-1976

Duch C. und Pflüger (1999) DUM neurons in locust flight: a model system for amine-mediated peripheraal adjustments to the requirements of a central motor program. J Comp Physiol 184: 489-499

Duch C., Bayline R. J. und Levine R. B. (2000) Postembryonic development of the dorsal longitudinal flight muscle and its innervation in Manduca sexta. J Comp Neurol 422: 1-17

Duch C. und Levine R. B. (2000) Remodeling of membrane properties and dendritic architecture accompanies the postembryonic conversion of a slow into a fast motoneuron. J Neurosci 20: 6950-6961

Duch C. und Levine R. B. (2002) Changes in calcium signaling during postembryonic dendritic growth in Manduca sexta. J Neurophysiol 87: 1415-1425

Duch C., Mentel T. und Pflüger H. J. (1999) Distribution and activation of different types of octopaminergic DUM neurons in the locust. J Comp Neurol 403: 119-134

Ersparmer V. und Boretti G. (1951) Identification and characterization by paper chromatography of enteramine, octopamine, tyramine, histamine, and allied substances in extracts of the posterior salivary glands of Octopoda and in other tissues of vertebrates and invertebrates. Arch Int Pharmacodyn 88: 296-332

Evans P.D. (1981) Multiple receptor types for octopamine in the locust. J Physiol 318: 99-122

Evans P. D. (1984a) A modulatory octopaminergic neurone increases cyclic nucleotide levels in locust skeletal muscle. J Physiol 348: 307-324

Evans P. D. (1984b) The role of cyclic nucleotides and calcium in the mediation of the modulatory effects of octopamine on locust skeletal muscle. J Physiol 348: 325-340

Evans P. D. (1985) Octopamine. In `Comprehensive Insect Physiology, Biochemestry, and Pharmacology´, eds. Kerkut G. A. und Gilbert G., Pergamon Press, Oxford, pp. 499-530

Evans P. D. (1993) Molecular studies on insect octopamine receptors. EXS63: 286-296

Evans P. D. und Myers C. M. (1986) Peptidergic and aminergic modulation of insect skeletal muscle. J Exp Biol 124: 143-176

Evans P. D. und O´Shea M. (1977) An octopaminergic neurone modulates neuromuscular transmission in the locust. Nature 270: 257-259

Evans P. D. und O´Shea M. (1978) The identification of an octopaminergic neurone and the modulation of a myogenic rhythm in the locust. J Exp Biol 73: 235-260

Evans P. D. und Robb S. (1993) Octopamine receptor subtypes and their modes of action. Neurochem Res 18: 869-874

Evans P. D. und Siegler (1982) Octopamine mediated relaxation of maintained and catch tension in locust skeletal muscle. J Physiol 324: 93-112

Fernandes J. J. und VijayRhaghavan K. (1993) The development of indirect flight muscle innervation in *Drosophila melanogaster*. Development 118: 215-227

Flamm R. E. und Harris-Warrick R. M. (1986) Aminergic modulation in lobster stomatogastric ganglion. II Target neurons of dopamine, octopamine and serotonin within the pyloric circuit. J Neurophysiol 55:847-865

Gammie S. C. und Truman J. W. (1997) Neuropeptide hierarchies and the activation of sequential motor behaviors in the hawkmoth, *Manduca sexta*. J Neurosci 17: 4389-4397

Goosey M. W. und Candy D. J. (1980) The D-octopamine content of the haemolymph of the locust, *Schistocerca gregaria americana*, and its elevation during flight. Insect Biochem 10: 393-397

Goosey M. W. und Candy D. J. (1982) The release and removal of octopamine by tissues of the locust, *Schistocerca gregaria*. Insect Biochem 12: 681-685

Graham D. (1985) Pattern and control of walking insects. Adv Insect Physiol 18: 31-140

Gras H., Hörner M., Runge L. und Schürmann F.-W. (1990) Prothoracic DUM neurons of the cricket, *Gryllus bimaculatus*. Responses to natural stimuli and aktivity in walking behavior. J Comp Physiol A 166: 901-914

Grillner S. (1985) Neurobiological bases of rhythmic motor acts in vertebrates. Science 228: 143-149

Grillner S. und Wallén P. (1985) Central pattern generators for locomotion, with spezial reference to vertebrates. Ann Rev Neurosci 8: 233-261

Grillner S. und Zangger P. (1979) On the central generation of locomotion in the low spinal cat. Exp Brain Res 34: 241-261

Hancox J. C. und Pitman R. M. (1991) Plateau potentials drive axonal bursts in insect motoneurons. Proc R Soc Lond B 244: 33-38

Hammer M. (1993) An identified neuron mediates the unconditioned stimulus in associative olfactory learning in honeybees. Nature 366:59-63

Harris-Warrick R. M. und Marder E. (1991) Modulation of neural networks for behavior. Annu Rev Neurosci 14: 39-57

Harris-Warrick R. M., Nagy F. und Nusbaum M. P. (1992) Neuromodulation of stomatogastric networks by identified neurons and transmitters. In: `Dynamic Biological Networks´, eds. Harris-Warrick R. M., Marder E., Selverston A. I. Und Moulins M., Cambridge MA: MIT press

Heitler W. J. und Burrows M. (1977) The locust jump. I. The motor programme. J Exp Biol 66: 203-19

Heitler W. J. Und Goodman C. S. (1978) Multiple sites of spike initiation in a bifurcating locust neuron. J Exp Biol 76:73-84

Hoyle G. (1978) The dorsal unpaired median neurons of the locust metathoracic ganglion. J Neurobiol 9: 43-57

Howell K. M. und Evans P. D. (1998) The characterization of presynaptic octopamine receptors modulating octopamine release from an identified neurone in the locust. J Exp Biol 201: 2053-2060

Hoyle G., Dagan D., Moberly B. und Colquhoun W. (1974) Dorsal unpaired median insect neurons make neurosecretory endings on skeletal muscle. J Exp Zool. 187: 159-165

Hoyle G. und Dagan D. (1978) Physiological characteristics and reflex activation of DUM (octopaminergic) neurons of locust metathoracic ganglion. J Neurobiol 9: 59-79

Johnsson B. R., Peck J. H. und Harris-Warrick R. M. (1993) Amine modulation of electrical coupling in the pyloric network of the lobster stomatogastric ganglion. J Comp Physiol 172: 715-732

Johnston R. M. und Levine R. B. (1996) Crawling motor patterns induced by pilocarpine in isolated larval nerve cords of *Manduca sexta*. J Neurophysiol 14: 335-360

Jutsum A. R. und Goldsworthy G. J. (1976) Fuels for flight in *Locusta*. J Insect Physiol 22: 243-249

Kaczmarek L. K. und Levitan I.B. (1987) Neuromodulation: The biochemical control of neuronal excitability. Oxford University Press, New York, Oxford

Kalogianni E. und Pflüger H. J. (1992) The identification of motor and unpaired median neurones innervating the locust oviduct. J Exp Biol 168: 177-198

Kalogianni E. und Theophilidis G. (1993) Centrally generated rhythmic activity and modulatory function of the oviductal dorsal unpaired median (DUM) neurons in two orthoptheran species (*Calliptamus* sp. and *Dectius albifrons*). J Exp Biol. 174:123-138

Kammer A. E. und Heinrich B. (1978) Insect flight metabolism. Adv Insect Physiol 13: 133-228

Keshishian H., Chiba A., Chang T. N., Halfon M. S., Harkins E. W., Jarecki J., Wang L., Anderson M., Cash S. und Halpern M. E. (1993) Cellular mechanisms governing synaptic development in *Drosophila melanogaster*. J Neurobiol 24: 757-787

Knop G., Denzer L. und Büschges A. (2001) A central pattern-generating network contributes to "reflex-reversal"-like leg motoneuron activity in the locust. J Neurophysiol 86: 3065-3068

Knop G. (2000) Untersuchungen zur Erzeugung und Aufrechterhaltung rhythmischer Aktivität in den Beinmotoneuronen des isolierten Mesothorakalganglions der Wanderheuschrecke *Locusta migratoria m*. Diplomarbeit, Universität zu Köln

Kravitz E. A. (1988) Hormonal control of behavior: amines and the biasing of behavioral output in lobsters. Science 241: 1775-1781

Krause U. und Wegener G. (1996) Control of glycolysis in vertebrate skeletal muscle during exercise. Am J Physiol 270: R821-R829

Kuba K. (1970) Effects of catecholamines on the neuromuscular junction in the rat diaphragm. J Physiol 211: 551-570

Kutsch W. und Schneider H. (1987) Histological characterisation of neurons innervating functionally different muscles of *Locusta*. J Comp Neurol 261: 515-528

Levine R. B., Morton D. B. und Restifo L. L. (1995) Remodeling of the insect nervous system. Curr Opin Neurobiol 5: 28-35

Levine R. B. und Weeks J. C. (1996) Cell culture approaches to understanding the actions of steroid hormones on the insect nervous system. Dev Neurosci 18: 73-86

Libersat F. und Duch C. (2002) Morphometric analysis of dendritic remodeling in an identified motoneuron during postembryonic development. J Comp Neurol 450: 153-66

Malamud J. G., Mizisin A.P. und Josephson R. K. (1988) The effects of octopamine on contraction kinetics and power output of a locust flight muscle. J Comp Physiol 162: 827-835

Matheson T. (1997) Octopamine modulates the responses and presynaptic inhibition of proprioceptive sensory neurones in the locust *Schistocerca gregaria* J Exp Biol 200: 1317-25.

Marder E. (1991) Modifiability of pattern generation. Curr Opin Neurobiol 1: 571- 576

Marder E. (2001) Moving rhythms. Nature 410: 755

Marder E. und Bucher D. (2001) Central pattern generators and the control of rhythmic movements. Curr Biol 11: R986-R996

Marder E. und Calabrese R. L. (1996) Principles of rhythmic motor pattern generation. Physiol Rev 76: 687-717.

Matheson T. (1994) Octopamine enhances the response of thoracic but not phasic neurons of a locust proprioreceptor. J Physiol 480: 99-102

Matheson T. (1997) Octopamine modulates the responses and presynaptic inhibition of proprioceptive sensory neurones in the locust *Schistocerca gregaria*. J Exp Biol 200: 1317-1325

Mesce K. A. und Fahrbach S. E. (2002) Integration of endocrine signals that regulate insect ecdysis. Front Neuroendocrinol 23: 179-199

Miles C. I. Und Weeks J. C. (1991) Developmental attenuation of pre-ecdysis motor pattern in the tobacco hornworm, *Manduca sexta*. J Comp Physiol A 168: 179-190

Nathanson J. A. und Greengard P. (1973) Octopamine-sensitive adenylate cyclse: evidence for a biological role of octopamine in nervous tissue. Science 180: 308-310

Orchard I. (1987) Adipokinetic hormones- an update. J Insect Physiol 33: 451-463

Orchard I. (1982) Octopamine in insects: neurotransmitter, neurohormone and neuromodulator. Can J Zool 60: 659-669

Orchard I., Carlisle J. A., Loughton B. G., Gole J. W. D. und Downer R. G. H. (1982) In vitro studies on the effects of octopamine on locust fat body. Gen Comp Endocinol 48: 7-13

Orchard I. und Lange A. B. (1983) The hormonal control of haemolymph lipid during flight in Locusta migratoria. J Insect Physiol 29: 639-642

Orchard I. und Lange A. B. (1984) Cyclic AMP in locust fat body: Correlation with octopamine and adipokinetic hormones during flight. J Insect Physiol 30: 901-904

Orchard I. und Lange A. B. (1985) Evidence for octopaminergic modulation of an insect visceral muscle. J Neurobiol 16: 171-181

Orchard I., Ramirez J.-M. und Lange A. B. (1993) A multifunctional role for octopamine in locust flight. Annu Rev Entomol 38: 227-249

O´Shea M. und Evans P. D. (1979) Potentiation of neuromuscular transmission by an octopaminergic neuron in the locust. J Exp Biol 79: 169-190

Parker D. (1996) Octopaminergic modulation of locust motor neurones. J Comp Physiol 178: 243-252

Pasztor V. M. und Bush B. M. H. (1989) Primary afferent responses of a crustacean mechanoreceptor are modulated by proctolin, octopamin, and serotonin. J Neurobiol 20: 234-254

Pearson K. G. (1995) Proprioceptive regulation of locomotion. Curr Opin Neurobiol 5: 786-791

Pfaff D., Frohlich J. und Morgan M. (2002) Hormonal and genetic influences on arousal-sexual and otherwise. Trends Neurosci 25: 45-50

Pflüger und H. J. Watson A. H. D. (1995) GABA and glutamate-like immunoreactivity at synapses received by dorsal unpaired median neurones in the abdominal nerve cord of the locust. Cell Tissue Res 280: 325-333

Pflüger H. J. (1999) Neuromodulation during motor development and behavior. Curr Opin Neurobiol 9: 683-689

Plotnikova S. I. (1969) Effector neurons with several axons in the ventral nerve cord of the asian grasshopper Locusta migratoria. J Evol Biochem Physiol (englische Übersetzung) 5: 276-277

Ramirez J.-M. und Orchard I. (1990) Octopaminergic modulation of the forewing stretch receptor in the locust, *Locusta migratoria*. J Exp Biol 149: 255-279

Ramirez J.-M. und Pearson K. G. (1991a) Octopamine induces bursting and plateau potentials in insect neurons. Brain Res 549: 332-337

Ramirez J.-M. und Pearson K. G. (1991b) Octopaminergic modulation of interneurons in the flight system of the locust. J Neurophysiol 66: 1522-1537

Ramirez J.-M., Büschges A. und Kittmann R. (1993) Octopaminergic modulation of the femoral chordotonal organ in the stick insect. J Comp Physiol 173: 209-219

Reinecke j. P., Buckner J. S. und Grugel S. R. (1980) Life cycle of laboratory reared tobacco hornworm, Manduca sexta, a study of development and behavior, using time lapse cinematography. Biol Bull mar lab Woods Hole 158: 129-140

Rheuben M. B. (1995) Specific associations of neurosecretory or neuromodulatory axons with insect skeletal muscle. Am Zool 35: 227-249

Roeder T. (1992) A new octopamine receptor class in locust nervous tissue, the octopamine 3 (OA3) receptor. Life Sci 50: 21-28

Roeder T. (1995) Pharmacology of the octopamine receptor from locust central nervous tissue (OAR3). Br J Pharmacol 114: 210-216

Roeder T. und Gewecke M. (1990) Octopamine receptors in locust nervous tissue. Biochem Pharmacol 39: 1793-1797

Roeder T. und Nathanson J. A. (1993) Characterization of insect neuronal octopamine receptors (OA3 receptors). Neurochem Res 18: 921-935

Roeder T. (1999) Octopamine in invertebrates. Prog Neurobiol 59: 533-561

Ruffner M. E., Cromarty S. I. Und Cooper R. L. (1999) Depression of synaptic efficacy in high- and low- output Drosophila neuromuscular junctions by the molting hormone (20-HE). J Neurophysiol 81: 788-794

Ryckebusch S. und Laurent G. (1993) Rhythmic patterns evoked in locust leg motor neurons by the muscarinic agonist pilocarpine. J Neurophysiol 69: 1583-1595

Ryckebusch S. und Laurent G. (1994) Interactions between segmental leg central pattern generators during fictive rhythms in the locust. J Neurophysiol 72: 2771-2785

Selverston A. I. (1993) Neuromodulatory control of rhythmic behavior in invertebrates. Int Rev Cytol 147: 1-24

Shapiro J, P., Law J. H. und Wells M. A. (1988) Lipid transport in insects. Ann Rev Entomol 33: 297-318

Sombati S. und Hoyle G. (1984a) Central nervous sensitization and dishabituation of reflex action in an insect by the neuromodulator octopamine. J Neurobiol 15: 455-480

Sombati S. und Hoyle G. (1984b) Generation of specific behaviors in a locust by local release into neuropil of the natural neuromodulator octopamine. J Neurobiol 15: 481-506

Stevenson P. A. und Kutsch W. (1987) A reconsideration of the central pattern generator concept for locust flight. J Comp Physiol A 161: 115-129

Stevenson P. A. und Kutsch W. (1988) Demonstration of functional connectivity of the flight motor system in all stages of the locust. J Comp Physiol A 162: 247-259

Stevenson P. A. und Meuser S. (1997) Octopaminergic innervation and modulation of a locust flight steering muscle. J Exp Biol 200: 633-642

Stevenson P. A., Pflüger H. J., Eckert M. und Rapus J. (1992) Octopamine immunoreactive cell populations in the locust thoracic-abdominal nervous system. J Comp Neurol 315: 382-397

Stevenson P. A. und Spörhase-Eichmann U. (1995) Localization of octopaminergic neurones in insects. Comp Biochem Physiol A 110: 203-215

Tissot M. und Stokker R. F. (2000) Metamorphosis in *Drosophila* and other insects: the fate of neurons throughout the stages. Prog Neurobiol 62: 89-111

Truman J.W., Taghert P. H. und Reynolds S. E. (1980) Physiology of pupal ecdysis in the tobacco hornworm, *Manduca sexta*. J Exp Biol 88: 327-337

Truman J. W. (1990) Metamorphosis of the insect nervous system. In: Gilbert L. I., Tata J. R., Aktinson B. G., eds. Metamorphosis: Postembryonic reprogramming of gene expression in amphibian and insect cells. San Diego: Academic Press, 238-320

Truman J. W. (1996) Metamorphosis of the CNS of Drosophila. J Neurobiol 21: 1072-1084

Truman J. W. und Riddiford L. M. (2002) Endocrine insights into the evolution of metamorphosis in insects. Annu Rev Entomol 47: 467-500

Truman J. W., Talbot W. S., Fahrbach S. E. und Hognass D. S. (1994) Ecdysone receptor expression in the CNS correlates with stage-specific responses to ecdysteroids during *Drosophila* and *Manduca* development. Development 120: 219-234

Tuschik S. (1994) Pharmakologische Charakterisierung von muskarinischen Ach-Rezeptoren von isolierten DUM Neuronen der Wanderheuschrecke. Diplomarbeit, Freie Universität Berlin

Van Heusden M. C., Van der Horst D. J. und Beenakkers A. M. (1984) In vitro studies on hormone-stimulated lipid mobilisation from fat body and interconversion of haemolymph lipoproteins of *Locusta migratoria*. J Insect Physiol 30: 685-693

Van der Horst D. J. (1990) Lipid transport functions of lipoproteins in flying insects. Biochem Biophys Acta 1047: 195-211

Van der Horst D. J., Van Marrewijk W. J. A. und Diederen H. B. (2001) Adipokinetic hormones of insect: release, signal transduction, and responses. Int Rev Cytol 211: 179-240

Watson A. H. D. (1984) The dorsal unpaired median neurons of the locust metathoracic ganglion: neuronal structure and diversity, and synapse distribution. J Neurocytol 13: 303-327

Walker R. J. und Kerkut G. A. (1978) The first family (adrenaline, noradrenaline, dopamine, octopamine, tyramine, phenylethanolamine and phenylethylamine). Comp Biochem Physiol C 61: 261-266

Wang J.W., Sylvester A. W., Reed D., Wu D. A., Soll D. R. und We C. F. (1997) Morphometric description of the wandering behavior in Drosophila larvae: aberrant locomotion in Na and K channel mutants revealed by computer-assisted motion analysis. J Neurogent 3-4: 321-254

Wang Z., Hayakawa Y. und Downer R. G. H. (1990) Factors influencing cyclic AMP and diaglycerol levels in fat body of *Locusta migratoria*. Insect Biochem 20: 325-330

Weeks J. C. und Truman J. W. (1986) Steroid control of neurons and muscle development during the metamorphosis of an insect. J Neurobiol 17: 249-267

Wegener G. (1990) Elite invertebrate athlets: flight in insects, its metabolic requirements and regulation and its effects on life span. In: `International perspectives in exercise physiology´. Eds. Nazar K., Tesjung R. L., Kaciuba-Uscirco H. und Budohoski L., Human Kinetics Books, Campaign, Illinois, pp. 83-87

Wegener G. (1996) Flying insects: model systems in exercise physiology. Experimentia 52: 404-412

Wegener G., Michel R. und Newsholme E. A. (1986) Fructose 2,6-bisphosphate as a signal for changing from sugar to lipid oxidation during flight in locusts. FEBS Lett. 201: 129-132

Wegener G., Beinhauer I., Klee A. und Newsholme E. A. (1987) Properties of locust muscle 6-phosphofructokinase and their importance in the regulation of glycolytic flux during prolonged flight. J Comp Physiol B 157: 315-326

Wgener G., Bolas N. M. und Thomas A. A. G. (1991) Locust flight metabolism studied in vivo by ^{31}P NMR spectroscopy. J Comp Physiol B 161: 247-256

Wegener G. Und Krause U. (2002) Different modes of activating phosphofructokinase, a key regulatory enzyme of glycolysis, in working vertebrate muscle. Biochem Soc Trans 30: 264-270

Weisel-Eichler A. und Libersat F. (1996) Neuromodulation of flight initiation by octopamine in the cockroach, *Periplaneta americana*. J Comp Physiol A 179: 103-112

Whim M. D. und Evans P. D. (1988) Octopaminergic modulation of flight muscle in the locust. J Exp Biol 134: 247-266

Wilson D. M. (1966) Insect walking. Ann Rev Entomol II: 103-122

Zee M. C. und Weeks J. C. (2001) Developmental change in the steroid hormone signal for cell autonomous, segment specific programmed cell death of a motorneuron. Dev Biol 235: 45-61

Zitnan D., Ross L. S., Zitnanova I., Hermesman J. L., Gill S. S. Und Adams M. E. (1999) Steroid induction of a peptide hormone gene leads to orchestration of a defined behavioral sequence. Neuron 23: 523-535