

REFERENCES

1. **Adida, A. and Spener, F.** (2006). Adipocyte-type fatty acid-binding protein as inter-compartmental shuttle for peroxisome proliferator activated receptor gamma agonists in cultured cell. *Biochim.Biophys.Acta* **1761** (2) 172–181
2. **Aebischer, T., Bennett, C. L., Pelizzola, M., Vizzardelli, C., Pavelka, N., Urbano, M., Capozzoli, M., Luchini, A., Ilg, T., Granucci, F., Blackburn, C. C., and Ricciardi-Castagnoli, P.** (2005). A critical role for lipophosphoglycan in proinflammatory responses of dendritic cells to *Leishmania mexicana*. *Eur.J.Immunol.* **35** (2) 476–486
3. **Aebischer, T., Wolfram, M., Patzer, S. I., Ilg, T., Wiese, M., and Overath, P.** (2000). Subunit vaccination of mice against new world cutaneous leishmaniasis: comparison of three proteins expressed in amastigotes and six adjuvants. *Infect.Immun.* **68** (3) 1328–1336
4. **Afonso, L. C., Scharton, T. M., Vieira, L. Q., Wysocka, M., Trinchieri, G., and Scott, P.** (14-1-1994). The adjuvant effect of interleukin-12 in a vaccine against *Leishmania major*. *Science* **263** (5144) 235–237
5. **Ahmed, M. H. and Byrne, C. D.** (2007). Modulation of sterol regulatory element binding proteins (SREBPs) as potential treatments for non-alcoholic fatty liver disease (NAFLD). *Drug Discov.Today* **12** (17–18) 740–747
6. **Alexander, J., Satoskar, A. R., and Russell, D. G.** (1999). *Leishmania* species: models of intracellular parasitism. *J.Cell Sci.* **112 Pt 18** 2993–3002
7. **Allenbach, C., Launois, P., Mueller, C., and Tacchini-Cottier, F.** (2008). An essential role for transmembrane TNF in the resolution of the inflammatory lesion induced by *Leishmania major* infection. *Eur.J.Immunol.* **38** (3) 720–731
8. **Alphey, M. S., Yu, W., Byres, E., Li, D., and Hunter, W. N.** (28-1-2005). Structure and reactivity of human mitochondrial 2,4-dienoyl-CoA reductase: enzyme-ligand interactions in a distinctive short-chain reductase active site. *J.Biol.Chem.* **280** (4) 3068–3077
9. **Antoine, J. C., Prina, E., Lang, T., and Courret, N.** (1998). The biogenesis and properties of the parasitophorous vacuoles that harbour *Leishmania* in murine macrophages. *Trends Microbiol.* **6** (10) 392–401
10. **Balanco, J. M. F., Moreira, M. E., Bonomo, A., Bozza, P. T., Amarante-Mendes, G., Pirmez, C., and Barcinski, M. A.** (27-11-2001). Apoptotic mimicry by an obligate intracellular parasite downregulates macrophage microbicidal activity. *Curr.Biol.* **11** (23) 1870–1873
11. **Bandhuvula, P. and Saba, J. D.** (2007). Sphingosine-1-phosphate lyase in immunity and cancer: silencing the siren. *Trends Mol.Med.* **13** (5) 210–217
12. **Barcinski, M. A., Moreira, M. E., Balanco, J. M., Wanderley, J. L., and Bonomo, A. C.** (25-6-2003). The role of apoptotic mimicry in host-parasite interplay: is death the only alternative for altruistic behavior? *Kinetoplastid.Biol.Dis.* **2** (1) 6

13. Bates, P. A. (1994). Complete developmental cycle of *Leishmania mexicana* in axenic culture. *Parasitology* **108** (Pt 1) 1–9
14. Becker, D., Selbach, M., Rollenhagen, C., Ballmaier, M., Meyer, T. F., Mann, M., and Bumann, D. (16-3-2006). Robust *Salmonella* metabolism limits possibilities for new antimicrobials. *Nature* **440** (7082) 303–307
15. Belkaid, Y., Hoffmann, K. F., Mendez, S., Kamhawi, S., Udey, M. C., Wynn, T. A., and Sacks, D. L. (19-11-2001). The role of interleukin (IL)-10 in the persistence of *Leishmania major* in the skin after healing and the therapeutic potential of anti-IL-10 receptor antibody for sterile cure. *J.Exp.Med.* **194** (10) 1497–1506
16. Bendtsen, J. D., Nielsen, H., von Heijne, G., and Brunak, S. (16-7-2004). Improved prediction of signal peptides: SignalP 3.0. *J.Mol.Biol.* **340** (4) 783–795
17. Bengoechea-Alonso, M. T. and Ericsson, J. (2007). SREBP in signal transduction: cholesterol metabolism and beyond. *Curr.Opin.Cell Biol.* **19** (2) 215–222
18. Bente, M., Harder, S., Wiesigl, M., Heukeshoven, J., Gelhaus, C., Krause, E., Clos, J., and Bruchhaus, I. (2003). Developmentally induced changes of the proteome in the protozoan parasite *Leishmania donovani*. *Proteomics*. **3** (9) 1811–1829
19. Benz, C., Nilsson, D., Andersson, B., Clayton, C., and Guilbride, D. L. (2005). Messenger RNA processing sites in *Trypanosoma brucei*. *Mol.Biochem.Parasitol.* **143** (2) 125–134
20. Berman, J. D., Gallalée, J. V., Best, J. M., and Hill, T. (1987). Uptake, distribution, and oxidation of fatty acids by *Leishmania mexicana* amastigotes. *J.Parasitol.* **73** (3) 555–560
21. Bowyer, P. W., Tate, E. W., Leatherbarrow, R. J., Holder, A. A., Smith, D. F., and Brown, K. A. (2008). N-myristoyltransferase: a prospective drug target for protozoan parasites. *ChemMedChem*. **3** (3) 402–408
22. Brasaemle, D. L. (1-12-2007). Thematic review series: Adipocyte Biology. The perilipin family of structural lipid droplet proteins: stabilization of lipid droplets and control of lipolysis. *Journal of Lipid Research* **48** (12) 2547–2559
23. Brasaemle, D. L. and Attie, A. D. (1990). Rapid intracellular transport of LDL-derived cholesterol to the plasma membrane in cultured fibroblasts. *J.Lipid Res.* **31** (1) 103–112
24. Breitling, R., Klingner, S., Callewaert, N., Pietrucha, R., Geyer, A., Ehrlich, G., Hartung, R., Muller, A., Contreras, R., Beverley, S. M., and Alexandrov, K. (2002). Non-pathogenic trypanosomatid protozoa as a platform for protein research and production. *Protein Expr.Purif.* **25** (2) 209–218
25. Bringaud, F., Muller, M., Cerqueira, G. C., Smith, M., Rochette, A., El Sayed, N. M., Papadopoulou, B., and Ghedin, E. (7-9-2007). Members of a large retroposon family are determinants of post-transcriptional gene expression in *Leishmania*. *PLoS.Pathog.* **3** (9) 1291–1307
26. Brown, D. A. and London, E. (7-11-1997). Structure of detergent-resistant membrane domains: does phase separation occur in biological membranes?. *Biochem.Biophys.Res.Commun.* **240** (1) 1–7

27. Brown, M. S. and Goldstein, J. L. (2-5-1997). The SREBP pathway: regulation of cholesterol metabolism by proteolysis of a membrane-bound transcription factor. *Cell* **89** (3) 331-340
28. Burchmore, R. J., Rodriguez-Contreras, D., McBride, K., Merkel, P., Barrett, M. P., Modi, G., Sacks, D., and Landfear, S. M. (1-4-2003). Genetic characterization of glucose transporter function in *Leishmania mexicana*. *Proc.Natl.Acad.Sci.U.S.A* **100** (7) 3901-3906
29. Cagney, G., Amiri, S., Premawaradene, T., Lindo, M., and Emili, A. (13-8-2003). In silico proteome analysis to facilitate proteomics experiments using mass spectrometry. *Proteome.Sci.* **1** (1) 5
30. Caldwell, R. B. and Lattemann, C. T. (2004). Simple and reliable method to precipitate proteins from bacterial culture supernatant. *Appl.Environ.Microbiol.* **70** (1) 610-612
31. Carbone, A., Kepes, F., and Zinovyev, A. (2005). Codon bias signatures, organization of microorganisms in codon space, and lifestyle. *Mol.Biol.Evol.* **22** (3) 547-561
32. Carbone, A., Zinovyev, A., and Kepes, F. (1-11-2003). Codon adaptation index as a measure of dominating codon bias. *Bioinformatics*. **19** (16) 2005-2015
33. Chakraborty, D., Banerjee, S., Sen, A., Banerjee, K. K., Das, P., and Roy, S. (1-9-2005). *Leishmania donovani* affects antigen presentation of macrophage by disrupting lipid rafts. *J.Immunol.* **175** (5) 3214-3224
34. Chang, T. Y., Chang, C. C., Ohgami, N., and Yamauchi, Y. (2006). Cholesterol sensing, trafficking, and esterification. *Annu.Rev.Cell Dev.Biol.* **22** 129-157
35. Chang, T. Y., Reid, P. C., Sugii, S., Ohgami, N., Cruz, J. C., and Chang, C. C. (3-6-2005). Niemann-Pick type C disease and intracellular cholesterol trafficking. *J.Biol.Chem.* **280** (22) 20917-20920
36. Chapkin, R. S., Somers, S. D., and Erickson, K. L. (1-4-1988). Inability of murine peritoneal macrophages to convert linoleic acid into arachidonic acid. Evidence of chain elongation. *J.Immunol.* **140** (7) 2350-2355
37. Charest, H. and Matlashewski, G. (1994). Developmental gene expression in *Leishmania donovani*: differential cloning and analysis of an amastigote-stage-specific gene. *Mol.Cell Biol.* **14** (5) 2975-2984
38. Chavali, A. K., Whittemore, J. D., Eddy, J. A., Williams, K. T., and Papin, J. A. (2008). Systems analysis of metabolism in the pathogenic trypanosomatid *Leishmania major*. *Mol.Syst.Biol.* **4** 177
39. Chawla, A., Boisvert, W. A., Lee, C. H., Laffitte, B. A., Barak, Y., Joseph, S. B., Liao, D., Nagy, L., Edwards, P. A., Curtiss, L. K., Evans, R. M., and Tontonoz, P. (2001). A PPAR gamma-LXR-ABCA1 pathway in macrophages is involved in cholesterol efflux and atherosclerosis. *Mol.Cell* **7** (1) 161-171
40. Chevallet, M., Diemer, H., Van Dorsselear, A., Villiers, C., and Rabilloud, T. (2007). Toward a better analysis of secreted proteins: the example of the myeloid cells secretome. *Proteomics*. **7** (11) 1757-1770
41. Chmurzynska, A. (2006). The multigene family of fatty acid-binding proteins (FABPs): function, structure and polymorphism. *J.Appl.Genet.* **47** (1) 39-48

42. Clarke, D. C., Miskovic, D., Han, X. X., Calles-Escandon, J., Glatz, J. F., Luiken, J. J., Heikkila, J. J., and Bonen, A. (12-3-2004). Overexpression of membrane-associated fatty acid binding protein (FABPpm) in vivo increases fatty acid sarcolemmal transport and metabolism. *Physiol Genomics* **17** (1) 31-37
43. Clayton, C. E. (15-4-2002). Life without transcriptional control? From fly to man and back again. *EMBO J.* **21** (8) 1881-1888
44. Costet, P., Luo, Y., Wang, N., and Tall, A. R. (8-9-2000). Sterol-dependent transactivation of the ABC1 promoter by the liver X receptor/retinoid X receptor. *J.Biol.Chem.* **275** (36) 28240-28245
45. Croft, S. L., Sundar, S., and Fairlamb, A. H. (2006). Drug resistance in leishmaniasis. *Clin.Microbiol.Rev.* **19** (1) 111-126
46. Cutter, A. D., Wasmuth, J. D., and Blaxter, M. L. (2006). The evolution of biased codon and amino acid usage in nematode genomes. *Mol.Biol.Evol.* **23** (12) 2303-2315
47. da Silva, R. and Sacks, D. L. (1987). Metacyclogenesis is a major determinant of Leishmania promastigote virulence and attenuation. *Infect.Immun.* **55** (11) 2802-2806
48. Dalen, K. T., Ulven, S. M., Arntsen, B. M., Solaas, K., and Nebb, H. I. (2006). PPARalpha activators and fasting induce the expression of adipose differentiation-related protein in liver. *J.Lipid Res.* **47** (5) 931-943
49. Davis, A. J., Murray, H. W., and Handman, E. (2004). Drugs against leishmaniasis: a synergy of technology and partnerships. *Trends Parasitol.* **20** (2) 73-76
50. de Kok, J. B., Roelofs, R. W., Giesendorf, B. A., Pennings, J. L., Waas, E. T., Feuth, T., Swinkels, D. W., and Span, P. N. (2005). Normalization of gene expression measurements in tumor tissues: comparison of 13 endogenous control genes. *Lab Invest* **85** (1) 154-159
51. Dea-Ayuela, M. A., Rama-Iniguez, S., and Bolas-Fernandez, F. (2006). Proteomic analysis of antigens from Leishmania infantum promastigotes. *Proteomics* **6** (14) 4187-4194
52. Dermine, J. F., Duclos, S., Garin, J., St Louis, F., Rea, S., Parton, R. G., and Desjardins, M. (25-5-2001). Flotillin-1-enriched lipid raft domains accumulate on maturing phagosomes. *J Biol.Chem.* **276** (21) 18507-18512
53. Desjardins, M., Celis, J. E., van Meer, G., Dieplinger, H., Jahraus, A., Griffiths, G., and Huber, L. A. (23-12-1994). Molecular characterization of phagosomes. *J.Biol.Chem.* **269** (51) 32194-32200
54. Desjardins, M., Huber, L. A., Parton, R. G., and Griffiths, G. (1994). Biogenesis of phagolysosomes proceeds through a sequential series of interactions with the endocytic apparatus. *J.Cell Biol.* **124** (5) 677-688
55. Desvergne, B. and Wahli, W. (1999). Peroxisome proliferator-activated receptors: nuclear control of metabolism. *Endocr.Rev.* **20** (5) 649-688
56. Di Poi, N., Tan, N. S., Michalik, L., Wahli, W., and Desvergne, B. (2002). Antiapoptotic role of PPARbeta in keratinocytes via transcriptional control of the Akt1 signaling pathway. *Mol.Cell* **10** (4) 721-733

57. Dommes, V. and Kunau, W. H. (10-2-1984). 2,4-Dienoyl coenzyme A reductases from bovine liver and Escherichia coli. Comparison of properties. *J.Biol.Chem.* **259** (3) 1781-1788
58. Doyle, M. A., MacRae, J. I., De Souza, D. P., Saunders, E. C., McConville, M. J., and Likic, V. A. (2009). LeishCyc: a biochemical pathways database for *Leishmania major*. *BMC.Syst.Biol.* **3** 57
59. Drummelsmith, J., Brochu, V., Girard, I., Messier, N., and Ouellette, M. (2003). Proteome mapping of the protozoan parasite leishmania and application to the study of drug targets and resistance mechanisms. *Mol.Cell Proteomics.* **2** (3) 146-155
60. Eaton, S., Bartlett, K., and Pourfarzam, M. (1-12-1996). Mammalian mitochondrial beta-oxidation. *Biochem.J.* **320** (Pt 2) 345-357
61. Edwards, P. A., Kennedy, M. A., and Mak, P. A. (2002). LXRs; oxysterol-activated nuclear receptors that regulate genes controlling lipid homeostasis. *Vascul.Pharmacol.* **38** (4) 249-256
62. El Fakhry, Y., Ouellette, M., and Papadopoulou, B. (2002). A proteomic approach to identify developmentally regulated proteins in *Leishmania infantum*. *Proteomics.* **2** (8) 1007-1017
63. El Sayed, N. M., Myler, P. J., Blandin, G., Berriman, M., Crabtree, J., Aggarwal, G., Caler, E., Renauld, H., Worthey, E. A., Hertz-Fowler, C., Ghedin, E., Peacock, C., Bartholomeu, D. C., Haas, B. J., Tran, A. N., Wortman, J. R., Alsmark, U. C., Angiuoli, S., Anupama, A., Badger, J., Bringaud, F., Cadag, E., Carlton, J. M., Cerqueira, G. C., Creasy, T., Delcher, A. L., Djikeng, A., Embley, T. M., Hauser, C., Ivens, A. C., Kummerfeld, S. K., Pereira-Leal, J. B., Nilsson, D., Peterson, J., Salzberg, S. L., Shallom, J., Silva, J. C., Sundaram, J., Westenberger, S., White, O., Melville, S. E., Donelson, J. E., Andersson, B., Stuart, K. D., and Hall, N. (15-7-2005). Comparative genomics of trypanosomatid parasitic protzoa. *Science* **309** (5733) 404-409
64. Emanuelsson, O., Brunak, S., von Heijne, G., and Nielsen, H. (2007). Locating proteins in the cell using TargetP, SignalP and related tools. *Nat.Protoc.* **2** (4) 953-971
65. Emanuelsson, O., Nielsen, H., Brunak, S., and von Heijne, G. (21-7-2000). Predicting subcellular localization of proteins based on their N-terminal amino acid sequence. *J.Mol.Biol.* **300** (4) 1005-1016
66. Estevez, A. M. (1-8-2008). The RNA-binding protein TbDRBD3 regulates the stability of a specific subset of mRNAs in trypanosomes. *Nucleic Acids Research* **36** (14) 4573-4586
67. Fortea, J., de La, L. E., Regnault, B., Coppee, J. Y., Milon, G., Lang, T., and Prina, E. (2009). Transcriptional signatures of BALB/c mouse macrophages housing multiplying *Leishmania amazonensis* amastigotes. *BMC.Genomics* **10** 119
68. Foucher, A. L., Papadopoulou, B., and Ouellette, M. (2006). Prefractionation by digitonin extraction increases representation of the cytosolic and intracellular proteome of *Leishmania infantum*. *J.Proteome.Res.* **5** (7) 1741-1750

69. Frolov, A., Cho, T. H., Billheimer, J. T., and Schroeder, F. (13-12-1996). Sterol carrier protein-2, a new fatty acyl coenzyme A-binding protein. *J.Biol.Chem.* **271** (50) 31878-31884
70. Furuhashi, M. and Hotamisligil, G. S. (2008). Fatty acid-binding proteins: role in metabolic diseases and potential as drug targets. *Nat.Rev.Drug Discov.* **7** (6) 489-503
71. Garami, A. and Ilg, T. (16-7-2001). Disruption of mannose activation in Leishmania mexicana: GDP-mannose pyrophosphorylase is required for virulence, but not for viability. *EMBO J.* **20** (14) 3657-3666
72. Garlid, K. D., Orosz, D. E., Modriansky, M., Vassanelli, S., and Jezek, P. (2-2-1996). On the mechanism of fatty acid-induced proton transport by mitochondrial uncoupling protein. *J.Biol.Chem.* **271** (5) 2615-2620
73. Ginger, M. L., Chance, M. L., and Goad, L. J. (1-9-1999). Elucidation of carbon sources used for the biosynthesis of fatty acids and sterols in the trypanosomatid Leishmania mexicana. *Biochem.J.* **342** (Pt 2) 397-405
74. Glaser, T. A., Baatz, J. E., Kreishman, G. P., and Mukkada, A. J. (1988). pH homeostasis in Leishmania donovani amastigotes and promastigotes. *Proc.Natl.Acad.Sci.U.S.A* **85** (20) 7602-7606
75. Goldmann, O., Kockritz-Blickwede, M., Holtje, C., Chhatwal, G. S., Geffers, R., and Medina, E. (2007). Transcriptome analysis of murine macrophages in response to infection with *Streptococcus pyogenes* reveals an unusual activation program. *Infect.Immun.* **75** (8) 4148-4157
76. Goldstein, J. L. and Brown, M. S. (1977). The low-density lipoprotein pathway and its relation to atherosclerosis. *Annu.Rev.Biochem.* **46** 897-930
77. Goldstein, J. L. and Brown, M. S. (1-2-1990). Regulation of the mevalonate pathway. *Nature* **343** (6257) 425-430
78. Gongora, R., Acestor, N., Quadroni, M., Fasel, N., Saravia, N. G., and Walker, J. (2003). Mapping the proteome of Leishmania Viannia parasites using two-dimensional polyacrylamide gel electrophoresis and associated technologies. *Biomedica* **23** (2) 153-160
79. Gopal, S., Awadalla, S., Gaasterland, T., and Cross, G. A. (2005). A computational investigation of kinetoplastid trans-splicing. *Genome Biol.* **6** (11) R95
80. Gregory, D. J., Sladek, R., Olivier, M., and Matlashewski, G. (2008). Comparison of the effects of Leishmania major or Leishmania donovani infection on macrophage gene expression. *Infect.Immun.* **76** (3) 1186-1192
81. Groener, J. E., Bax, W., and Poorthuis, B. J. (1996). Metabolic fate of oleic acid derived from lysosomal degradation of cholesteryl oleate in human fibroblasts. *J.Lipid Res.* **37** (11) 2271-2279
82. Groener, J. E., Pelton, R. W., and Kostner, G. M. (1986). Improved estimation of cholesteryl ester transfer/exchange activity in serum or plasma. *Clin.Chem.* **32** (2) 283-286
83. Gurvitz, A., Rottensteiner, H., Kilpelainen, S. H., Hartig, A., Hiltunen, J. K., Binder, M., Dawes, I. W., and Hamilton, B. (29-8-1997). The Saccharomyces

- cerevisiae peroxisomal 2,4-dienoyl-CoA reductase is encoded by the oleate-inducible gene SPS19. *J.Biol.Chem.* **272** (35) 22140–22147
84. Gurvitz, A., Wabnegger, L., Yagi, A. I., Binder, M., Hartig, A., Ruis, H., Hamilton, B., Dawes, I. W., Hiltunen, J. K., and Rottensteiner, H. (15–12–1999). Function of human mitochondrial 2,4-dienoyl-CoA reductase and rat monofunctional Delta3-Delta2-enoyl-CoA isomerase in beta-oxidation of unsaturated fatty acids. *Biochem.J.* **344 Pt 3** 903–914
85. Hajduk, P. J., Huth, J. R., and Tse, C. (2005). Predicting protein druggability. *Drug Discov.Today* **10** (23–24) 1675–1682
86. Halvorsen, B., Waehre, T., Scholz, H., Clausen, O. P., der Thusen, J. H., Muller, F., Heimli, H., Tonstad, S., Hall, C., Froland, S. S., Biessen, E. A., Damas, J. K., and Aukrust, P. (2005). Interleukin-10 enhances the oxidized LDL-induced foam cell formation of macrophages by antiapoptotic mechanisms. *J.Lipid Res.* **46** (2) 211–219
87. Hamilton, J. A. (1998). Fatty acid transport: difficult or easy? *J.Lipid Res.* **39** (3) 467–481
88. Hamilton, J. A. (2007). New insights into the roles of proteins and lipids in membrane transport of fatty acids. *Prostaglandins Leukot.Essent.Fatty Acids* **77** (5–6) 355–361
89. Handman, E., Ceredig, R., and Mitchell, G. F. (1979). Murine cutaneous leishmaniasis: disease patterns in intact and nude mice of various genotypes and examination of some differences between normal and infected macrophages. *Aust.J.Exp.Biol.Med.Sci.* **57** (1) 9–29
90. Hart, D. T. and Coombs, G. H. (1982). *Leishmania mexicana*: energy metabolism of amastigotes and promastigotes. *Exp.Parasitol.* **54** (3) 397–409
91. Hart, D. T. and Opperdoes, F. R. (1984). The occurrence of glycosomes (microbodies) in the promastigote stage of four major *Leishmania* species. *Mol.Biochem.Parasitol.* **13** (2) 159–172
92. Heinzel, F. P., Sadick, M. D., Mutha, S. S., and Locksley, R. M. (15–8–1991). Production of interferon gamma, interleukin 2, interleukin 4, and interleukin 10 by CD4+ lymphocytes in vivo during healing and progressive murine leishmaniasis. *Proc.Natl.Acad.Sci.U.S.A* **88** (16) 7011–7015
93. Henry, J. A., McCarthy, A. L., Angus, B., Westley, B. R., May, F. E., Nicholson, S., Cairns, J., Harris, A. L., and Horne, C. H. (15–1–1990). Prognostic significance of the estrogen-regulated protein, cathepsin D, in breast cancer. An immunohistochemical study. *Cancer* **65** (2) 265–271
94. Hiller, K., Schobert, M., Hundertmark, C., Jahn, D., and Munch, R. (1–7–2003). JVirGel: Calculation of virtual two-dimensional protein gels. *Nucleic Acids Res.* **31** (13) 3862–3865
95. Holzer, T. R., McMaster, W. R., and Forney, J. D. (2006). Expression profiling by whole-genome interspecies microarray hybridization reveals differential gene expression in procyclic promastigotes, lesion-derived amastigotes, and axenic amastigotes in *Leishmania mexicana*. *Mol.Biochem.Parasitol.* **146** (2) 198–218

96. Horton, J. D., Bashmakov, Y., Shimomura, I., and Shimano, H. (26-5-1998). Regulation of sterol regulatory element binding proteins in livers of fasted and refed mice. *Proc.Natl.Acad.Sci.U.S.A* **95** (11) 5987-5992
97. Huang, J. T., Welch, J. S., Ricote, M., Binder, C. J., Willson, T. M., Kelly, C., Witztum, J. L., Funk, C. D., Conrad, D., and Glass, C. K. (22-7-1999). Interleukin-4-dependent production of PPAR-gamma ligands in macrophages by 12/15-lipoxygenase. *Nature* **400** (6742) 378-382
98. Hubbard, P. A., Liang, X., Schulz, H., and Kim, J. J. (26-9-2003). The crystal structure and reaction mechanism of Escherichia coli 2,4-dienoyl-CoA reductase. *J.Biol.Chem.* **278** (39) 37553-37560
99. Ikonen, E. (2008). Cellular cholesterol trafficking and compartmentalization. *Nat.Rev.Mol.Cell Biol.* **9** (2) 125-138
100. Ilg, T., Stierhof, Y. D., Etges, R., Adrian, M., Harbecke, D., and Overath, P. (1-10-1991). Secreted acid phosphatase of Leishmania mexicana: a filamentous phosphoglycoprotein polymer. *Proc.Natl.Acad.Sci.U.S.A* **88** (19) 8774-8778
101. Ishihama, Y., Oda, Y., Tabata, T., Sato, T., Nagasu, T., Rappsilber, J., and Mann, M. (2005). Exponentially modified protein abundance index (emPAI) for estimation of absolute protein amount in proteomics by the number of sequenced peptides per protein. *Mol.Cell Proteomics.* **4** (9) 1265-1272
102. Ivens, A. C., Peacock, C. S., Worthey, E. A., Murphy, L., Aggarwal, G., Berriman, M., Sisk, E., Rajandream, M. A., Adlem, E., Aert, R., Anupama, A., Apostolou, Z., Attipoe, P., Bason, N., Bauser, C., Beck, A., Beverley, S. M., Bianchettin, G., Borzym, K., Bothe, G., Bruschi, C. V., Collins, M., Cadag, E., Ciarloni, L., Clayton, C., Coulson, R. M., Cronin, A., Cruz, A. K., Davies, R. M., De Gaudenzi, J., Dobson, D. E., Duesterhoeft, A., Fazelina, G., Fosker, N., Frasch, A. C., Fraser, A., Fuchs, M., Gabel, C., Goble, A., Goffeau, A., Harris, D., Hertz-Fowler, C., Hilbert, H., Horn, D., Huang, Y., Klages, S., Knights, A., Kube, M., Larke, N., Litvin, L., Lord, A., Louie, T., Marra, M., Masuy, D., Matthews, K., Michaeli, S., Mottram, J. C., Muller-Auer, S., Munden, H., Nelson, S., Norbertczak, H., Oliver, K., O'Neil, S., Pentony, M., Pohl, T. M., Price, C., Purnelle, B., Quail, M. A., Rabinowitsch, E., Reinhardt, R., Rieger, M., Rinta, J., Robben, J., Robertson, L., Ruiz, J. C., Rutter, S., Saunders, D., Schafer, M., Schein, J., Schwartz, D. C., Seeger, K., Seyler, A., Sharp, S., Shin, H., Sivam, D., Squares, R., Squares, S., Tosato, V., Vogt, C., Volckaert, G., Wambutt, R., Warren, T., Wedler, H., Woodward, J., Zhou, S., Zimmermann, W., Smith, D. F., Blackwell, J. M., Stuart, K. D., Barrell, B., and Myler, P. J. (15-7-2005). The genome of the kinetoplastid parasite, Leishmania major. *Science* **309** (5733) 436-442
103. Janowski, B. A., Willy, P. J., Devi, T. R., Falck, J. R., and Mangelsdorf, D. J. (24-10-1996). An oxysterol signalling pathway mediated by the nuclear receptor LXR alpha. *Nature* **383** (6602) 728-731
104. Jha, T. K., Sundar, S., Thakur, C. P., Bachmann, P., Karbwang, J., Fischer, C., Voss, A., and Berman, J. (9-12-1999). Miltefosine, an oral agent, for the treatment of Indian visceral leishmaniasis. *N Engl J Med.* **341** (24) 1795-1800

105. Johnson, K. R., Johnson, K. Y., Becker, K. P., Bielawski, J., Mao, C., and Obeid, L. M. (5-9-2003). Role of human sphingosine-1-phosphate phosphatase 1 in the regulation of intra- and extracellular sphingosine-1-phosphate levels and cell viability. *J.Biol.Chem.* **278** (36) 34541-34547
106. Jones, D. C., Ding, X., and Daynes, R. A. (1-3-2002). Nuclear receptor peroxisome proliferator-activated receptor alpha (PPAR α) is expressed in resting murine lymphocytes. The PPAR α in T and B lymphocytes is both transactivation and transrepression competent. *J.Biol.Chem.* **277** (9) 6838-6845
107. Jones, D. E., Ackermann, M. R., Wille, U., Hunter, C. A., and Scott, P. (1-4-2002). Early Enhanced Th1 Response after Leishmania amazonensis Infection of C57BL/6 Interleukin-10-Deficient Mice Does Not Lead to Resolution of Infection. *Infection and Immunity* **70** (4) 2151-2158
108. Joseph, S. B., Laffitte, B. A., Patel, P. H., Watson, M. A., Matsukuma, K. E., Walczak, R., Collins, J. L., Osborne, T. F., and Tontonoz, P. (29-3-2002). Direct and indirect mechanisms for regulation of fatty acid synthase gene expression by liver X receptors. *J.Biol.Chem.* **277** (13) 11019-11025
109. Jungblut, P. R., Bumann, D., Haas, G., Zimny-Arndt, U., Holland, P., Lamer, S., Siejak, F., Aebischer, A., and Meyer, T. F. (2000). Comparative proteome analysis of Helicobacter pylori. *Mol.Microbiol.* **36** (3) 710-725
110. Kane, M. M. and Mosser, D. M. (15-1-2001). The role of IL-10 in promoting disease progression in leishmaniasis. *J.Immunol.* **166** (2) 1141-1147
111. Karp, P. D., Ouzounis, C. A., Moore-Kochlacs, C., Goldovsky, L., Kaipa, P., Ahren, D., Tsoka, S., Darzentas, N., Kunin, V., and Lopez-Bigas, N. (24-10-2005). Expansion of the BioCyc collection of pathway/genome databases to 160 genomes. *Nucleic Acids Research* **33** (19) 6083-6089
112. Kennedy, M. A., Venkateswaran, A., Tarr, P. T., Xenarios, I., Kudoh, J., Shimizu, N., and Edwards, P. A. (19-10-2001). Characterization of the human ABCG1 gene: liver X receptor activates an internal promoter that produces a novel transcript encoding an alternative form of the protein. *J.Biol.Chem.* **276** (42) 39438-39447
113. Kim, J. B. and Spiegelman, B. M. (1-5-1996). ADD1/SREBP1 promotes adipocyte differentiation and gene expression linked to fatty acid metabolism. *Genes Dev.* **10** (9) 1096-1107
114. Kiraga, J., Mackiewicz, P., Mackiewicz, D., Kowalcuk, M., Biecek, P., Polak, N., Smolarczyk, K., Dudek, M. R., and Cebrat, S. (2007). The relationships between the isoelectric point and length of proteins, taxonomy and ecology of organisms. *BMC.Genomics* **8** 163
115. Krogh, A., Larsson, B., von Heijne, G., and Sonnhammer, E. L. (19-1-2001). Predicting transmembrane protein topology with a hidden Markov model: application to complete genomes. *J.Mol.Biol.* **305** (3) 567-580
116. Kruth, H. S., Huang, W., Ishii, I., and Zhang, W. Y. (13-9-2002). Macrophage foam cell formation with native low density lipoprotein. *J.Biol.Chem.* **277** (37) 34573-34580
117. Kruth, H. S., Jones, N. L., Huang, W., Zhao, B., Ishii, I., Chang, J., Combs, C. A., Malide, D., and Zhang, W. Y. (21-1-2005). Macropinocytosis is the

- endocytic pathway that mediates macrophage foam cell formation with native low density lipoprotein. *J.Biol.Chem.* **280** (3) 2352–2360
118. **Kunau, W. H. and Dommes, P.** (15–11–1978). Degradation of unsaturated fatty acids. Identification of intermediates in the degradation of cis-4-decenoyl-CoA by extracts of beef-liver mitochondria. *Eur.J.Biochem.* **91** (2) 533–544
119. **Laffitte, B. A., Repa, J. J., Joseph, S. B., Wilpitz, D. C., Kast, H. R., Mangelsdorf, D. J., and Tontonoz, P.** (16–1–2001). LXRs control lipid-inducible expression of the apolipoprotein E gene in macrophages and adipocytes. *Proc.Natl.Acad.Sci.U.S.A* **98** (2) 507–512
120. **Lange, Y., Ye, J., and Chin, J.** (4–7–1997). The fate of cholesterol exiting lysosomes. *J.Biol.Chem.* **272** (27) 17018–17022
121. **Laskay, T., van Zandbergen, G., and Solbach, W.** (2008). Neutrophil granulocytes as host cells and transport vehicles for intracellular pathogens: apoptosis as infection-promoting factor. *Immunobiology* **213** (3–4) 183–191
122. **Lee, S. Y.** (1996). High cell-density culture of *Escherichia coli*. *Trends Biotechnol.* **14** (3) 98–105
123. **Lehrke, M. and Lazar, M. A.** (16–12–2005). The many faces of PPARgamma. *Cell* **123** (6) 993–999
124. **Leifso, K., Cohen-Freue, G., Dogra, N., Murray, A., and McMaster, W. R.** (2007). Genomic and proteomic expression analysis of *Leishmania* promastigote and amastigote life stages: the *Leishmania* genome is constitutively expressed. *Mol.Biochem.Parasitol.* **152** (1) 35–46
125. **Li, Q., Fuhrman, B., and Aviram, M.** (1995). Low density lipoprotein-cholesteryl ester-derived linoleic acid is mainly incorporated into the phospholipid component of the macrophages. *Isr.J.Med.Sci.* **31** (8) 474–478
126. **Lian, X., Yan, C., Qin, Y., Knox, L., Li, T., and Du, H.** (1–9–2005). Neutral Lipids and Peroxisome Proliferator-Activated Receptor- $\{\gamma\}$ Control Pulmonary Gene Expression and Inflammation-Triggered Pathogenesis in Lysosomal Acid Lipase Knockout Mice. *American Journal of Pathology* **167** (3) 813–821
127. **Liang, X. H., Haritan, A., Uliel, S., and Michaeli, S.** (2003). trans and cis splicing in trypanosomatids: mechanism, factors, and regulation. *Eukaryot.Cell* **2** (5) 830–840
128. **Lippuner, C., Paape, D., Paterou, A., Brand, J., Richardson, M., Smith, A. J., Hoffmann, K., Brinkmann, V., Blackburn, C., and Aebsicher, T.** (2009). Real-time imaging of *Leishmania mexicana*-infected early phagosomes: a study using primary macrophages generated from green fluorescent protein-Rab5 transgenic mice. *FASEB J.* **23** (2) 483–491
129. **Liscum, L., Ruggiero, R. M., and Faust, J. R.** (1989). The intracellular transport of low density lipoprotein-derived cholesterol is defective in Niemann-Pick type C fibroblasts. *J.Cell Biol.* **108** (5) 1625–1636
130. **Livak, K. J. and Schmittgen, T. D.** (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method. *Methods* **25** (4) 402–408

131. Lockshon, D., Surface, L. E., Kerr, E. O., Kaeberlein, M., and Kennedy, B. K. (2007). The sensitivity of yeast mutants to oleic acid implicates the peroxisome and other processes in membrane function. *Genetics* **175** (1) 77–91
132. Lopez, J. M., Bennett, M. K., Sanchez, H. B., Rosenfeld, J. M., and Osborne, T. F. (6-2-1996). Sterol regulation of acetyl coenzyme A carboxylase: a mechanism for coordinate control of cellular lipid. *Proc.Natl.Acad.Sci.U.S.A* **93** (3) 1049–1053
133. Lorenz, M. C., Bender, J. A., and Fink, G. R. (2004). Transcriptional response of *Candida albicans* upon internalization by macrophages. *Eukaryot.Cell* **3** (5) 1076–1087
134. Louis, J., Himmelrich, H., Parra-Lopez, C., Tacchini-Cottier, F., and Launois, P. (1998). Regulation of protective immunity against *Leishmania major* in mice. *Curr.Opin.Immunol.* **10** (4) 459–464
135. Magana, M. M. and Osborne, T. F. (20-12-1996). Two tandem binding sites for sterol regulatory element binding proteins are required for sterol regulation of fatty-acid synthase promoter. *J.Biol.Chem.* **271** (51) 32689–32694
136. Makarov, A., Denisov, E., Lange, O., and Horning, S. (2006). Dynamic range of mass accuracy in LTQ Orbitrap hybrid mass spectrometer. *J.Am.Soc.Mass Spectrom.* **17** (7) 977–982
137. Makowski, L., Brittingham, K. C., Reynolds, J. M., Suttles, J., and Hotamisligil, G. S. (1-4-2005). The fatty acid-binding protein, aP2, coordinates macrophage cholesterol trafficking and inflammatory activity. Macrophage expression of aP2 impacts peroxisome proliferator-activated receptor gamma and IkappaB kinase activities. *J.Biol.Chem.* **280** (13) 12888–12895
138. Mann, M. (2006). Functional and quantitative proteomics using SILAC. *Nat.Rev.Mol.Cell Biol.* **7** (12) 952–958
139. Martinez-Calvillo, S., Nguyen, D., Stuart, K., and Myler, P. J. (2004). Transcription initiation and termination on *Leishmania major* chromosome 3. *Eukaryot.Cell* **3** (2) 506–517
140. Martinez-Calvillo, S., Yan, S., Nguyen, D., Fox, M., Stuart, K., and Myler, P. J. (2003). Transcription of *Leishmania major* Friedlin chromosome 1 initiates in both directions within a single region. *Mol.Cell* **11** (5) 1291–1299
141. Maurer, M. E. and Cooper, J. A. (15-10-2006). The adaptor protein Dab2 sorts LDL receptors into coated pits independently of AP-2 and ARH. *J.Cell Sci.* **119** (Pt 20) 4235–4246
142. Maxfield, F. R. and Mondal, M. (2006). Sterol and lipid trafficking in mammalian cells. *Biochem.Soc.Trans.* **34** (Pt 3) 335–339
143. Mayho, M., Fenn, K., Craddy, P., Crosthwaite, S., and Matthews, K. (2006). Post-transcriptional control of nuclear-encoded cytochrome oxidase subunits in *Trypanosoma brucei*: evidence for genome-wide conservation of life-cycle stage-specific regulatory elements. *Nucleic Acids Res.* **34** (18) 5312–5324
144. Mbongo, N., Loiseau, P. M., Billion, M. A., and Robert-Gero, M. (1998). Mechanism of amphotericin B resistance in *Leishmania donovani* promastigotes. *Antimicrob.Agents Chemother.* **42** (2) 352–357

145. Mbow, M. L., Bleyenberg, J. A., Hall, L. R., and Titus, R. G. (15-11-1998). Phlebotomus papatasi sand fly salivary gland lysate down-regulates a Th1, but up-regulates a Th2, response in mice infected with Leishmania major. *The Journal of Immunology* **161** (10) 5571-5577
146. McCarthy-Burke, C., Bates, P. A., and Dwyer, D. M. (1991). Leishmania donovani: use of two different, commercially available, chemically defined media for the continuous in vitro cultivation of promastigotes. *Exp.Parasitol.* **73** (3) 385-387
147. McConville, M. J., de Souza, D., Saunders, E., Likic, V. A., and Naderer, T. (2007). Living in a phagolysosome; metabolism of Leishmania amastigotes. *Trends Parasitol.* **23** (8) 368-375
148. McConville, M. J., Mullin, K. A., Ilgoutz, S. C., and Teasdale, R. D. (2002). Secretory pathway of trypanosomatid parasites. *Microbiol.Mol.Biol.Rev.* **66** (1) 122-154
149. McNicoll, F., Drummelsmith, J., Muller, M., Madore, E., Boilard, N., Ouellette, M., and Papadopoulou, B. (2006). A combined proteomic and transcriptomic approach to the study of stage differentiation in Leishmania infantum. *Proteomics.* **6** (12) 3567-3581
150. McNicoll, F., Muller, M., Cloutier, S., Boilard, N., Rochette, A., Dube, M., and Papadopoulou, B. (21-10-2005). Distinct 3'-untranslated region elements regulate stage-specific mRNA accumulation and translation in Leishmania. *J.Biol.Chem.* **280** (42) 35238-35246
151. Medina-Acosta, E., Karess, R. E., Schwartz, H., and Russell, D. G. (1989). The promastigote surface protease (gp63) of Leishmania is expressed but differentially processed and localized in the amastigote stage. *Mol.Biochem.Parasitol.* **37** (2) 263-273
152. Michels, P. A., Bringaud, F., Herman, M., and Hannaert, V. (2006). Metabolic functions of glycosomes in trypanosomatids. *Biochim.Biophys.Acta* **1763** (12) 1463-1477
153. Middleton, M. K., Rubinstein, T., and Pure, E. (1-1-2006). Cellular and molecular mechanisms of the selective regulation of IL-12 production by 12/15-lipoxygenase. *J.Immunol.* **176** (1) 265-274
154. Mirza, S. P., Halligan, B. D., Greene, A. S., and Olivier, M. (19-6-2007). Improved method for the analysis of membrane proteins by mass spectrometry. *Physiological Genomics* **30** (1) 89-94
155. Misslitz, A., Mottram, J. C., Overath, P., and Aebsicher, T. (15-4-2000). Targeted integration into a rRNA locus results in uniform and high level expression of transgenes in Leishmania amastigotes. *Mol.Biochem.Parasitol.* **107** (2) 251-261
156. Monteiro, M. C., Lima, H. C., Souza, A. A., Titus, R. G., Romao, P. R., and Cunha, F. Q. (2007). Effect of Lutzomyia longipalpis salivary gland extracts on leukocyte migration induced by Leishmania major. *Am.J Trop.Med.Hyg.* **76** (1) 88-94
157. Mottram, J. C., Frame, M. J., Brooks, D. R., Tetley, L., Hutchison, J. E., Souza, A. E., and Coombs, G. H. (30-5-1997). The multiple cpb cysteine proteinase genes of Leishmania mexicana encode isoenzymes that differ in their stage regulation and substrate preferences. *J.Biol.Chem.* **272** (22) 14285-14293

158. Murphy, C., Ledmyr, H., Ehrenborg, E., and Gafvels, M. (2006). Promoter analysis of the murine squalene epoxidase gene. Identification of a 205 bp homing region regulated by both SREBP'S and NF-Y. *Biochim.Biophys.Acta* **1761** (10) 1213–1227
159. Naderer, T., Ellis, M. A., Sernee, M. F., De Souza, D. P., Curtis, J., Handman, E., and McConville, M. J. (4-4-2006). Virulence of Leishmania major in macrophages and mice requires the gluconeogenic enzyme fructose-1,6-bisphosphatase. *Proc.Natl.Acad.Sci.U.S.A* **103** (14) 5502–5507
160. Nagy, L., Tontonoz, P., Alvarez, J. G., Chen, H., and Evans, R. M. (17-4-1998). Oxidized LDL regulates macrophage gene expression through ligand activation of PPARgamma. *Cell* **93** (2) 229–240
161. Nandan, D., Yi, T., Lopez, M., Lai, C., and Reiner, N. E. (20-12-2002). Leishmania EF-1alpha activates the Src homology 2 domain containing tyrosine phosphatase SHP-1 leading to macrophage deactivation. *J.Biol.Chem.* **277** (51) 50190–50197
162. Nielsen, H. and Krogh, A. (1998). Prediction of signal peptides and signal anchors by a hidden Markov model. *Proc.Int.Conf.Intell.Syst.Mol.Biol.* **6** 122–130
163. Norsworthy, N. B., Sun, J., Elnaiem, D., Lanzaro, G., and Soong, L. (2004). Sand fly saliva enhances Leishmania amazonensis infection by modulating interleukin-10 production. *Infect.Immun.* **72** (3) 1240–1247
164. Nugent, P. G., Karsani, S. A., Wait, R., Tempero, J., and Smith, D. F. (2004). Proteomic analysis of Leishmania mexicana differentiation. *Mol.Biochem.Parasitol.* **136** (1) 51–62
165. Odegaard, J. I., Ricardo-Gonzalez, R. R., Goforth, M. H., Morel, C. R., Subramanian, V., Mukundan, L., Eagle, A. R., Vats, D., Brombacher, F., Ferrante, A. W., and Chawla, A. (28-6-2007). Macrophage-specific PPARgamma controls alternative activation and improves insulin resistance. *Nature* **447** (7148) 1116–1120
166. Ommen, G., Lorenz, S., and Clos, J. (2009). One-step generation of double-allele gene replacement mutants in Leishmania donovani. *Int.J.Parasitol.* **39** (5) 541–546
167. Ong, S. E., Blagoev, B., Kratchmarova, I., Kristensen, D. B., Steen, H., Pandey, A., and Mann, M. (2002). Stable isotope labeling by amino acids in cell culture, SILAC, as a simple and accurate approach to expression proteomics. *Mol.Cell Proteomics.* **1** (5) 376–386
168. Opperdoes, F. R. and Coombs, G. H. (2007). Metabolism of Leishmania: proven and predicted. *Trends Parasitol.* **23** (4) 149–158
169. Opperdoes, F. R. and Michels, P. A. (2007). Horizontal gene transfer in trypanosomatids. *Trends Parasitol.* **23** (10) 470–476
170. Opperdoes, F. R. and Szikora, J. P. (2006). In silico prediction of the glycosomal enzymes of Leishmania major and trypanosomes. *Mol.Biochem.Parasitol.* **147** (2) 193–206
171. Overath, P. and Aebsicher, T. (1999). Antigen presentation by macrophages harboring intravesicular pathogens. *Parasitol.Today* **15** (8) 325–332

172. Paape, D., Lippuner, C., Schmid, M., Ackermann, R., Barrios-Llerena, M. E., Zimny-Arndt, U., Brinkmann, V., Arndt, B., Pleissner, K. P., Jungblut, P. R., and Aebischer, T. (2008). Transgenic, fluorescent Leishmania mexicana allow direct analysis of the proteome of intracellular amastigotes. *Mol.Cell Proteomics.* **7** (9) 1688–1701
173. Padigel, U. M., Alexander, J., and Farrell, J. P. (1–10–2003). The role of interleukin-10 in susceptibility of BALB/c mice to infection with Leishmania mexicana and Leishmania amazonensis. *J.Immunol.* **171** (7) 3705–3710
174. Panethymitaki, C., Bowyer, P. W., Price, H. P., Leatherbarrow, R. J., Brown, K. A., and Smith, D. F. (1–6–2006). Characterization and selective inhibition of myristoyl-CoA:protein N-myristoyltransferase from Trypanosoma brucei and Leishmania major. *Biochem.J.* **396** (2) 277–285
175. Papadopoulou, B. and Dumas, C. (1–11–1997). Parameters controlling the rate of gene targeting frequency in the protozoan parasite Leishmania. *Nucleic Acids Res.* **25** (21) 4278–4286
176. Peacock, C. S., Seeger, K., Harris, D., Murphy, L., Ruiz, J. C., Quail, M. A., Peters, N., Adlem, E., Tivey, A., Aslett, M., Kerhornou, A., Ivens, A., Fraser, A., Rajandream, M. A., Carver, T., Norbertczak, H., Chillingworth, T., Hance, Z., Jagels, K., Moule, S., Ormond, D., Rutter, S., Squares, R., Whitehead, S., Rabbinowitsch, E., Arrowsmith, C., White, B., Thurston, S., Bringaud, F., Baldauf, S. L., Faulconbridge, A., Jeffares, D., Depledge, D. P., Oyola, S. O., Hilley, J. D., Brito, L. O., Tosi, L. R., Barrell, B., Cruz, A. K., Mottram, J. C., Smith, D. F., and Berriman, M. (2007). Comparative genomic analysis of three Leishmania species that cause diverse human disease. *Nat.Genet.* **39** (7) 839–847
177. Peters, N. C., Egen, J. G., Secundino, N., Debrabant, A., Kimblin, N., Kamhawi, S., Lawyer, P., Fay, M. P., Germain, R. N., and Sacks, D. (15–8–2008). In vivo imaging reveals an essential role for neutrophils in leishmaniasis transmitted by sand flies. *Science* **321** (5891) 970–974
178. Pimenta, P. F. and de Souza, W. (1983). Leishmania mexicana amazonensis: surface charge of amastigote and promastigote forms. *Exp.Parasitol.* **56** (2) 194–206
179. Poirier, Y., Antonenkov, V. D., Glumoff, T., and Hiltunen, J. K. (2006). Peroxisomal beta-oxidation--a metabolic pathway with multiple functions. *Biochim.Biophys.Acta* **1763** (12) 1413–1426
180. Price, H. P., Menon, M. R., Panethymitaki, C., Goulding, D., McKean, P. G., and Smith, D. F. (28–2–2003). Myristoyl-CoA:protein N-myristoyltransferase, an essential enzyme and potential drug target in kinetoplastid parasites. *J Biol Chem* **278** (9) 7206–7214
181. Quinn, C. M., Jessup, W., Wong, J., Kritharides, L., and Brown, A. J. (1–2–2005). Expression and regulation of sterol 27-hydroxylase (CYP27A1) in human macrophages: a role for RXR and PPARgamma ligands. *Biochem.J.* **385** (Pt 3) 823–830
182. Raghow, R., Yellaturu, C., Deng, X., Park, E. A., and Elam, M. B. (2008). SREBPs: the crossroads of physiological and pathological lipid homeostasis. *Trends Endocrinol.Metab* **19** (2) 65–73

183. Rappsilber, J., Ryder, U., Lamond, A. I., and Mann, M. (2002). Large-scale proteomic analysis of the human spliceosome. *Genome Res.* **12** (8) 1231–1245
184. Reddy, J. K. and Mannaerts, G. P. (1–7–1994). Peroxisomal Lipid Metabolism. *Annual Review of Nutrition* **14** (1) 343–370
185. Redgrave, T. G., Roberts, D. C., and West, C. E. (12–5–1975). Separation of plasma lipoproteins by density-gradient ultracentrifugation. *Anal.Biochem.* **65** (1–2) 42–49
186. Reithinger, R., Dujardin, J. C., Louzir, H., Pirmez, C., Alexander, B., and Brooker, S. (2007). Cutaneous leishmaniasis. *Lancet Infect.Dis.* **7** (9) 581–596
187. Repa, J. J., Liang, G., Ou, J., Bashmakov, Y., Lobaccaro, J. M., Shimomura, I., Shan, B., Brown, M. S., Goldstein, J. L., and Mangelsdorf, D. J. (15–11–2000). Regulation of mouse sterol regulatory element-binding protein-1c gene (SREBP-1c) by oxysterol receptors, LX α and LX β . *Genes Dev.* **14** (22) 2819–2830
188. Ricote, M. and Glass, C. K. (2007). PPARs and molecular mechanisms of transrepression. *Biochim.Biophys.Acta* **1771** (8) 926–935
189. Rigamonti, E., Helin, L., Lestavel, S., Mutka, A. L., Lepore, M., Fontaine, C., Bouhlel, M. A., Bultel, S., Fruchart, J. C., Ikonen, E., Clavey, V., Staels, B., and Chinetti-Gbaguidi, G. (30–9–2005). Liver X receptor activation controls intracellular cholesterol trafficking and esterification in human macrophages. *Circ.Res.* **97** (7) 682–689
190. Roberts, C. W., McLeod, R., Rice, D. W., Ginger, M., Chance, M. L., and Goad, L. J. (2003). Fatty acid and sterol metabolism: potential antimicrobial targets in apicomplexan and trypanosomatid parasitic protozoa. *Mol.Biochem.Parasitol.* **126** (2) 129–142
191. Roe, C. R., Millington, D. S., Norwood, D. L., Kodo, N., Sprecher, H., Mohammed, B. S., Nada, M., Schulz, H., and McVie, R. (1990). 2,4-Dienoyl-coenzyme A reductase deficiency: a possible new disorder of fatty acid oxidation. *J.Clin.Invest* **85** (5) 1703–1707
192. Rogers, M., Kropf, P., Choi, B. S., Dillon, R., Podinovskaia, M., Bates, P., and Muller, I. (2009). Proteophosphoglycans regurgitated by Leishmania-infected sand flies target the L-arginine metabolism of host macrophages to promote parasite survival. *PLoS.Pathog.* **5** (8) e1000555
193. Rosenzweig, D., Smith, D., Opperdoes, F., Stern, S., Olafson, R. W., and Zilberstein, D. (2008). Retooling Leishmania metabolism: from sand fly gut to human macrophage. *FASEB J.* **22** (2) 590–602
194. Rub, A., Dey, R., Jadhav, M., Kamat, R., Chakkaramakkil, S., Majumdar, S., Mukhopadhyaya, R., and Saha, B. (2009). Cholesterol depletion associated with Leishmania major infection alters macrophage CD40 signalosome composition and effector function. *Nat.Immunol.* **10** (3) 273–280
195. Sabarth, N., Hurwitz, R., Meyer, T. F., and Bumann, D. (2002). Multiparameter selection of *Helicobacter pylori* antigens identifies two novel antigens with high protective efficacy. *Infect.Immun.* **70** (11) 6499–6503

196. Sakanari, J. A., Nadler, S. A., Chan, V. J., Engel, J. C., Leptak, C., and Bouvier, J. (1997). *Leishmania major*: comparison of the cathepsin L- and B-like cysteine protease genes with those of other trypanosomatids. *Exp.Parasitol.* **85** (1) 63–76
197. Schmid, S. L. (1997). Clathrin-coated vesicle formation and protein sorting: an integrated process. *Annu.Rev.Biochem.* **66** 511–548
198. Schneider, L. V. and Hall, M. P. (1–3–2005). Stable isotope methods for high-precision proteomics. *Drug Discov.Today* **10** (5) 353–363
199. Schneider, P., Rosat, J. P., Bouvier, J., Louis, J., and Bordier, C. (1992). *Leishmania major*: differential regulation of the surface metalloprotease in amastigote and promastigote stages. *Exp.Parasitol.* **75** (2) 196–206
200. Schutt, F., Bergmann, M., Holz, F. G., and Kopitz, J. (2002). Isolation of intact lysosomes from human RPE cells and effects of A2-E on the integrity of the lysosomal and other cellular membranes. *Graefes Arch.Clin.Exp.Ophthalmol.* **240** (12) 983–988
201. Scott, P., Natovitz, P., Coffman, R. L., Pearce, E., and Sher, A. (1–11–1988). Immunoregulation of cutaneous leishmaniasis. T cell lines that transfer protective immunity or exacerbation belong to different T helper subsets and respond to distinct parasite antigens. *J.Exp.Med.* **168** (5) 1675–1684
202. Sereno, D., Vanhille, L., Vergnes, B., Monte-Allegre, A., and Ouaissi, A. (24–1–2005). Experimental study of the function of the excreted/secreted *Leishmania* LmSIR2 protein by heterologous expression in eukaryotic cell line. *Kinetoplastid.Biol.Dis.* **4** (1) 1
203. Shakarian, A. M. and Dwyer, D. M. (27–2–1998). The Ld Cht1 gene encodes the secretory chitinase of the human pathogen *Leishmania donovani*. *Gene* **208** (2) 315–322
204. Sharp, P. M. and Li, W. H. (11–2–1987). The codon Adaptation Index--a measure of directional synonymous codon usage bias, and its potential applications. *Nucleic Acids Res.* **15** (3) 1281–1295
205. Sharp, P. M., Tuohy, T. M., and Mosurski, K. R. (11–7–1986). Codon usage in yeast: cluster analysis clearly differentiates highly and lowly expressed genes. *Nucleic Acids Res.* **14** (13) 5125–5143
206. Shimano, H., Horton, J. D., Hammer, R. E., Shimomura, I., Brown, M. S., and Goldstein, J. L. (1–10–1996). Overproduction of cholesterol and fatty acids causes massive liver enlargement in transgenic mice expressing truncated SREBP-1a. *J.Clin.Invest* **98** (7) 1575–1584
207. Silverman, J. M., Chan, S. K., Robinson, D. P., Dwyer, D. M., Nandan, D., Foster, L. J., and Reiner, N. E. (2008). Proteomic analysis of the secretome of *Leishmania donovani*. *Genome Biol.* **9** (2) R35
208. Simard, J. R., Kamp, F., and Hamilton, J. A. (2008). Measuring the adsorption of Fatty acids to phospholipid vesicles by multiple fluorescence probes. *Biophys.J.* **94** (11) 4493–4503
209. Simard, J. R., Pillai, B. K., and Hamilton, J. A. (2008). Fatty acid flip-flop in a model membrane is faster than desorption into the aqueous phase. *Biochemistry* **47** (35) 9081–9089

210. Simons, K. and Ikonen, E. (5-6-1997). Functional rafts in cell membranes. *Nature* **387** (6633) 569-572
211. Simons, K. and Toomre, D. (2000). Lipid rafts and signal transduction. *Nat.Rev.Mol.Cell Biol.* **1** (1) 31-39
212. Simpson, K. L., Whetton, A. D., and Dive, C. (1-5-2009). Quantitative mass spectrometry-based techniques for clinical use: biomarker identification and quantification. *J.Chromatogr.B Analyt.Technol.Biomed.Life Sci.* **877** (13) 1240-1249
213. Soto, J., Arana, B. A., Toledo, J., Rizzo, N., Vega, J. C., Diaz, A., Luz, M., Gutierrez, P., Arboleda, M., Berman, J. D., Junge, K., Engel, J., and Sindermann, H. (1-5-2004). Miltefosine for new world cutaneous leishmaniasis. *Clin.Infect.Dis.* **38** (9) 1266-1272
214. Southern, E. M. (5-11-1975). Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J.Mol.Biol.* **98** (3) 503-517
215. Souza, A. E., Waugh, S., Coombs, G. H., and Mottram, J. C. (19-10-1992). Characterization of a multi-copy gene for a major stage-specific cysteine proteinase of Leishmania mexicana. *FEBS Lett.* **311** (2) 124-127
216. Spector, A. A. (1969). Influence of pH of the medium on free fatty acid utilization by isolated mammalian cells. *J.Lipid Res.* **10** (2) 207-215
217. Stegmayer, C., Kehlenbach, A., Tournaviti, S., Wegehingel, S., Zehe, C., Denny, P., Smith, D. F., Schwappach, B., and Nickel, W. (1-2-2005). Direct transport across the plasma membrane of mammalian cells of Leishmania HASPB as revealed by a CHO export mutant. *J.Cell Sci.* **118** (Pt 3) 517-527
218. Stremmel, W., Strohmeyer, G., Borchard, F., Kochwa, S., and Berk, P. D. (1985). Isolation and partial characterization of a fatty acid binding protein in rat liver plasma membranes. *Proc.Natl.Acad.Sci.U.S.A* **82** (1) 4-8
219. Sypek, J. P., Chung, C. L., Mayor, S. E., Subramanyam, J. M., Goldman, S. J., Sieburth, D. S., Wolf, S. F., and Schaub, R. G. (1-6-1993). Resolution of cutaneous leishmaniasis: interleukin 12 initiates a protective T helper type 1 immune response. *J.Exp.Med.* **177** (6) 1797-1802
220. Szafron, D., Lu, P., Greiner, R., Wishart, D. S., Poulin, B., Eisner, R., Lu, Z., Anvik, J., Macdonell, C., Fyshe, A., and Meeuwis, D. (1-7-2004). Proteome Analyst: custom predictions with explanations in a web-based tool for high-throughput proteome annotations. *Nucleic Acids Res.* **32** (Web Server issue) W365-W371
221. Szanto, A., Benko, S., Szatmari, I., Balint, B. L., Furtos, I., Ruhl, R., Molnar, S., Csiba, L., Garuti, R., Calandra, S., Larsson, H., Diczfalussy, U., and Nagy, L. (2004). Transcriptional regulation of human CYP27 integrates retinoid, peroxisome proliferator-activated receptor, and liver X receptor signaling in macrophages. *Mol.Cell Biol.* **24** (18) 8154-8166
222. Tabas, I. (2002). Consequences of cellular cholesterol accumulation: basic concepts and physiological implications. *J.Clin.Invest* **110** (7) 905-911
223. Tall, A. R. (2008). Cholesterol efflux pathways and other potential mechanisms involved in the athero-protective effect of high density lipoproteins. *J.Intern.Med.* **263** (3) 256-273

224. Tontonoz, P., Kim, J. B., Graves, R. A., and Spiegelman, B. M. (1993). ADD1: a novel helix-loop-helix transcription factor associated with adipocyte determination and differentiation. *Mol.Cell Biol.* **13** (8) 4753–4759
225. Tontonoz, P., Nagy, L., Alvarez, J. G., Thomazy, V. A., and Evans, R. M. (17–4–1998). PPARgamma promotes monocyte/macrophage differentiation and uptake of oxidized LDL. *Cell* **93** (2) 241–252
226. Tontonoz, P. and Spiegelman, B. M. (2008). Fat and beyond: the diverse biology of PPARgamma. *Annu.Rev.Biochem.* **77** 289–312
227. Urbina, J. A. (1997). Lipid biosynthesis pathways as chemotherapeutic targets in kinetoplastid parasites. *Parasitology* **114 Suppl** S91–S99
228. van Helden, J., Andre, B., and Collado-Vides, J. (4–9–1998). Extracting regulatory sites from the upstream region of yeast genes by computational analysis of oligonucleotide frequencies. *J.Mol.Biol.* **281** (5) 827–842
229. van Helden, J., Andre, B., and Collado-Vides, J. (30–1–2000). A web site for the computational analysis of yeast regulatory sequences. *Yeast* **16** (2) 177–187
230. van Roermund, C. W., de Jong, M., IJlst, L., van Marle, J., Dansen, T. B., Wanders, R. J., and Waterham, H. R. (15–8–2004). The peroxisomal lumen in *Saccharomyces cerevisiae* is alkaline. *J.Cell Sci.* **117** (Pt 18) 4231–4237
231. van Zandbergen, G., Bollinger, A., Wenzel, A., Kamhawi, S., Voll, R., Klinger, M., Muller, A., Holscher, C., Herrmann, M., Sacks, D., Solbach, W., and Laskay, T. (12–9–2006). Leishmania disease development depends on the presence of apoptotic promastigotes in the virulent inoculum. *Proc.Natl.Acad.Sci.U.S.A* **103** (37) 13837–13842
232. van Zandbergen, G., Hermann, N., Laufs, H., Solbach, W., and Laskay, T. (2002). Leishmania promastigotes release a granulocyte chemotactic factor and induce interleukin-8 release but inhibit gamma interferon-inducible protein 10 production by neutrophil granulocytes. *Infect.Immun.* **70** (8) 4177–4184
233. van Zandbergen, G., Klinger, M., Mueller, A., Dannenberg, S., Gebert, A., Solbach, W., and Laskay, T. (1–12–2004). Cutting edge: neutrophil granulocyte serves as a vector for Leishmania entry into macrophages. *J.Immunol.* **173** (11) 6521–6525
234. Vieira, O. V., Botelho, R. J., and Grinstein, S. (15–9–2002). Phagosome maturation: aging gracefully. *Biochem.J.* **366** (Pt 3) 689–704
235. Walker, J., Vasquez, J. J., Gomez, M. A., Drummondsmith, J., Burchmore, R., Girard, I., and Ouellette, M. (2006). Identification of developmentally-regulated proteins in *Leishmania panamensis* by proteome profiling of promastigotes and axenic amastigotes. *Mol.Biochem.Parasitol.* **147** (1) 64–73
236. Weinheber, N., Wolfram, M., Harbecke, D., and Aebischer, T. (1998). Phagocytosis of *Leishmania mexicana* amastigotes by macrophages leads to a sustained suppression of IL-12 production. *Eur.J Immunol* **28** (8) 2467–2477
237. Welch, C. L., Xia, Y. R., Shechter, I., Farese, R., Mehrabian, M., Mehdizadeh, S., Warden, C. H., and Lusis, A. J. (1–7–1996). Genetic regulation of cholesterol homeostasis: chromosomal organization of candidate genes

- [published erratum appears in J Lipid Res 1996 Oct;37(10):2269]. Journal of Lipid Research **37** (7) 1406-1421
238. Wojtanik, K. M. and Liscum, L. (25-4-2003). The transport of low density lipoprotein-derived cholesterol to the plasma membrane is defective in NPC1 cells. *J.Biol.Chem.* **278** (17) 14850-14856
239. Wolff, S., Antelmann, H., Albrecht, D., Becher, D., Bernhardt, J., Bron, S., Buttner, K., van Dijl, J. M., Eymann, C., Otto, A., Tam, I. T., and Hecker, M. (15-4-2007). Towards the entire proteome of the model bacterium *Bacillus subtilis* by gel-based and gel-free approaches. *J.Chromatogr.B Analyt.Technol.Biomed.Life Sci.* **849** (1-2) 129-140
240. Wu, Y., El Fakhry, Y., Sereno, D., Tamar, S., and Papadopoulou, B. (2000). A new developmentally regulated gene family in *Leishmania* amastigotes encoding a homolog of amastin surface proteins. *Mol.Biochem.Parasitol.* **110** (2) 345-357
241. Zhao, B., Li, Y., Buono, C., Waldo, S. W., Jones, N. L., Mori, M., and Kruth, H. S. (9-6-2006). Constitutive receptor-independent low density lipoprotein uptake and cholesterol accumulation by macrophages differentiated from human monocytes with macrophage-colony-stimulating factor (M-CSF). *J.Biol.Chem.* **281** (23) 15757-15762
242. Zhong, S., Goldberg, I. J., Bruce, C., Rubin, E., Breslow, J. L., and Tall, A. (1994). Human ApoA-II inhibits the hydrolysis of HDL triglyceride and the decrease of HDL size induced by hypertriglyceridemia and cholesteryl ester transfer protein in transgenic mice. *J.Clin.Invest* **94** (6) 2457-2467