

8 Literaturverzeichnis

- Abdulwahab O. M. S., Ross G. und Bradbury J. M. (1996).
Pathogenicity and cytoadherence of *Mycoplasma imitans* in chicken and duck embryo tracheal organ cultures.
Infect Immun 64: 563-568.
- Adler H.E. (1954).
A rapid slide agglutination test for the diagnosis of Chronic Respiratory Disease in field and laboratory - Infected chickens and turkeys - A preliminary report
Proceedings 91st Ann. Meeting AVMA: 346-349
- Adler H. E. (1958).
A PPLO slide agglutination test for the detection of infectious sinusitis of turkeys.
Poult Sci 37: 1116-1123.
- Adler H. E., Fabricant J., Yamamoto R. und Berg J. (1958).
Symposium on chronic respiratory diseases of poultry. I. Isolation and identification of pleuropneumonia-like organisms of avian origin.
Am J Vet Res 19: 440-447.
- Albers A. C. und Fletcher R. D. (1982).
Simple method for quantitation of viable mycoplasmas.
Appl Environ Microbiol 43: 958-960.
- Altschul S. F., Gish W., Miller W., Myers E.W. und Lipman D.J. (1990).
Basic local alignment search tool.
J. of Mol. Biol. 215: 403-410.
- Aluotto B. B., Wittler R. G., Williams J. C., Faber J. E. (1970).
Standardized bacteriologic techniques for the characterization of mycoplasma species.
Int. J. Sys. Bact. 20: 35-58.
- Amin M. M. (1977).
Avian Mycoplasmas: studies on isolation, infection and control.
PhD Thesis. University of Liverpool.
- Amin M. M. und Jordan F. T. W. (1978).
Experimental infection of ducklings with *Mycoplasma gallisepticum* and *Mycoplasma anatis*.
Res Vet Sci 25: 86-88.
- Amin M. M. und Jordan F. T. W. (1979).
Infection of the chicken with a virulent or avirulent strain of *Mycoplasma gallisepticum* alone and together with Newcastle disease virus or *E. coli* or both.
Vet Microbiol 4: 35-45.
- Anderson D. P., Wolfe R. R., Chermis F. L. und Roper W. E. (1968).
Influence of dust and ammonia on the development of air sac lesions in turkeys.
Am J Vet Res 29: 1049-1058.

- Anderson G. C., Bletner J. K., Munro D. A., Olson N. O. und Shelton D. C. (1956).
Studies of infectious synovitis in chickens.
Am J Vet Res 17: 747-754
- Arber W. (1974).
DNA modification and restriction.
Prog Nucleic Acid Res Mol Biol 14: 1-37.
- Avakian A. P., Kleven S. H. und Ley D. H. (1991).
Comparison of *Mycoplasma gallisepticum* strains and identification of immunogenic integral membrane proteins with Triton X-114 by immunoblotting.
Vet Microbiol 29: 319-328.
- Avakian A. P. und Ley D. H. (1993 a).
Inhibition of *Mycoplasma gallisepticum* growth and attachment to chick tracheal rings by antibodies to a 64-kilodalton membrane protein of *M. gallisepticum*.
Avian Dis 37: 706-714.
- Avakian A. P. und Ley D. H. (1993 b).
Protective immune response to *Mycoplasma gallisepticum* demonstrated in respiratory-tract washings from *M. gallisepticum*-infected chickens.
Avian Dis 37: 697-705.
- Barbour E. K., Newman J. A., Sasipreeyajan J., Caputa A. C. und Muneer M. A. (1989).
Identification of the antigenic components of the virulent *Mycoplasma gallisepticum* (R) in chickens: their role in differentiation from the vaccine strain (F).
Vet Immunol Immunopathol 21: 197-206.
- Baseggio N., Glew M. D., Markham P. F., Whithear K. G. und Browning G. F. (1996).
Size and genomic location of the pMGA multigene family of *Mycoplasma gallisepticum*.
Microbiology 142: 1429-1435.
- Baxter-Jones C. (1991).
Egg hygiene: microbial contamination, significance and control.
In: S. G. Tullet (ed.) Avian Incubation.
London, Butterworth-Heinemann. 22: 269-276.
- Baxter-Jones C. (1993).
An introduction in *Mycoplasma iowae*. Newly Emerging and Re-emerging Avian Diseases: applied research and practical applications for diagnosis and control.
Minneapolis, USA, American Assoc of Avian Pathologists: 9-11.
- Beard C. W. und Anderson D. P. (1967).
Aerosol studies with avian mycoplasma. I. Survival in the air.
Avian Dis 11: 54-59.
- Bencina D. und Bradbury J. (1992).
Combination of immunofluorescence and immunoperoxidase techniques for serotyping mixture of mycoplasma species.
J Clin Microbiol 30: 407-410.

- Bencina D. und Dorrer D. (1984).
Demonstration of *Mycoplasma gallisepticum* in tracheas of healthy carrier chickens by fluorescent-antibody procedure and the significance of certain serologic tests in estimating antibody response.
Avian Dis 28: 574-578.
- Bencina D., Dorrer D. und Tadina T. (1987 b).
Mycoplasma species isolated from six avian species.
Avian Pathology 16: 653-664.
- Bencina D., Mrzel I., Tadina T. und Dorrer D. (1987 a).
Mycoplasma species in chicken flocks with different management systems.
Avian Pathology 16: 599-608.
- Bencina D., Mrzel I., Rojs OZ., Bidovec A. und Dovc A. (2003).
Characterisation of *Mycoplasma gallisepticum* strains involved in respiratory disease in pheasants and peafowl.
Vet Rec 152: 230-234.
- Bencina D., Tadina T. und Dorrer D. (1988 a).
Natural infection of ducks with *Mycoplasma synoviae* and *Mycoplasma gallisepticum* and mycoplasma egg transmission.
Avian Pathology 17: 441-449.
- Bencina D., Tadina T. und Dorrer D. (1988 b).
Natural infection of geese with *Mycoplasma gallisepticum* and *Mycoplasma synoviae* and egg transmission of the mycoplasmas.
Avian Pathology 17: 925-928.
- Bigland C. H. (1972).
The tissue localization of *Mycoplasma meleagridis* in turkey embryos.
Can J Comp Med 36: 99-102.
- Black F. T. (1973).
Modifications of growth inhibition test and its application to human T-mycoplasmas.
Appl Microbiol 25: 528-533.
- Boatman E. S. (1979).
Morphology and ultrastructure of the Mycoplasmatales.
In: Barile M. F., Razin S., Tully J. G., Wihtcomp R.F. (eds.) The mycoplasmas
New York, London, Academic Press.: 63-102.
- Bölske G. und Mörner T. (1982).
Isolation of *Mycoplasma sp.* from three buzzards (*Buteo ssp.*).
Avian Dis 26: 406-411.
- Boyle, J. S. (1993).
Phylogeny and diagnosis of several avian mycoplasma species.
PhD Thesis, Melbourne University.

- Boyle J. S., Good R. T. und Morrow C. J. (1995).
Detection of the turkey pathogens *Mycoplasma meleagridis* and *M. iowae* by amplification of genes coding for rRNA.
J Clin Microbiol 33: 1335-1338.
- Bozeman L. H., Kleven S. H. und Davis R. B. (1984).
Mycoplasma challenge studies in budgerigars (*Melopsittacus undulatus*) and chickens.
Avian Dis 28: 426-434.
- Bradbury J. M. und Kleven S. H. (2003).
Mycoplasma iowae Infection.
In: Y. M. Saif (ed.) Diseases of Poultry., 11th ed., Ames, Iowa State Press, Blackwell: 766-771.
- Bradbury J. M. (1977).
Rapid biochemical tests for characterization of the Mycoplasmatales.
J Clin Microbiol 5: 531-534.
- Bradbury J. M. und Forrest M. (1984 a).
Mycoplasma cloacale, a new species isolated from a turkey.
Int J Sys Bact 34: 389-392.
- Bradbury J. M. (1998).
Recovery of Mycoplasmas from birds.
In: Miles R. J., Nicholas R.A.J. (ed.) Methods in Molecular Biology Vol. 104. Mycoplasma Protocols. Humana Press Inc. Totowa, N.Y.: 45-51
- Bradbury J. M., Forrest M. und Williams A. (1983).
Mycoplasma lipofaciens, a new species of avian origin.
Int J Sys Bact 33: 329-335.
- Bradbury J. M., Grant M., Baxter-Jones C und Wilding G.P. (1990).
Mycoplasma iowae: the current situation.
39th Western Poultry Disease Conference, Sacramento, California.:49-50
- Bradbury J. M., Jordan F. T. W., Shimizu T., Stipkovits L. und Varga Z. (1988 a).
Mycoplasma anseris sp. nov. found in geese.
Int J Sys. Bact 38: 74-76.
- Bradbury J. M. und Kelly D. F. (1991).
Mycoplasma iowae infection in broiler breeders.
Avian Pathology 20: 67-78.
- Bradbury J. M. und Levisohn S. (1996).
Experimental infections in poultry.
In: Tully J. G. (ed.) Molecular and Diagnostic Procedures in Mycoplasmaology. Vol.II. San Diego, CA, Academic Press: 361-370.
- Bradbury J. M., Saed Abdul-Wahab O. M., Yavari C.A., Dupiellet J.P. und Bove, J. M. (1993).
Mycoplasma imitans sp. nov. is related to *Mycoplasma gallisepticum* and found in birds.
Int J Sys Bact 43: 721-728.

- Bradbury J. M., Vuillaume A., Dupiellet J., Forrest M., Bind J. und Gaillard-Perrin G. (1987).
Isolation of *Mycoplasma cloacale* from a number of different avian hosts in Great Britain and France.
Avian Pathology 16: 183-186.
- Bradley L. D., Snyder D. B. und Van Deusen R. A. (1988).
Identification of species-specific and interspecies-specific polypeptides of *Mycoplasma gallisepticum* and *Mycoplasma synoviae*.
Am J Vet Res 49: 511-515.
- Brown J. E., Branton S. L. und May J. D. (1997).
Epitope diversity of F strain *Mycoplasma gallisepticum* detected by flow cytometry.
Avian Dis 41: 289-295.
- Buntz B. (1987).
Isolement et mise en evidence du pouvoir pathogene de *M. gallisepticum* chez l'oie (*Anser anser*).
PhD Thesis, Villenave d'Oron, France, Universite du Bordeaux II.
- Buntz B., Bradbury J. M., Vuillaume A. und Rousselot-Paillet D. (1986).
Isolation of *Mycoplasma gallisepticum* from geese.
Avian Pathology 15: 615-617.
- Carli K. T. und Eyigor A. (2003).
Real-time polymerase chain reaktion for *Mycoplasma gallisepticum* in chicken trachea.
Avian Dis 47: 712-717
- Carnaghan R. B. A. (1961).
Egg transmission of infectious synovitis.
J Comp Pathol 71: 279-85.
- Carpenter T. E., Edson R. K., Yamamoto R. (1981).
Decreased hatchability of turkeys eggs caused by experimental infection with *Mycoplasma meleagridis*.
Avian Dis 25(1): 151-156.
- Cassell G. H., Davis J. K., Wilborn W.H. und Wise K.S. (1978).
Pathobiology of Mycoplasmas.
In: D. Schlessinger (ed.) Microbiology.
Washington D.C., American Society for Microbiology: 399-403.
- Chalquest R. R. (1962).
Cultivation of the infectious-synovitis-type pleuropneumoniae-like organisms.
Avian Dis 6: 36-43.
- Chalquest R. R. und Fabricant J. (1960).
Pleuropneumonia - like organisms associated with synovitis in fowls.
Avian Dis 4: 515-539.

- Chandiramani N. K., Van Roekel H. und Olesiuk O. M. (1966).
Viability studies with *Mycoplasma gallisepticum* under different environmental conditions.
Poult Sci 45: 1029-1044.
- Chin R. P., Daft B. M., Meteyer C.U. und Yamamoto R. (1991 a).
Meningoencephalitis in commercial meat turkeys associated with *Mycoplasma gallisepticum*.
Avian Dis 35: 986-993.
- Chin R. P., Ghazikhanian G. und Kempf I. (2003).
Mycoplasma meleagridis Infection.
In: Y. M. Saif (ed.) Diseases of Poultry. 11th ed. Ames, Iowa State Press, Blackwell: 744-756.
- Chin R. P. und Goshgarian M. (2001).
Infraorbital sinusitis associated with Pasteurella mutocida in pen-raised ring-necked pheasants.
Avian Dis 45: 540-543.
- Chin R. P., C. U. Meteyer, Yamamoto R., Shivaprasad H. L., und Klein, P.N. (1991 b).
Isolation of *Mycoplasma synoviae* from the Brains of Commercial Meat Turkeys with Meningeal Vasculitis.
Avian Dis 35: 631-637.
- Christensen N. H., Yavari C. A., McBain, A.J. und Bradbury, J.M. (1994).
Investigations into the survival of *Mycoplasma gallisepticum*, *Mycoplasma synoviae* and *Mycoplasma iowae* on materials found in the poultry house environment.
Avian Pathology 23: 127-143.
- Clyde W. A. (1964).
Mycoplasma species identification based upon groth inhibition by specific antisera.
J Immunol 92: 958-965.
- Clyde W. A. J. (1983).
Groth inhibition tests.
In: Razin S. und Tully J. G. (eds.) Methods in Mycoplasmaology.
New York, Academic Press.: 405-410
- Cookson K. C. und Shivaprasad H. L. (1994).
Mycoplasma gallisepticum infection in chukar partridges, pheasants, and peafowl.
Avian Dis 38: 914-921.
- Cooper J. E. (1979).
Clinical changes in captive birds of prey.
DVG-Tagung über Vogelkrankheiten, München, Deutschland.: 102-112
- Cordy D. R. und Adler H. E. (1965).
Brain and muscle lesions caused by *Mycoplasma gallisepticum* in turkey poults.
Am J Vet Res 26: 186-190.

- Crawley J.F. und Fahey J.E. (1957).
Die Anwendung des Haemagglutinationshemmungstests zur Bekämpfung der PPLO-
Infektion des Geflügels.
J Am Vet Med Assoc ref. LZ IV, Nr. 3, 369 (1959)
- Curtis M. J. und Thornton G. A. (1973).
The effect of heat killed *Mycoplasma gallisepticum* and *M. meleagridis* on plasma
caeruloplasmin activity in the fowl.
Res Vet Sci 15: 399-401.
- Czifra G., Kleven S. H., Engström B. und Stipkovits L. (1995).
Detection of specific antibodies directed against a consistently expressed surface
antigen of *Mycoplasma gallisepticum* using a monoclonal blocking enzyme-linked
immunosorbent assay.
Avian Dis 39: 28-31.
- Dallo S. F. und Baseman J. B. (1990).
Cross-hybridization between the cytoadhesin genes of *Mycoplasma pneumoniae* and
Mycoplasma genitalium and genomic DNA of *Mycoplasma gallisepticum*.
Microb Pathology 8: 371-375.
- De Las Mulas J. M., Fernandez A., Sierra M.A., Poveda J.B. und Carranza J. (1990).
Immunohistochemical demonstration of *Mycoplasma gallinarum* and *gallinaceum* in
naturally infected hen oviducts.
Res Vet Sci 49: 339-345.
- Del Guidice R. A., Robillard N. F. und Carski T.R. (1967).
Immunofluorescence identification of *Mycoplasma* on agar by use of incident
illumination.
J Bacteriol 93: 1205-1209.
- Dhondt A. A., Tessaglia D. L. und Slothower R. L. (1998).
Epidemic mycoplasmal conjunctivitis in house finches from eastern North America.
J Wildl Dis 34: 265-280.
- Dierks R. E., Newman J. A. und Pomeroy B. S. (1967).
Characterization of avian mycoplasma.
Ann N Y Acad Sci 143: 170-189.
- Dingfelder R. S., Ley D. H., McLaren J. M. und Brownie C. (1991).
Experimental infection of turkeys with *Mycoplasma gallisepticum* of low virulence,
transmissibility, and immunogenicity.
Avian Dis 35: 910-919.
- Domermuth C. H., Gross W. B. und Du Bose R.T. (1967).
Mycoplasmal salpingitis of chickens and turkeys.
Avian Dis 11: 393-398.
- Dovc P., Bencina D. und Zajc, I. (1991).
Genotypic heterogeneity among strains of *Mycoplasma gallinarum*.
Avian Pathology 20: 705-711

- Dupiellet J. P. (1984).
Mycoplasmes et acholeplasmes des palmipedes a foie gras: isolement, caracterisation, etude du role dans la pathologie.
Rapport D.E.A. de Pathologie. Villenave d'Oron, France, Universite de Bordeaux II.
- Dupiellet J. P. (1988).
Mycoplasmes de l'oie et du canard: contribution a l'etude serologique et moleculaire de souches aparentees a *Mycoplasma gallisepticum*.
PhD Thesis, Villenave d'Oron, France, Universite de Bordeaux II.
- Dupiellet J. P., Vuillaume A., Rousselot D., Bove J. M. und Bradbury J. M. (1990).
Serological and molecular studies on *Mycoplasma gallisepticum* strains.
Zentralblatt Bakteriologie Mikrobiologie Hygiene Supplementum 20: 859-864.
- Edson R. K. (1980).
Mycoplasma meleagridis infection of turkeys: Motivation, methods, and predictive tools for eradication.
PhD Thesis, University of California.
- Edson R. K., Yamamoto R., Ortmyer H. B. und Massey D.E. (1979).
The effect of *Mycoplasma meleagridis* on hatchability of turkey eggs.
28th West Poultry Disease Conference and 13th Poultry Health Symposium:24-29
- Edward D. G. (1947).
A selective medium for pleuropneumonia-like organism.
J gen Microbiol 1: 238-243.
- Edward D. G. und Freundt E. A. (1956).
The classification and nomenclature of organisms of the pleuropneumonia group.
J gen Microbiol 14: 197-207.
- Edward D. G., Freundt E. A., Chanock R. M., Fabricant J., Hayflick L., Lemcke R. M., Rezin S., Somerson N. L. und Wittler R. G. (1967).
Recommendations on nomenclature of the order Mycoplasmatales.
Science 155: 1694-1696.
- Edward D. G. und Kanarek A. D. (1960).
Organisms of the pleuropneumonia group of avian origin: their classification into species.
Ann N Y Acad Sci 79: 696-702.
- Edward D. G. und Moore W. B. (1975).
A method for determining utilization of glucose by mycoplasmas.
J Med Microbiol 8: 451-454.
- El Sayed S. A., Chandiramani N. K. und Garg D.N. (1981).
Isolation and characterization of *Mycoplasma* and *Acholeplasma* from apparently healthy and diseased (infectious sinusitis) turkeys.
Microbiol Immunol 25: 639-646.
- El Shater S. A. A. (1996).
Mycoplasma infection in greater flamingo, grey chinese goose and white pelican.
Vet Med J Giza 44: 31-36.

- El-Ebeedy A. A., Easa M. E., Sabey M.Z., Hafez M. A., Ammar A. A. und Rashwan A. (1982).
Pathological changes in air sacs and lungs of turkey poult after experimental inoculation with different isolates of *Mycoplasma meleagridis*.
J Egypt Vet Med Assoc 42: 91-100
- El-Ebeedy A. A., Sokkar I., Soliman A., Rashwan A. und Ammar A. (1987).
Mycoplasma infection of ducks. I. Incidence of mycolasmas, acholeplasmas and associated E. coli and fungi at Upper Egypt.
Isr J Med Sci 23: 529.
- Elmahi M. M., Ross R. F. und Hofstad, M. S. (1982).
Comparison of seven isolates of *Mycoplasma meleagridis*.
Vet Microbiol 7: 61-76.
- Fabricant, J. (1969).
Avian Mycoplasmas.
In: L. Hayflick (ed.) The Mycoplasmatales and the L-Phase of Bacteria.
Appleton-Century-Crofts, New York.: 621-641
- Fabricant J. (1970).
Occurrence, characteristics, and potential pathogenicity of serotype I avian mycoplasma.
J of Am Vet Med Ass 156: 1269.
- Fan H. H., Kleven S. H., Jackwood M. W., Johansson K. E., Pettersson B. und Levisohn, S. (1995).
Species identification of avian mycoplasmas by polymerase chain reaction and restriction fragment length polymorphism analysis.
Avian Dis 39: 398-407.
- Ferrier W. T., Ortmayer H. B., Ogasawara F. X. und Yamamoto R. (1982).
The survivability of *Mycoplasma meleagridis* in frozen-thawed turkey semen.
Poult Sci 61: 379-381.
- Fischer J. R., Stallknecht D. E., Luttrell P., Dhondt A. A. und Converse K. A. (1997).
Mycoplasmal conjunctivitis in wild songbirds: the spread of a new contagious disease in a mobile host population.
Emerg Infect Dis 3: 69-72.
- Forrest M. und Bradbury J. M. (1984).
Mycoplasma glycyphilum, a new species of avian origin.
J Gen Microbiol 130: 597-603.
- Forsyth M. H., Tourtellotte M. E., Geary S. J. (1992).
Localization of an immunodominant 64 kDa lipoprotein (LP 64) in the membrane of *Mycoplasma gallisepticum* and its role in cytheadherence.
Mol Microbiol 6: 2099-2106.
- Forsyth M. H., Tully J. G., Gorton T.S., Hinckley L., Frasca S., Van Kruiningen H.J. und Geary S.J. (1996).
Mycoplasma sturni sp. nov., from the conjunctiva of a European starling (*Sturnus vulgaris*).
Int J Sys Bact 46: 716-719.

- Frasca S. J., Hinckley L., Forsyth M. H., Gorton T.S., Geary S. J. und Van Kruiningen H.J. (1997).
Mycoplasmal conjunctivitis in a European starling.
J Wildl Dis 33: 336-339.
- Freundt E. A. (1955).
The classification of the pleuropneumonia group of organisms (*Borrelomycetales*).
Int Bull Bacteriol Nomencl Taxon 5: 67-68.
- Freundt E. A. (1983).
Culture media for classic mycoplasmas.
In: Razin S. und Tully J. G. (eds.) Methods in Mycoplasmaology.
New York, Academic Press. : 127-135.
- Freundt E. A., Whitcomb R. F., Barile M. F., Razin S. und Tully J. G. (1984).
Proposal for elevation of the family *Acholeplasmataceae* to ordinal rank:
Acholeplasmatales.
Int J Sys Bact 34: 346-349.
- Frey M. L., Hanson R. P. und Anderson, D. P. (1968).
A medium for the isolation of avian mycoplasmas.
Am J Vet Res 29: 2163-2171.
- Frey M. L., Thomas C. B., Hale P. A. (1973).
Recovery and Identification of Mycoplasmas from Animals.
Annals New York Academy of Sciences 225: 334-346.
- Fritz B. A., Thomas C. B., Van Ess P. und Yuill T.M. (1991).
Comparison of a Modified Edward-type medium and a Modified SP4-type Medium for
Primary Isolation of *Mycoplasma gallisepticum* (MG) from Chickens Vaccinated with
the F Strain of MG.
Avian Dis 35: 591-598.
- Fritz B. A., Thomas C. B. und Yuill T.M. (1992).
Serological and microbial survey of *Mycoplasma gallisepticum* in wild turkeys
(*Meleagris gallopavo*) from six western states.
J Wildl Dis 28: 10-20.
- Furr P. M., Cooper J. E., Taylor-Robinson D., Taylor-Robinson J. E. (1977).
Isolation of Mycoplasmas from three falcons.
Vet Rec 100: 72-73.
- Gaillard-Perrin G., Nougayrede P., Nougayrede P. und Vuillaume A. (1983).
Caracterisation de quelques souches de mycoplasmes isolees chez l'oie et le canard
dans de Landes.
Revue de Med Vet 134: 97-102.
- Ganapathy K. und Bradbury J. M. (1998).
Pathogenicity of *Mycoplasma gallisepticum* and *Mycoplasma imitans* in red legged
partridges (*Alectoris rufa*).
Avian Pathology 27: 455-463.

- Garcia M., Elfaki M. G. und Kleven S. H. (1994b).
Analysis of the variability in expression of *Mycoplasma gallisepticum* surface antigens.
Vet Microbiol 42: 147-158.
- Garcia M., Jackwood M. W., Levisohn S. und Kleven S. H. (1995).
Detection of *Mycoplasma gallisepticum*, *M. synoviae*, and *M. iowae* by multi-species polymerase chain reaction and restriction fragment length polymorphism.
Avian Dis 39: 606-616.
- Garcia M. und Kleven S. H. (1994a).
Expression of *Mycoplasma gallisepticum* F-strain surface epitope.
Avian Dis 38: 494-500.
- Garcia M., Ikuta N., Levisohn S. und Kleven S. H. (2005).
Evaluation and Comparison of Various PCR Methods for Detection of *Mycoplasma gallisepticum* Infection in Chickens.
Avian Dis 49: 125-132
- Gardella R. S., Del Guidice R. A., et al. (1983).
Immunofluorescence.
In: Razin S. und Tully J. G. (eds.) Methods in Mycoplasmaology.
New York, Academic Press.: 431-439.
- Gelfand D.H. (1989).
Taq DNA Polymerase.
In: H. Erlich (ed.) PCR technology, principles and applications for DNA amplification.
New York, Stockton Press: 17-22
- Gerlach H. (1978).
Untersuchungen über Mollicutes bei Tauben.
Habilitationsschrift, Institut für Geflügelkrankheiten, Ludwig-Maximilians-Universität München.
- Gerlach H. (1985).
Infektionen durch Mollicutes bei Vögeln.
In: Gylstorff, I. (ed.) Infektionen durch Mycoplasmatiales.
Stuttgart Ferdinand Enke Verlag
- Gerlach H. (1994).
Mycoplasma and Rickettsia.
In: Harrison L. R. (ed.) Avian Medicine. Principles and Applications.
Lake Worth, USA, Wingers Publishing, Inc.: 1053-1060.
- Gerlach U. (1998).
Feldstudie über das Vorkommen von Mykoplasmen sowie Kryptosporidien bei Puten.
Inaugural-Dissertation, Ludwig-Maximilians-Universität München
- Ghazikhanian G. Y. und Yamamoto R. (1974 a).
Characterization of pathogenic and nonpathogenic strains of *Mycoplasma meleagridis*: in ovo and in vitro studies.
Am J Vet Res 35: 425-430.

- Ghazikhanian G. Y. und Yamamoto R. (1974 b).
Characterization of pathogenic and nonpathogenic strains of *Mycoplasma meleagridis*: manifestations of disease in turkey embryos and poults.
Am J Vet Res 35: 417-424.
- Ghazikhanian G. Y., Yamamoto R., McCapes R.H., Dungan W. und Ortmayer H. B. (1980).
Combination dip and injection of turkey eggs with antibiotics to eliminate *Mycoplasma meleagridis* infection from a primary breeding stock.
Avian Dis 24: 57-70.
- Glew M. D., Baseggio N., Markham P. F., Browning G. F. und Walker I. D. (1998).
Expression of the pMGA genes of *Mycoplasma gallisepticum* is controlled by variation in the GAA trinucleotide repeat lengths within the 5' noncoding regions.
Infect Immun 66: 5833-5841.
- Glew M. D., Browning G. F., Markham P. F. und Walker I. D. (2000).
pMGA phenotypic variation in *Mycoplasma gallisepticum* occurs in vivo and is mediated by trinucleotide repeat length variation.
Infect Immun 68: 6027-6033.
- Glew M. D., Markham P. F., Browning G. F. und Walker, I. D. (1995).
Expression studies on four members of the pMGA multigene family in *Mycoplasma gallisepticum* S6.
Microbiology 141: 3005-14.
- Glisson J. R. und Kleven S. H. (1984).
Mycoplasma gallisepticum vaccination: effects on egg transmission and egg production.
Avian Dis 28: 406-415.
- Glisson J. R. und Kleven S. H. (1985).
Mycoplasma gallisepticum vaccination: further studies on egg transmission and egg production.
Avian Dis 29: 408-415.
- Glünder G., Siegmann O., Heffels-Redmann U. Friedrichs M., Hinz, K. H. und Heidmann W. (1986).
Post mortem findings in wild birds of prey and owls.
5th Conference for Poultry diseases, DVG, München.: 178-186
- Goldberg D. R., Samuel M. D., Thomas C.B., Sharp P., Krapu G.L., Robb J.R., Kenow K.P., Korschgen C.E., Chipley W.H. und Conroy M.J. (1995).
The occurrence of mycoplasmas in selected wild North American waterfowl.
J Wildl Dis 31: 364-371.
- Grant M. (1987).
Significance, epidemiology and control methods of *Mycoplasma iowae* in turkeys.
PhD Thesis, Council of National Academic Awards.

- Grau O., Laigret F., Carle P., Tully J. G., Rose D. L. und Bove J. M. (1991).
Identification of a plant-derived mollicute as a strain of an avian pathogen,
Mycoplasma iowae, and its implications for mollicute taxonomy.
Int J Sys Bact 41: 473-478.
- Gylstorff I. und Grimm F. (1987).
Vogelkrankheiten
Verlag Eugen Ulmer Stuttgart.
- Hafez H. M.; Popp C.; Jodas S.; Bissinger K. und Edel A. (2004):
Derzeitige Situation von *Mycoplasma gallisepticum*-Infektionen in Putenbeständen
und mögliche Bekämpfungsstrategien.
Tagungsbericht 66. Fachgespräch der DVG-Fachgruppe Geflügelkrankheiten.
Hannover: 57-64
- Hafez H. M.; Jodas S.; Popp C.; Lierz M. und Korbel R. (2006):
Mycoplasma synoviae Feldinfektionen bei Putenelternherden:
Verfolgungsuntersuchungen bei den Nachkommen.
Tierärztliche Praxis : Ausgabe G, Großtiere, Nutztiere, 34, 259-262.
- Harasawa R., Mizusawa H. und Koshimizu K. (1986).
A reliable and sensitive method for detecting mycoplasmas in cell cultures.
Microbiol Immunol 30: 919-921.
- Harasawa R., Uemori T., Kiyozo A. und Kato I. (1993).
Sensitive detection of mycoplasmas in cell cultures by using two-step polymerase
chain reaction.
In: Kahane I. und Adoni A. (ed.) Rapid diagnosis of mycoplasmas.
New York, Plenum Press: 227-232.
- Hartup B. K., Dhondt A. A., Sydenstricker K. V., Hochachka W. M. und Kollias G. V. (2001).
Host range and dynamics of mycoplasmal conjunctivitis among birds in North
America.
J Wildl Dis 37: 72-81.
- Hartup B. K., Kollias G. V., Ley D. H. (2000).
Mycoplasmal conjunctivitis in songbirds from New York.
J Wildl Dis 36: 257-264.
- Hartup B. K., Mohammed H. O., Kollias G. V. und Dhondt A. A. (1998).
Risk factors associated with mycoplasmal conjunctivitis in house finches.
J Wildl Dis 34: 281-288.
- Hauck R., Lüscho D. und Hafez H. M. (2006).
Detection of *Histomonas meleagridis* DNA in different organs after natural and
experimental infections of meat turkeys.
Avian Dis 50: 35-38
- Hayflick L. (1965).
Tissue cultures and mycoplasmas.
Tex Rep Biol Med 23:285.

- Heidenreich M. (1997).
Birds of prey. Medicine and Management.
London, Blackwell Science Ltd.
- Higgins D. G., Thompson J. D., Gibson T.J. (1996).
Using CLUSTAL for multiple sequence alignments.
Methods of Enzymology 266: 383-402.
- Hinz K. H., Pfutzner H., Behr K.P. (1994).
Isolation of mycoplasmas from clinically healthy adult breeding geese in Germany.
Zentralblatt Veterinärmedizin B. 41: 145-147.
- Hochachka W. M. und Dhondt A. A. (2000).
Density-dependent decline of host abundance resulting from a new infectious disease.
Proc Natl Acad Sci U S A 97: 5303-5306
- Hoffman R. W., Luttrell M. P., Davidson W. R. und Ley D. H. (1997).
Mycoplasmas in wild turkeys living in association with domestic fowl.
J Wildl Dis 33: 526-535.
- Hwang Y. S., Panangala V. S., Rossi C. R., Giambone J. J. und Lauerman L. H. (1989).
Monoclonal antibodies that recognize specific antigens of *Mycoplasma gallisepticum* and *M. synoviae*.
Avian Dis 33: 42-52.
- Hyman H. C., Levisohn S., Yogev D. und Razin S. (1989).
DNA probes for *Mycoplasma gallisepticum* and *Mycoplasma synoviae*: application in experimentally infected chickens.
Vet Microbiol 20: 323-337
- Ibrahim R. S., Sohair und Hussein Z. (2000). "Bacterial agents associated with sinusitis in waterfowls and turkeys in Assiut and El-Minia Governorates.
Aust Vet Med J 44: 185-195.
- Ibrahim R. S. und Yamamoto R. (1977).
Morphology and growth cycle of *Mycoplasma meleagridis* viewed by scanning-electron microscopy.
Avian Dis 21: 415-421.
- Innis M. A. und Gelfand D. H. (1990).
Optimization of PCRs.
In: Innis M. A., Gelfand D. H., Sninsky J. J. und White T. J. (eds.) PCR protocols.
San Diego, Academic Press, Inc.: 3-12
- Jan G., Brenner C. und Wroblewski, H. (1996).
Purification of *Mycoplasma gallisepticum* membrane proteins p52, p67 (pMGA), and p77 by high-performance liquid chromatography.
Protein Expr Purif 7: 160-166.

- Jordan F. T. W. (1990).
Avian Mycoplasmoses.
In: F. T. W. Jordan (ed.) Poultry Diseases. 3rd ed.,
London, Balliere Tindall: 74-85.
- Jordan F. T. W. und Amin M. M. (1980).
A survey of mycoplasma infections in domestic poultry.
Res Vet Sci 28: 96-100.
- Jordan F. T. W., Erno H., Cottew G.S., Hinz K.H. und Stipkovits L. (1982).
Characterisation and taxonomic description of five *Mycoplasma* serovars (serotypes)
of an avian origin and their elevation to species rank and further evaluation of the
taxonomic status of *Mycoplasma synoviae*.
Int. J. Sys. Bact. 32: 108-115.
- Jordan F. T. W., Gilbert S., Knight D. L. und Yavari C. A. (1989).
Effects of Baytril, Tylosin and Tiamulin on avian mycoplasmas.
Avian Pathology 18:659-673
- Jordan F. T. W., Howse J. N., Adams M. P. und Fatunmbi O. O. (1981).
The isolation of *Mycoplasma columbinum* and *M. columborale* from feral pigeons.
Vet Rec 109: 450.
- Kaszanyitzky E., Czifra G. und Stipkovits L. (1994).
Detection of *Mycoplasma gallisepticum* antibodies in turkey blood samples by ELISA
and by the slide agglutination and haemagglutination inhibition tests.
Acta Vet Hung 42: 69-78.
- Kempf I. (1991).
Influence de l'administration d'antibiotiques sur le diagnostic de l'infection à
Mycoplasma gallisepticum chez le poulet.
Le Point Vétérinaire 23: 767-773
- Kempf I. (1998).
DNA amplification methods for diagnosis and epidemiological investigations of avian
mycoplasmosis.
Avian Pathology 27: 7-14
- Kempf I., Castel C., Ferris S., Gespert F. und Blanchard A (2000).
Isolation and characterization of a mycoplasma from a kittikake (*Rissa tridactyla*).
Vet Rec 146: 168
- Kempf I., Blanchard A., Gesbert F., Guittet M. und Bennejean G. (1994).
Comparison of antigenic and pathogenic properties of *Mycoplasma iowae* strains and
development of a PCR-based detection assay.
Res Vet Sci 56: 179-185.
- Kempf I., Guittet M., Le Gros F.X., Toquin D. und Benejean G. (1989).
Mycoplasma iowae: field and laboratory studies to evaluate egg transmission in
turkeys.
Avian Pathology 18: 299-305.

- Keymer I. F., Leach R. H., Clarke R.A. und Bardsley M.E. (1984).
Isolation of *Mycoplasma* ssp. from racing pigeons (*Columba livia*).
Avian Pathology 13: 65-74.
- Khan M. I., Kirkpatrick B. C., Yamamoto R. (1987).
A *Mycoplasma gallisepticum* strain-specific DNA probe.
Avian Dis 31: 907-909.
- Kheyar A., Reddy S. K., Silim A. (1995).
The 64 kDa lipoprotein of *Mycoplasma gallisepticum* has two distinct epitopes
responsible for haemagglutination and growth inhibition.
Avian Pathology 24: 55-68.
- King D. D., Kleven S. H., Wenger D.M. und Anderson D. P. (1973).
Field studies with *Mycoplasma synoviae*.
Avian Dis 17: 722-726.
- Kirchhoff H. (1992).
Motility.
In: J. Maniloff, R. N. McElhaney, L. R. Finch und J. B. Baseman (eds.) Mycoplasmas:
molecular biology and pathogenesis.
Washington D.C., American Society for Microbiology: 289-306.
- Kirchhoff H., Beyene H. P., Fischer M., Flossdorf J., Heitmann J., Khattab B., Lopatta D.,
Rosengarten R. und Seidel G. (1987).
Mycoplasma mobile sp. nov., a New Species from Fish.
Int J Sys Bact 37: 192-197.
- Kirchhoff H., Rosengarten R., Lotz W., Fischer M. und Lopatta D. (1984).
Flask-shaped mycoplasmas: properties and pathogenicity for man and animals.
Isr J Med Sci 20: 848-53.
- Kiss I., Matiz K., Kaszanyitzky E., Chavez Y. und Johansson K. E. (1997).
Detection and identification of avian mycoplasmas by polymerase chain reaction and
restriction fragment length polymorphism assay.
Vet Microbiol 58: 23-30.
- Kleven S. H. (1991).
In: Hofstad M. S., Barnes H.J., Calnek B.W., Reid W.M. und Yoder H. W. (eds.)
Diseases of Poultry., 9th ed., Ames, Iowa,
Iowa State University Press: 231-233
- Kleven S. H. (1997 a).
Mycoplasma synoviae Infection.
In: B. W. Calnek (ed.) Diseases of Poultry., 10th ed., Ames, Iowa,
Iowa State University Press: 220-228.
- Kleven S. H. (2003 a).
Mycoplasmosis.
In: Y. M. Saif (ed.) Diseases of Poultry.. 11th ed. Ames,
Iowa State Press, Blackwell: 719-721.

- Kleven S. H. (2003 b).
Mycoplasma synoviae Infection.
In: Y. M. Saif (ed.) Diseases of Poultry., 11th ed., Ames,
Iowa State Press, Blackwell: 756-766.
- Kleven S. H. (2003 c).
Other Mycoplasmal Infections.
In: Y. M. Saif (ed.) Diseases of Poultry., 11th ed., Ames,
Iowa State Press, Blackwell: 772-774.
- Kleven S. H., Eidson C.S. und Fletcher O. J. (1978).
Airsacculitis induced in broilers with a combination of *Mycoplasma gallinarum* and
respiratory viruses.
Avian Dis 22: 707-716.
- Kleven S. H. und Fletcher W. O. (1983).
Laboratory infection of house sparrows (*Passer domesticus*) with *Mycoplasma
gallisepticum* and *Mycoplasma synoviae*.
Avian Dis 27: 308-311.
- Kleven S. H., Morrow C. J. und Whithear K. G. (1988).
Comparison of *Mycoplasma gallisepticum* strains by hemagglutination-inhibition and
restriction endonuclease analysis.
Avian Dis 32: 731-741.
- Kleven S. H. und Yoder H. W. (1989).
Mycoplasmosis.
In: A Laboratory Manual For The Isolation And Identification Of Avian Pathogens.
4th ed. Am Assoc of Av Path, Kennet Square, PA : 57-63.
- Kohler W. (1982).
Auswertung veterinärmedizinischer Befunde bei Wildvögeln -erhoben im Rahmen des
vom Land Niedersachsen geförderten Programmes: "Wissenschaftliche
Untersuchung über die Auswirkung von Schadstoffen auf die Vogelwelt
Niedersachsens.
Inaugural-Dissertation, Klinik für Geflügel, Tierärztliche Hochschule Hannover.
- Kotani H. und McGarrity G. J. (1985).
Identification of mycoplasma colonies by immunobinding.
J Clin Microbiol 23: 783-785.
- Kumar M. C., Kumar S., Dierks R. E., Newman J. A. und Pomeroy B. S. (1966).
Airsacculitis in turkeys. II. Use of tylosin in the control of the egg transmission of
Mycoplasma ssp. other than *Mycoplasma gallisepticum* in turkeys.
Avian Dis 10: 194-198.
- Kumar M. C. und Pomeroy B. S. (1969).
Transmission of *Mycoplasma meleagridis* in turkeys.
Am J Vet Res 30: 1423-1436.
- Kumar S., Dierks R. E., Newman J. A., Pfor C.I. und Pomeroy B. S. (1963).
Airsacculitis in turkeys. I. A study of airsacculitis in day-old poults.
Avian Dis 7: 376-385.

- Kwok S. und Higuchi R. (1989).
Avoiding false positives with PCR.
Nature 339: 237-238.
- Laigret F., Deaville J., Bove J. M. und Bradbury, J. M. (1996).
Specific detection of *Mycoplasma iowae* using polymerase chain reaction.
Mol Cell Probes 10: 23-29.
- Lauerman L. H., Hoerr F. J., Sharpton A. R., Shah S. M. und van Santen V. L. (1993).
Development and application of a polymerase chain reaction assay for *Mycoplasma synoviae*.
Avian Dis 37: 829-834.
- Lauerman L. H., Chilina A. R., Closser J. A. und Johansen D. (1995).
Avian mycoplasma identification using polymerase chain reaction amplicon and restriction fragment length polymorphism analysis.
Avian Dis 39: 804-811.
- Lauerman L. H. (1998).
Mycoplasma PCR Assays.
In: L.H. Lauerman (ed.) Nucleic amplification assays for diagnosis of animal diseases.
Am Ass Vet Lab Diagnosticians, Auburn, AL: 41-52
- Levisohn S. (1984).
Early stages in the interaction between *Mycoplasma gallisepticum* and the chick trachea, as related to pathogenicity and immunogenicity.
Isr J Med Sci 20: 982-984.
- Levisohn S., Hyman H. C., Perelman D. und Razin S. (1989).
The use of specific DNA probe for detection of *Mycoplasma gallisepticum* in field outbreaks.
Avian Pathology 18: 535-541
- Levisohn S., Rosengarten R. und Yogev D. (1995).
In vivo variation of *Mycoplasma gallisepticum* antigen expression in experimentally infected chickens.
Vet Microbiol 45: 219-231.
- Ley D. H. (2003).
Mycoplasma gallisepticum Infection.
In: Y. M. Saif (ed.) Diseases of Poultry, 11th ed., Ames, Iowa State Press, Blackwell: 722-744.
- Ley D. H., Berkhoff J. E. und Levisohn S. (1997).
Molecular epidemiologic investigations of *Mycoplasma gallisepticum* conjunctivitis in songbirds by random amplified polymorphic DNA analyses.
Emerg Infect Dis 3: 375-380.
- Ley D. H., Berkhoff J. E. und McLaren, J. M. (1996).
Mycoplasma gallisepticum isolated from house finches (*Carpodacus mexicanus*) with conjunctivitis.
Avian Dis 40: 480-483.

- Ley D. H., Dingfelder R. S., McBride M.A.T. und Brownie C. (1989).
Characterization of Low Virulent *Mycoplasma gallisepticum* isolates from Commercial Turkeys.
38th Western Poultry Disease Conference, Tempe, Arizona.: 199-201
- Ley D. H., Geary S. J., Berkhoff J. E., McLaren J. M. und Levisohn S. (1998).
Mycoplasma sturni from blue jays and northern mockingbirds with conjunctivitis in Florida.
J Wildl Dis 34: 403-406.
- Ley D. H. und Yoder H. W. (1997).
Mycoplasma gallisepticum Infection.
In: B. W. Calnek (ed.) Diseases in Poultry., 10th ed., Ames, Iowa,
Iowa State University Press: 194-207.
- Lierz M. (1999).
Untersuchungen zum Krankheitsspektrum aufgefundener Greifvögel und Eulen in Berlin und Brandenburg.
Inaugural-Dissertation, Freie Universität Berlin.
- Lierz M., Schmidt R., Brunnberg L. und Runge M. (2000).
Isolation of *Mycoplasma meleagridis* from free-ranging birds of prey in Germany.
J Vet Med B Infect Dis Vet Public Health 47: 63-67.
- Lierz M., Schmidt R. und Runge M. (2002).
Mycoplasma species isolated from falcons in the middle east.
Vet Rec 20: 92-93
- Lin M., Liu S., Su W., Lan Y., Chung I., Lin M. Y., Liu S. S., Su W. S., Lan Y. C. und Chung I. C. (1995).
Isolation of avian mycoplasmas from geese in Taiwan.
Journ of the Chinese Soc of Vet Sci 21: 347-353.
- Lin M. Y. und Kleven S. H. (1982 a).
Cross-immunity and antigenic relationships among five strains of *Mycoplasma gallisepticum* in young Leghorn chickens.
Avian Dis 26: 496-507.
- Lin M. Y. und Kleven S. H. (1982 b).
Egg transmission of two strains of *Mycoplasma gallisepticum* in chickens.
Avian Dis 26: 487-495.
- Linz U. und Degenhardt H. (1990).
Die Polymerase-Kettenreaktion: ein Überblick.
Naturwissenschaften 77: 515-530
- Lo Y., Lan Y., Chern R., Lin M., Lo Y. T., Lan Y. C., Chern R. S. und Lin M. Y. (1994).
Isolation and identification of *Mycoplasma spp.* in ducks in Taiwan.
Taiwan J of Vet Med and Anim Husbandry: 60-64.

- Lockaby S. B., Hoerr F. J., Lauerman L. H. und Kleven S. H. (1998).
Pathogenicity of *Mycoplasma synoviae* in broiler chickens.
Vet Pathol 35: 178-190.
- Luttrell M. P., Eleazer T. H. und Kleven S. H. (1992).
Mycoplasma gallopavonis in eastern wild turkeys.
J Wildl Dis 28: 288-291.
- Luttrell M. P., Fischer J. R., Stallknecht D. E. und Kleven S. H. (1996).
Field investigation of *Mycoplasma gallisepticum* infections in house finches
(*Carpodacus mexicanus*) from Maryland and Georgia.
Avian Dis 40: 335-341.
- Luttrell M. P., Kleven S. H. und Davidson W. R. (1991).
An investigation of the persistence of *Mycoplasma gallisepticum* in an Eastern
population of wild turkeys.
J Wildl Dis 27: 74-80.
- Luttrell M. P., Stallknecht D. E., Fischer J. R., Sewell, C. T. und Kleven S. H. (1998).
Natural *Mycoplasma gallisepticum* infection in a captive flock of house finches.
J Wildl Dis 34: 289-296.
- Luttrell M. P., Stallknecht D. E., Kleven S. H., Kavanaugh D. M., Com J. L. und
Fischer J. R. (2001).
Mycoplasma gallisepticum in House Finches (*Carpodacus mexicanus*) and Other
Wild Birds Associated with Poultry Production Facilities.
Avian Dis 45: 321-329.
- Mallinson E. T. und Rosenstein M. (1976).
Clinical, cultural and serological observations of avian Mycoplasmosis in two chicken
breeder flocks.
Avian Dis 20: 211-215
- Markham P. F., Glew M. D., Brandon M. R., Walker I. D. und Whithear K. G. (1992).
Characterization of a major hemagglutinin protein from *Mycoplasma gallisepticum*.
Infect Immun 60: 3885-3891.
- Markham P. F., Glew M. D., Browning G. F., Whithear K. G. und Walker I. D. (1998).
Expression of two members of the pMGA gene family of *Mycoplasma gallisepticum*
oscillates and is influenced by pMGA-specific antibodies.
Infect Immun 66: 2845-2853.
- Marois C., Dufour-Gesbert F. und Kempf I. (2000).
Detection of *Mycoplasma synoviae* in poultry environment samples by culture and
polymerase chain reaction.
Vet Microbiol 73: 311-318.
- Masover G. K. und Hayflick J. (1985).
Fundamental biology of the class Mollicutes.
In: I. Gylstorff (ed.) Infektionen durch Mycoplasmatales.
Stuttgart, Enke Verlag: 15-34.

- Matzer N. und Yamamoto R. (1970).
Further studies on the genital pathogenesis of *Mycoplasma meleagridis*.
J Comp Pathol 84: 271-278.
- May J. D., Branton S. L., Pruett S. B. und Ainsworth A. J. (1994).
Differentiation of two strains of *Mycoplasma gallisepticum* with monoclonal antibodies and flow cytometry.
Avian Dis 38: 542-547.
- Mekkes D. R. und Feberwee A. (2005).
Real-time polymerase chain reaction for the qualitative and quantitative detection of *Mycoplasma gallisepticum*.
Avian Pathology 34: 348-354
- McClenaghan M., Bradbury J. M. und Howse, J. N. (1981).
Embryo mortality associated with avian *Mycoplasma* serotype I.
Vet Rec 108: 459-60.
- McMartin D. A., DaMassa A. J., McKeen W. D., Read D., Daft B. und Lam K. M. (1996).
Experimental reproduction of *Mycoplasma gallisepticum* disease in chukar partridges (*Alectoris graeca*).
Avian Dis 40: 408-416.
- McMartin D. A., Khan M. I., Farver T. B. und Christie G. (1987).
Delineation of the lateral spread of *Mycoplasma gallisepticum* infection in chickens.
Avian Dis 31: 814-819.
- McOwan K. J., Jones H. G. R., Randall C.J. und Jordan F.T.W. (1981).
Mycoplasma columborale in a respiratory condition of pigeons and experimental airsacculitis of chickens.
Vet Rec 109: 562.
- Mikaelian I., Ley D. H., Claveau R., Lemieux M. und Berube J. P. (2001).
Mycoplasmosis in evening and pine grosbeaks with conjunctivitis in Quebec.
J Wildl Dis 37: 826-830.
- Miles R. J. (1992).
Catabolism in mollicutes.
J Gen Microbiol 138: 1773-1783.
- Mirsalimi S. M., Rosendal S., Rosendal, S. und Julian, R. J. (1989).
Colonization of the intestine of turkey embryos exposed to *Mycoplasma iowae*.
Avian Dis 33: 310-315.
- Moalic P. Y., Kempf I., Gesbert F. und Laigret F. (1997).
Identification of two pathogenic mycoplasmas as strains of *Mycoplasma pullorum*.
Int. J. Sys. Bact. 47: 171-174.
- Moalic P. Y., Gesbert F. und Kempf I. (1998).
Utility of an internal control for evaluation of a *Mycoplasma meleagridis* PCR test.
Vet Microbiol 61: 41-49.

- Mohamed Y. S. und Bohl E. H. (1967).
Studies on the transmission of *Mycoplasma meleagridis*.
Avian Dis 11: 634-641.
- Mohamed Y. S., Chema S. und Bohl, E. H. (1966).
Studies on Mycoplasma of the "H" serotype (*Mycoplasma meleagridis*) in the reproductive tracts of turkeys.
Avian Dis 10: 347-352.
- Mohammed H. O., Carpenter T. E. und Yamamoto R. (1987).
Economic impact of *Mycoplasma gallisepticum* and *M. synoviae* in commercial layer flocks.
Avian Dis 31: 477-482
- Morishita T. Y., Aye P. P., Brooks P.P. und Brooks D.C. (1997).
A survey of diseases of raptorial birds.
J Avian Med and Surg 11: 77-92.
- Morrow C. J., Bradbury J. M., Gentle M.J. und Thorp, B.H. (1997).
The development of lameness and bone deformity in the broiler following experimental infection with *Mycoplasma synoviae*.
Avian Pathology 26: 169-187.
- Morton H. E. und Roberts R. J. (1966).
Production of Antimycoplasma (PPL0) Antibodies in Rabbits.
Proc Soc Exp Biol Med 125: 538-542
- Mullis K. B. und Falcona F. A. (1987).
Specific synthesis of DNA in vitro via polymerase-catalyzed chain reaction.
Meth Enzym 155: 335-350.
- Muto A. (1987).
The genome structure of *Mycoplasma capricolum*.
Isr J Med Sci 23: 334-341.
- Nagamoto H., Kato H., Shimizu T. und Katayama B. (1997).
Isolation of Mycoplasmas from fantail pigeons.
J Vet Med Sci 59: 461-462.
- Nascimento E. R., Yamamoto R., Herrick K. R. und Tait R. C. (1991).
Polymerase chain reaction for detection of *Mycoplasma gallisepticum*.
Avian Dis 35: 62-69.
- Nelson J. B. (1935).
Cocco-bacilliform bodies associated with an infectious fowl coryza.
Science 82: 43-44.
- Nunoya T., Kanai K., Yagihashi T., Hoshi S., Shibuya K. und Tajima, M. (1997).
Natural case of salpingitis apparently caused by *Mycoplasma gallisepticum* in chickens.
Vet Pathology 26: 391-398.

- Nunoya T., Yagihashi T., Tajima M. und Nagasawa Y. (1995).
Occurrence of keratoconjunctivitis apparently caused by *Mycoplasma gallisepticum* in layer chickens.
Vet Pathol 32: 11-18.
- Oaks L. J., Donahoe S. L., Rurangirwa F.R., Rideout B.A., Gilbert M. und Virani M.Z. (2004 a).
Identification of a Novel Mycoplasma Spezies from an Oriental White-Backed Vulture (*Gyps bengalensis*).
J Clin Microbiol 42: 5909-5912.
- Oaks L. J., Gilbert M., Virani M.Z., Watson R.T., Meteyer C.U., Rideout B.A., Shivaprasad H. L., Ahmed S., Chaudhry M.J., Arshad M., Mahmood A. und Khan, A. A. (2004 b).
Diclofenac residues as a cause of vulture population decline in Pakistan.
Nature 427: 630-633.
- Olson N. O. und Kerr K. M. (1967).
The duration and distribution of synovitis-producing agents in chickens.
Avian Dis 11: 578-585.
- Opitz H.M. (1983).
Mycoplasma synoviae infektion in Maine's egg farms.
Avian Dis 27: 324-326
- Ortiz A., Froyman R. und Kleven S. H. (1995).
Evaluation of enrofloxacin against egg transmission of *Mycoplasma gallisepticum*.
Avian Dis 39: 830-836.
- Pan I. J., Koshimizu K. und Harasawa R. (1987).
Distribution of avian ureaplasmas in various parts of Japan.
Nippon Juigaku Zasshi 49: 203-205
- Panangala V. S., Morsy M. A., Gresham M. M., und Toivio-Kinnucan M. (1992).
Antigenic variation of *Mycoplasma gallisepticum*, as detected by use of monoclonal antibodies.
Am J Vet Res 53: 1139-1144.
- Panangala V. S., Stringfellow J. S., Dybvig K., Woodard A., Sun F., Rose D. L. und Gresham M.M. (1993).
Mycoplasma corogypsi sp. nov., a new species from the footpad abscess of a black vulture, *Coragyps atratus*.
Int J Sys Bact 43: 585-590.
- Pasucci S., Maestrini N., Govoni S. und Prati A. (1976).
Mycoplasma synoviae in guinea fowls.
Avian Pathology 5: 291-297.
- Pennycott T. W., Dare C. M., Yavari C.A. und Bradbury J. M. (2005).
Mycoplasma sturni and *Mycoplasma gallisepticum* in wild birds in Scotland.
Vet Rec 156: 513-515.

- Pflitsch A. (1994).
Detektion von *Mycoplasma bovis* mittels der Polymerase-Kettenreaktion.
Inaugural-Dissertation, Institut für Mikrobiologie und Tierseuchen, Tierärztliche Hochschule Hannover.
- Poveda J. B. (1988).
Estudio epizootológico de infecciones por microorganismos del genero Mycoplasma en aves.
PhD Thesis, Universidad de Cordoba.
- Poveda J. B., Carranza J., Miranda A., Garrido A., Hermoso M., Fernandez A. und Domenech, J. (1990 b).
An epizootological study of avian Mycoplasmas in Southern Spain.
Avian Pathology 19: 627-633.
- Poveda J. B., Giebel J., Flossdorf J., Meier J. und Kirchhoff H. (1994).
Mycoplasma buteonis sp. nov., *Mycoplasma falconis* sp. nov., and *Mycoplasma gypis* sp. nov., 3 species from birds of prey.
Int J Sys Bact 44: 94-98.
- Poveda J. B., Giebel J., Kirchhoff H. und Fernandez, A. (1990 a).
Isolation of mycoplasmas from buzzard, falcons and vultures.
Avian Pathology 19: 779-783.
- Power J. und Jordan F. T. W. (1976).
A comparison of the virulence of three strains of *M. gallisepticum* and one strain of *M. gallinarum* in chicks, turkey poults, tracheal organs cultures and embryonated fowl eggs.
Res Vet Sci 21: 41-46.
- Razin S. (1978).
The mycoplasmas.
Microbiol Rev 42: 414-470.
- Razin S. (1981).
Mycoplasmas: the smallest pathogenic procaryotes.
Isr J Med Sci 17: 510-515.
- Razin S. (1983).
Characteristics of the Mycoplasmas as a Group.
In: Razin S. und Tully J. G. (eds.) Methods in Mycoplasmaology.
New York, Academic Press.: 3-7.
- Razin S. (1985).
Molecular biology and genetics of mycoplasmas (*Mollicutes*).
Microbiol Rev 49: 419-455.

- Razin S. (1992a).
Mycoplasma taxonomy and ecology.
In: J. Maniloff, R. N. McElhaney, L. R. Finch und J. B. Baseman (eds.) Mycoplasmas: molecular biology and pathogenesis.
Washington D.C., American Society for Microbiology: 3-16.
- Razin S. (1992b).
Peculiar properties of mycoplasmas: the smallest self-replicating prokaryotes.
FEMS Microbiol Lett 79: 423-431.
- Razin S. und Freundt E. A. (1984).
The mycoplasmas.
In: J. G. Holt (ed.) Bergey's manual of systematic bacteriology.
Baltimore, London, Williams & Wilkins. 1: 740-793.
- Razin S. und Jacobs E. (1992).
Mycoplasma adhesion.
J Gen Microbiol 138 : 407-422.
- Razin S. und Tully J. G. (1970).
Cholesterol requirement of mycoplasmas.
J. Bacteriol. 102: 306-310.
- Razin S., Yogev D. und Naot, Y. (1998).
Molecular biology and pathogenicity of mycoplasmas.
Microbiol Mol Biol Rev 62: 1094-1156.
- Reece R. L., Ireland L. und Barr, D. A. (1986 a).
Infectious sinusitis associated with *Mycoplasma gallisepticum* in game-birds.
Aust Vet J 63: 167-168.
- Reece R. L., Ireland L. und Scott, P. C. (1986 b).
Mycoplasmosis in racing pigeons.
Aust Vet J 63: 166-167.
- Reis R. und Yamamoto R. (1971).
Pathogenesis of single and mixed infections caused by *Mycoplasma meleagridis* and *Mycoplasma gallisepticum* in turkey embryos.
Am J Vet Res 32: 63-74.
- Rhoades, K. R. (1969).
A haemagglutination-inhibition test for *Mycoplasma meleagridis* antibodies.
Avian Dis 13: 22-26.
- Rhoades K. R. (1971 b).
Mycoplasma meleagridis infection: Development of lesions and distribution of infection in turkey embryos.
Avian Dis 15: 762-774.
- Rhoades K. R. (1981).
Turkey airsacculitis: Effect of mixed mycoplasmal infections.
Avian Dis 25: 131-135.

- Roberts D. H. (1963).
The isolation of a previously unreported mycoplasma serotype and some observations on the incidence of mycoplasma in poultry.
Vet Rec 75: 665-667
- Roberts D. H. (1964).
The isolation of an influenza A virus and a mycoplasma associated with duck sinusitis.
Vet Rec 76: 470-473.
- Roberts S. R., Nolan P. M. und Hill G. E. (2001a).
Characterization of *Mycoplasma gallisepticum* infection in captive house finches (*Carpodacus mexicanus*) in 1998.
Avian Dis 45: 70-75.
- Roberts S. R., Nolan P. M., Lauerman L. H., Li L. Q. und Hill G. E. (2001b).
Characterization of the mycoplasmal conjunctivitis epizootic in a house finch population in the southeastern USA.
J Wildl Dis 37: 82-88.
- Robinson I. R. (1983).
Culture for *Anaeroplasmata*.
In: Razin S. und Tully J. G. (eds.) Methods in Mycoplasmology.
New York, London, Academic Press : 159-162.
- Robinson I.M. und Freundt E. A. (1987).
Proposal for an amended classification of anaerobic mollicutes.
Int J Sys Bact 37: 78-81
- Rodwell A. W. (1983 a).
Defined and Partly Defined Media.
In: Razin S. und Tully J. G. (eds.) Methods in Mycoplasmology.
New York, London, Academic Press: 163-172.
- Rolfs A., Schuller I., Finckh U. und Weber-Rolfs I. (1992).
PCR: Clinical diagnostics and research.
Springer Verlag, Berlin/Heidelberg
- Rosendal S., F. und Black T. (1972).
Direct and indirect immunofluorescence of fixed and unfixed mycoplasma colonies.
Acta Pathol Microbiol Scand Sect B 80: 615-622
- Rosengarten R. und Yogev D. (1996).
Variant colony surface antigenic phenotypes within mycoplasma strain populations: implications for species identification and strain standardization.
J Clin Microbiol 34: 149-158.
- Saed O. M., Ross G. und Bradbury, J. M. (1990).
Pathogenicity studies on an avian mycoplasma related to *Mycoplasma gallisepticum*.
Int Org Mycoplasmol Lett 1: 547-548.

- Saiki, R. K., S. J. Scharf, Faloona F., Mullis K. B. Horn G. T., Erlich H. A. und Arnheim N. (1985).
Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia.
Science 230: 1350-1354.
- Saiki R. K. (1989).
The design and optimization of the PCR.
In: H. Erlich (ed.) PCR technology, principles and applications for DNA amplification.
New York, Stockton Press: 7-16.
- Saiki R. K. (1990).
Amplification of genomic DNA.
In: Innis M. A., Gelfand D. H., Sninsky J. J. und White T. J. (eds.) PCR protocols: a guide to methods and applications.
San Diego, New York, Academic Press: 13-20.
- Sambrook J., Fritsch E. F. und Maniatis, R. (1989).
Molecular cloning: A laboratory manual.
Cold Spring Harbor, New York, Cold Spring Harbor Laboratory Press.: E.5-E.7
- Samuel M. D., Goldberg D. R., Thomas C.B. und Sharp P. (1995).
Effects of *Mycoplasma anatis* and cold stress on hatching success and growth of mallard ducklings.
J Wildl Dis 31: 172-178.
- Samuel M. D., Goldberg D. R., Thomas C.B., Sharp P., Robb J.R., Krapu G.L., Nersessian B.N., Kenow K.P., Korschgen C.E., Chipley W.H. und Conroy M.J. (1996).
Exposure of wild waterfowl to *Mycoplasma anatis*.
J Wildl Dis 32: 331-337.
- Selbitz H.-J. (1992).
Lehrbuch der veterinärmedizinischen Bakteriologie.
Gustav Fischer Verlag Jena, Stuttgart: 238-249
- Sevoian M., Snoeyenbos G.H., Basch H.J. und Reynolds J.M. (1958 a).
Infectious synovitis.
Avian Dis 2: 494-530
- Sevoian M., Snoeyenbos G.H., Basch H.J. und Reynolds J.M. (1958 b).
Infectious synovitis I. Clinical and pathological manifestation.
Avian Dis 2: 499-513
- Shah-Majid M. (1987).
A case-control study of *Mycoplasma gallinarum* in the male and female reproductive tract of indigenous fowl.
Isr J Med Sci 23: 530.
- Shah-Majid M. und Rosendal S. (1986).
Mycoplasma iowae from turkey phallus and semen.
Vet Rec 118: 435.

- Shepard M. C. (1983).
Culture Media for *Ureaplasmas*.
In: Razin S. und Tully J. G. (eds.) Methods in Mycoplasmaology.
New York, London, Academic Press: 137-146.
- Shimizu T., Erno H. und Nagamoto, H. (1978).
Isolation and characterisation of *Mycoplasma columbinum* and *Mycoplasma columborale*, two new species from pigeons.
Int J Sys Bact 28: 538-546.
- Shimizu T., Numano K. und Uchida, K. (1979).
Isolation and identification of Mycoplasmas from various birds: an ecological study.
Japanese Journal of Veterinary Science 41: 273-282.
- Silveira R. M., Marques E. K., Nardi N. B. und Fiorentin L. (1993).
Monoclonal antibodies species-specific to *Mycoplasma gallisepticum* and *M. synoviae*.
Avian Dis 37: 888-890.
- Simecka J. W., Davis J. K., Davidson M.K., Ross S.E., Stadtländer C.T.K.-H. und Cassell G.H. (1992).
Mycoplasma diseases of animals.
In: J. Maniloff, R. N. McElhaney, L. R. Finch und J. B. Baseman (eds.) Mycoplasmas: molecular biology and pathogenesis.
Washington D.C., American Society for Microbiology: 391-415.
- Skelly B. J., Andersen D., Pruss M. und Pellegrino R. (1986).
Prophylactic efficiency of 3-acetyl 4-isovaleryl tylosin in a *Mycoplasma gallisepticum*-induced airsacculitis infection.
Avian Dis 30: 506-509
- Stipkovits L., Brown P. A., Glavits R. und Zajec J. (1986)
Significance of ureaplasma infection in infertility of turkeys.
Arch Exp Veterinärmed 40: 103-104
- Stipkovits L. (1988).
Studies on the efficacy of Baytril in chicks after experimental infection with *Mycoplasma gallisepticum* and *E. coli*.
Vet Med Rev 59: 103-107
- Stipkovits L. (1992 b).
Mycoplasmosen.
In: Heider G., Monreal G. und J. Meszaros (eds.)
Krankheiten des Wirtschaftsgeflügels.
Jena, Stuttgart, Gustav Fischer Verlag. 2: 237-261.
- Stipkovits L., Bove J. M., Rousselot M., Larrue P., Labat M. und Vuillaume A. (1984).
Studies on mycoplasma infection of laying geese.
Avian Pathology 14: 57-68.
- Stipkovits L., Csiba E., Laber G. und Burch D. G. (1992 a).
Simultaneous treatment of chickens with salinomycin and tiamulin in feed.
Avian Dis 36: 11-16.

- Stipkovits L. und Kempf I. (1996).
Mycoplasmoses in poultry.
Rev Sci Tech 15: 1495-1525.
- Stipkovits L., Varga Z., Czifra G. und Dobos-Kovacs M. (1986).
Occurrence of mycoplasmas in geese affected with inflammation of the cloac and phallus.
Avian Pathology 15: 289-299.
- Stipkovits L., Varga Z., Glavits R., Ratz F. und Molnar E. (1987).
Pathological and immunological studies on goose embryos and one-day-old goslings experimentally infected with a Mycoplasma strain of goose origin.
Avian Pathology 16: 453-468.
- Sydenstricker K. V., Dhondt A. A., Hawley D. M., Jennelle C. S., Kollias H. W. und Kollias G. V. (2006).
Characterization of experimental *Mycoplasma gallisepticum* infection in captive house finche flocks.
Avian Dis 50: 39-44
- Talkington F. D. und Kleven S. H. (1983).
A classification of laboratory strains of avian mycoplasma serotypes by direct immunofluorescence.
Avian Dis 27: 422-9.
- Ter Laak E. A. und Noodergraaf J. N. (1987).
An improved method for the identification of *Mycoplasma dispar*.
Vet Microbiol 14: 25-31.
- Thein S. L. und Wallace R. B. (1986).
The use of synthetic oligonucleotides as specific hybridization probes in the diagnosis of genetic disorders.
In: Davies K. E. (ed.) Human genetic diseases- A practical Approach.
Oxford, UK, IRL Press: 33-50
- Thornton G. A., Wise D. R., und Fuller M. K. (1975).
A mycoplasma meleagridis haemagglutination inhibition test.
Vet Rec 96: 113-114.
- Tiong S. K. (1990).
Mycoplasmas and acholeplasmas isolated from ducks and their possible association with pasteurellas.
Vet Rec 127: 64-66.
- Tiong S. K., Liow T. M. und Tan R.W. (1979).
Isolation and identification of avian mycoplasmas in Singapore.
Br Poult Sci 20: 45-54.
- Trampel D. W. und Goll, F. Jr. (1994).
Outbreak of *Mycoplasma iowae* infection in commercial turkey poults.
Avian Dis 38: 905-909.

- Tryon V. V. und Baseman J. B. (1992).
Pathogenic determinants and mechanisms.
In: J. Maniloff, R. N. McElhaney, L. R. Finch und J. B. Baseman (eds.) Mycoplasmas: molecular biology and pathogenesis.
Washington D.C., American Society for Microbiology: 457-471.
- Tully J. G. (1989).
Class *Mollicutes*: New Perspectives from Plant and Arthropod Studies.
In: J. G. Tully (ed.) The Mycoplasmas.
San Diego, Academic Press. 5: 1-31.
- Tully J. G., Bove J. M., Laigret F. und Whitcomb R.F. (1993).
Revised taxonomy of the class *Mollicutes*.
Int J Sys Bact 43: 378-385.
- Turcsanyi I., Bistyak A. Matiz K., Kecskemeti S., Bolske G. und Kiss I. (2005).
Isolation of *Mycoplasma columbinasale* from pigeons in Hungary.
Vet Rec 157:235-4
- van Kuppeveld, F. J., van der Logt J. T., Angulo A. F., van Zoest M. J., Quint W. G., Niesters H. G., Galama J. M. und Melchers W. J. (1992).
Genus- and species-specific identification of mycoplasmas by 16S rRNA amplification.
Appl Environ Microbiol 58: 2606-2615.
- Varga Z., Stipkovits L., Dobos-Kovacs M. und Czifra G. (1989).
Biochemical and serological study of two mycoplasma strains isolated from geese.
Arch Exp Veterinärmed 43: 733-736
- Vignault J. C., Saillard C., Tully J. G., Mouches C., Bove J. M. und Bernhard R. (1982).
Attempts to culture and characterize mycoplasma-like organisms from fruit affected with apple proliferation disease.
Rev of Infect Dis 4: 248.
- Wakenell P. S., DaMassa A. J. und Yamamoto, R. (1995).
In ovo pathogenicity of *Mycoplasma iners* strain Oz.
Avian Dis 39: 390-397.
- Wang Y., Whithear K. G. und Ghiocas, E. (1990).
Isolation of *Mycoplasma gallinarum* and *Mycoplasma gallinaceum* from the reproductive tract of hens.
Aust Vet J 67: 31-32.
- Wang H., Fadl A., Khan I.M. (1997).
Multiplex PCR for pathogenic mycoplasmas.
Mol Cell Probes 11: 211-216.
- Weinack O. M., Snoeyenbos G. H. und Kleven, S. H. (1983).
Strain of *Mycoplasma synoviae* of low transmissibility.
Avian Dis 27: 1151-1156.

- Weisburg W. G., Tully J. G., Rose D. L., Petzel J. P., Oyaizu H., Yang D., Mandelco L., Sechrest J., Lawrence T. G. und Van Etten J. (1989).
A phylogenetic analysis of the mycoplasmas: basis for their classification.
J Bacteriol 171: 6455-6467.
- Wellehan J. F., Calsamiglia M., Ley D. H., Zens M. S., Amonsin A. und Kapur V. (2001).
Mycoplasmosis in captive crows and robins from Minnesota.
J Wildl Dis 37: 547-55.
- Whitcomb F. R. (1983).
Culture Media for *Spiroplasma*.
In: Razin S. und Tully J. G. (eds.) Methods in Mycoplasmaology.
New York, London, Academic Press: 147-158.
- Wise D. R., Boldero M. K. und Thornton G. A. (1973).
The pathology and aetiology of turkey syndrome '65 (T.S.65).
Res Vet Sci 14: 194-200.
- Woese C. R. (1987).
Bacterial evolution.
Microbiol Rev 51: 221-271.
- Woese C. R., Gutell R., Gupta R. und Noller H.F. (1983).
Detailed analysis of the higher-order structure of 16S-like ribosomal ribonucleic acids.
Microbiol Rev 47: 621-669.
- Woese C. R., Stackebrandt E. und Ludwig, W. (1985).
What are mycoplasmas: the relationship of tempo and mode in bacterial evolution.
J mol Evol 21: 305-316.
- Woese C. R., Maniloff J. und Zablen L. B. (1980).
Phylogenetic analysis of the mycoplasmas.
Proc Natl Acad Sci U S A 77: 494-498.
- Wu D. Y., Ugozzoli L., Pal B.K., Qian J. und Wallace R.B. (1991).
The effect of temperature and oligonucleotide primer length on the specificity and efficiency of amplification by the polymerase chain reaction.
DNA Cell Biol. 10: 233-238.
- Yamada S. und Matsuo K. (1983).
Experimental infection of ducks with *Mycoplasma synoviae*.
Avian Dis 27: 762-765
- Yamamoto R. (1991).
Mycoplasma meleagridis infection.
In: H. W. Yoder (ed.) Diseases of Poultry. 9th ed., Ames, Iowa, Iowa State University Press: 212-223.
- Yamamoto R. (1996).
Current Situation on Control of Avian Mycoplasmosis.
45th Western Poultry Disease Conference, Cancun, Mexico.: 197-198

- Yamamoto R. und Adler H. E. (1958 a).
Characterization of pleuropneumonia-like organisms of avian origin. 1. Antigenetic analysis of seven strains and their comparative pathogenicity for birds.
Journ of Inf Dis 102: 143-152.
- Yamamoto R. und Bigland C. H. (1964).
Pathogenicity to chicks of *Mycoplasma* associated with turkey airsacculitis.
Avian Dis 8: 523-531.
- Yamamoto R., Bigland C. H. und Ortmayer H. B. (1965).
Characteristics of *Mycoplasma meleagridis* sp. nov., isolated from turkeys.
J Bacteriol 90: 47-49.
- Yamamoto, R., Bigland C. H. und Peterson I.L. (1966 b).
Egg transmission of *Mycoplasma meleagridis*.
Poult Sci 45: 1245-1257.
- Yamamoto R. und Ortmayer H. B. (1966 a).
Pathogenicity of *Mycoplasma meleagridis* for turkey and chicken embryos.
Avian Dis 10: 268-272.
- Yamamoto R. und Ortmayer H. B. (1967).
Effect of *Mycoplasma meleagridis* on reproductive performance.
Poult Sci 46: 1340.
- Yamamoto R. und Ortmayer H. B. (1967).
Localization and persistence of avian mycoplasma in the genital system of mature turkeys.
J Am Vet Med Assoc 150: 1371.
- Yamamoto R., Ortmayer H. B. und Matsumoto, M. (1970).
Standardization and application of *Mycoplasma meleagridis* agglutination test.
World's Poult Congr Sci Comm:139-148
- Yamamoto Y. und Adler H. E. (1958 b). wo ist 1958 a
Characteristics of pleuropneumonia-like organisms of avian origin. II. Cultural, biochemical, morphological and further serological studies.
Journ of Inf Dis 102: 243-250.
- Yoder H. W. (1970).
Preincubation heat treatment of chicken hatching egg to inactivate mycoplasma.
Avian Dis 14: 75-86.
- Yoder H. W. (1991).
Mycoplasmosis.
In: Hofstad M. S., Barnes H.J., Calnek, B.W., Reid W.M. und Yoder H. W. (eds.)
Diseases of Poultry 9th ed., Ames, Iowa
Iowa State University Press: 196-235
- Yoder H. W. und Hofstad M. S. (1962).
A previously unreported serotype of avian mycoplasma.
Avian Dis 6: 147-160.

- Yoder H. W. und Hofstad M. S. (1964).
Characterization of avian Mycoplasma.
Avian Dis 8: 481-512.
- Yoder H. W., Jr. (1986).
A historical account of the diagnosis and characterization of strains of *Mycoplasma gallisepticum* of low virulence.
Avian Dis 30: 510-8.
- Yogev, D., Menaker D., Strutzberg K., Levisohn S., Kirchhoff H., Hinz K. H. und Rosengarten R. (1994).
A surface epitope undergoing high-frequency phase variation is shared by *Mycoplasma gallisepticum* and *Mycoplasma bovis*.
Infect Immun 62: 4962-8.
- Zhao S. und Yamamoto R. (1993 a).
Detection of *Mycoplasma synoviae* by polymerase chain reaction.
Avian Pathology 22: 533-542.
- Zhao S. und Yamamoto R. (1993 b).
Amplification of *Mycoplasma iowae* Using Polymerase Chain Reaction.
Avian Dis 37: 212-217.
- Zhao S. und Yamamoto R. (1993 c).
Detection of *Mycoplasma meleagridis* by polymerase chain reaction.
Vet Microbiol 36: 91-97.
- Zhao S., Yamamoto R., Ghazikhanian G. Y. und Khan M. I. (1988).
Antigenic analysis of three strains of *Mycoplasma meleagridis* of varying pathogenicity.
Vet Microbiol 18: 373-77.
- Zimmermann W., Dürrwald R. und Ludwig, H. (1994).
Detection of Borna disease virus RNA in naturally infected animals by nested polymerase chain reaction.
J Virol Method 46: 133-143.