

## 8 Literaturverzeichnis

- Abbruzzese, J.L., Levin, B. (1989):  
Treatment of advanced colorectal cancer  
Hematol Oncol Clin North-Am 1989; 3: 135-153
- Ackermann, N.B. (1974):  
The blood supply of experimental liver metastases  
IV. Changes in vascularity with increasing tumor growth  
Surgery 1974; 75: 589-596
- Ackermann, N.B., Lien, W.M., Kondi, E.S. (1969):  
The blood supply of experimental liver metastases. I. The distribution  
of hepatic artery and portal vein blood in "small" and "large" tumors  
Surgery 1969; 66: 1067-1072
- Allen, T.M., Hansen, C. (1991):  
Pharmacokinetics of stealth versus conventional liposomes: Effect of dose  
Biochim et Biophys Acta 1991; 1068: 133-141
- Allen, T.M., Hansen, C., Rutledge, J. (1989):  
Liposomes with prolonged circulation times: Factors affecting uptake by  
reticuloendothelial and other tissues  
Biochim et Biophys Acta 1989; 981: 27-35
- Allen, T.M., Mehra, T., Hansen, C., Chin, Y. C. (1992):  
Stealth Liposomes: An improved sustained release system for 1-β-D-  
arabinofuranosylcytosine  
Can Res 1992; 42: 2431-2439
- Almersjö, O., Bengmark, S., Rudenstam, C.M., Hafström, L., Nilsson L.A. (1972):  
Evaluation of hepatic dearterialization in primary and secondary cancer of the liver  
Am J Surg 1972; 124: 5-7
- Arndt, D., Fichtner, I. (1986):  
Liposomen. Darstellung-Eigenschaften-Anwendung  
Akademie-Verlag Berlin, 1986: 7, 17
- Bengmark, S., Jeppson, B. (1986):  
Permanent hepatic ligation versus temporary dearterialization in the  
treatment of hepatic tumors  
in: Herfarth, C., Schlag, P, Hohenberger, B. (Hrsg.):  
Recent results in cancer research. Therapeutic strategies in primary and metastatic  
liver cancer  
Springer-Verlag 1986
- Bengmark, S., Rosengreen, K. (1979):  
Angiographic study of the collateral circulation of the liver after ligation of the  
hepatic artery in man  
Am J Surg 1979; 119: 620-624

## Literaturverzeichnis

- Berger, G., Reszka, R., Pohlen, U., Jung, M., Lucas, S., Buhr, H. J. (1998):  
Liposomale Verkapselung von Zytostatika und Stärkemikrosphären verbessern  
das Tumortargeting in der lokoregionären Therapie  
Langenbecks Arch Chir 1998
- Bismuth, H., Morio, M., Sherlock, D., Castaing, D., Miglietta, C., Cauquil, P.,  
Roche, A. (1992):  
Primary treatment of hepatocellular carcinoma by arterial chemoembolisation  
Am J Surg 1992; 163: 378-394
- Bloch, F., Hansen, W., Packard, M. (1946):  
Nuclear induction  
Phys Rev 1946; 69: 127-136
- Boccardo, F., Canobbio, L. (1983):  
5-fluorourazil, twenty-five years later. An appraisal.  
Chimioterapia 1983; 2: 88
- Boese-Landgraf, J. (1998):  
Epidemiologie, Vorstufen und Pathogenese des kolorektalen Karzinoms  
Onkologie 1998; 4: 2-4
- Borisov, O., Auroy, P., Auvray, L. (1995):  
Stabilization of colloidal dispersions by grafted polymers  
in: Lasic, D. Martin, F. (Hrsg.)  
Stealth® Liposomes  
CRC Press Boca Raton London Tokio 1995
- Boucher, Y., Baxter, L.T., Jain, R.K. (1990):  
Interstitial pressure gradients in tissue-isolated and subcutaneous tumors:  
Implications for therapy.  
Cancer Res 1990; 50: 4478-4484.
- Breedis, C., Young, G. (1954):  
The blood supply of neoplasm of the liver  
Amer J Path 1954; 30: 969-985
- Caride V.J. (1985):  
Liposomes as carriers of imaging agents  
Crit. Rev. Ther. Drug Carrier Syst. 1985; 1: 121-153
- Carr, D.H., Graif, M., Niendorf, H.P. (1986):  
Gadolinium-DTPA in the assessment of liver tumors by magnetic resonance  
imaging  
Clin. Radiol. 1986; 37: 347-353
- Cay, O., Kruskal, J.B., Nasser, I., Thomas, P., Clouse, M.E. (1997):  
Liver metastases from colorectal cancer: Drug delivery with  
liposome-encapsulated doxorubicin  
Radiology 1997; 205: 95-101

## Literaturverzeichnis

Charles River Laboratories (1997):

Contributing to the search for healthier lives. Research models 1998  
Labormitteilungen Charles River, Sulzfeld, Deutschland

Chazal, M., Cheradame, S., Formento, J.L., Francoual, M., Formento, P., Etienne, M.C., Francois, E., Richelme, H., Muosseau, M., Letoublon, C., Pezet, D., Cure, H., Seitz, J.F., Milano, G. (1997):  
Decreased folypolyglutamate synthetase activity in tumors resistant to fluorouracil-folinic acid treatment: Clinical data  
*Clin Cancer Res* 1997; 3: 553-557

Chuang, V.P., Wallace, S. (1981):

Hepatic artery embolisation in the treatment of hepatic neoplasms  
*Radiology* 1981; 140: 51-58

Clement, O., Mühler, A., Vexler, V.S., Kuwatsuru, R., Berthezen, Y., Rosenau, W., Brasch, R.C. (1993):  
Comparison of Gd-EOB-DTPA and Gd-DTPA for contrast-enhanced MR imaging of liver tumors  
*J Mag Reson Imag* 1993; 3: 71-77

Coldwell, D.M., Stokes, K.R., Yakes, W.F. (1994):

Embolotherapy: Agents, clinical applications and techniques  
*Radio Graphics* 1994; 14: 623-643

Daemen, T., Velinova, M., Regts, J., de Jagger, M., Kalicharan, R., Donga, J., van Want, J., Scherphof, G.L. (1997):  
Different hepatic distribution of phosphatidylglycerol and phosphatidylserine liposomes in the rat  
*Hepatology* 1997; 26: 416-423

Dakhil, S., Ensminger, W., Cho, K.J., Niederhuber, J., Doan, K., Wheeler, R. (1982):  
Improved regional selectivity of hepatic arterial BCNU with degradable microspheres  
*Cancer* 1982; 50: 631-635

Davis, H.L. (1982):

Chemotherapy of large bowel cancer  
*Cancer* 1982; 50: 2638

Dewhirst, M.W., Needham, D. (1995):

Extravasation of Stealth® liposomes into tumors: Direct measurements of accumulation and vascular permeability using a skin flap window chamber aus: Lasic, D., Martin, F. (Hrsg.)  
Stealth® Liposomes  
CRC Press Boca Raton London Tokio 1995

Dini, L., Falasca, L., Ruzzittu, M.T., Mossa, G., Finazzi-Agro, A., di Giulio, A. (1998):

Interaction between isolated and purified liver cells and small unilamellar liposomes  
*Liver* 1998; 18: 229-238

## Literaturverzeichnis

- Federico, M., Iannone, A., Chan H.C. , Magin, R.L. (1989):  
Bone marrow uptake of liposome-entrapped spin label after liver blockade  
with empty liposomes  
Mag Res in Med 1989; 10: 418-425
- Findlay, M., Leach, O.M. (1994):  
In vivo monitoring of fluoropyrimidine metabolites: Magnetic  
Resonance spectroscopy in the evaluation of 5-fluorouracil  
Anti Cancer Drugs 1994; 5: 260-280
- Folkman, J. (1997):  
Antiangiogenetic therapy  
aus: De Vita, V.T., Hellmann. S., Rosenberg S.A. (Hrsg.)  
Cancer: Principles and practise of oncology  
Lipincott Raven Publishers Philadelphia Pensylvania 1997; 3075-3085
- Ghosh, P.C., Bachhawat, B.K. (1995):  
Effect of surface modification with glycolipids and polysaccharides  
on in vivo fate of liposomes  
aus: Lasic, D., Martin, F. (Hrsg.)  
Stealth® Liposomes  
CRC Press Boca Raton London Tokio 1995
- Goldstein, H.M., Medellin, H., Ben-Menachem, Y. (1975):  
Transcatheter arterial embolisation in the managment of bleeding in cancer patients  
Radiology 1975; 115: 603-608
- Goldstein, H.M., Wallace, S., Anderson, J.H. (1976):  
Transcatheter occlusion of abdominal tumors  
Radiology 1976; 120: 539-545
- Gupta, H., Weissleder, R. (1996):  
Target contrast agents in MR imaging  
MRI Clinics of North America 1996; 4: 171-184
- Hale, H.L., Husband, J.E., Gossios, K., Norman, A.R., Cunningham, D. (1998):  
CT of calcified liver metastases in colorectal carcinoma  
Clin Radiol 1998; 53: 735-744
- Hanazaki, K., Kawamura, N., Sodeyama, H., Wakabayashi, M., Yokoyama, S., Sode, Y., Miyazaki, T., Okazaki, Y. (1998):  
Carcinoembryogenic antigen and intra-arterial chemotherapy response  
of liver metastases  
Hepatogastroenterology 1998; 45: 462-467
- Hausser, K.H., Kalbitzer, H.R. (1989):  
NMR für Mediziner und Biologen  
Springer-Verlag Berlin Heidelberg New York London Paris Tokio 1989: 171

## Literaturverzeichnis

Hartmann, H., Meyer, H. (1994):

Klinische Pathologie der Haustiere

Gustav Fischer Verlag Jena Stuttgart, 1994: 392

Hendrick, R.E., Haacke, E.M. (1993):

Basic physics of MR contrast agents and maximization of image contrast

J MRI 1993; 3: 137-148

Hnatowitch, D. J., Friedman, B., Clancy, C., Novak, M. J. (1981):

Labeling of preformed liposomes with Ga-67 and Tc-99m by chelation

J Nucl Med 1981; 22: 810-814

Horowitz, A.L. (1989):

MRI-physics for radiologists

Springer Verlag 1989

Hottenrott, C., Lorenz, M. (1987):

Stellenwert der regionalen Chemotherapie der Leber

Gastroenterologie 1987; 25: 364

Hottenrott, C., Lorenz, M., Rossion, I. (1995):

Lokoregionäre Chemotherapie im Gastrointestinalbereich

aus: Zeller, W.J., zur Hausen, H. (Hrsg.)

Onkologie: Grundlagen-Diagnostik-Therapie-Entwicklung

Ecomed Landsberg/Lech 1995: 1-23

Jain, R.K. (1997):

Delivery of molecular and cellular medicine to solid tumors:

The Eugene M. Landis Award Lecture 1996

Microcirculation 1997; 4: 1-23

Joshi, S.V., Vaidya, S.G., Nerurkar, V.R., Soman, C. (1993):

Treatment of gamma radiation induced transplanted leukemia in ICRC

mice by liposomally encapsulated 5-fluorouracil

Leukemia Research 1993; 17: 601-607

Jung, M., Berger, G., Pohlen, U., Päuser, S., Reszka, R., Buhr, H.J. (1997):

Simultaneous determination of 5-fluorouracil and its active metabolites in

serum and tissue by high-performance liquid chromatography

J of Chromatography 1997; 702: 193-202

Kabalka, G.W., Buonocore, E.D., Hubner, K., Davis, M., Huang, L. (1988):

Gadolinium-labeled liposomes containing paramagnetic amphiphatic agents:

Targeted MRI contrast agents for the liver

Magn Res Med 1988; 8: 89-95

Kabalka, G.W., Davis, M.A., Moss, T., Buonocore, E., Hubner, K., Holmberg, E.,

Maruyma, K., Huang, L. (1991):

Gadolinium-labeled liposomes containing various amphiphilic Gd-DTPA

derivatives: Targeted MRI contrast enhancement agents for the liver

Magn Reson in Med 1991; 19: 406-415

## Literaturverzeichnis

- Karlik, S., Florio, E., Grant, C.W. (1990):  
Comparative evaluation of two membrane-based liposomal MRI contrast agents  
*Magn Res in Med* 1990; 19: 56-66
- Kato, T., Nemoto, R., Mori H. (1981):  
Arterial chemoembolisation with mitomycin C microcapsules in the treatment of primary or secondary carcinoma of the kidney, liver, bone and intrapelvic organs  
*Cancer* 1981; 48: 676-780
- Kauffmann, G., Richter, G. (1988):  
Embolisationsmaterialien  
aus: Günther, R.W., Thelen, M. (Hrsg.)  
Interventionelle Radiologie  
Thieme Verlag Stuttgart 1988; 135-152
- Klaassen, C.D., Watkins, J.B. (1984):  
Mechanisms of bile formations, hepatic uptake and biliary excretion  
*Pharmacol Rev* 1984; 36: 76-83
- Koehler, R.E., Korobkin, M., Lewis, F. (1975):  
Arteriographic demonstration of collateral arterial supply to the liver after hepatic arterial ligation  
*Radiology* 1975; 117: 49-54
- Kunstlinger, F., Brunelle, F., Chaumont, P., Doyon, D. (1981):  
Vascular occlusive agents  
*AJR* 1981; 136: 151-156
- Lanadio, M., Kopp, A.F. (1997):  
Gegenwärtiger Stand der klinischen Entwicklung von MR-Kontrastmitteln  
*Fortschr Röntgen* 1997; 167: 541-550
- Lasic, D., Martin, F. (Hrsg.) (1995):  
Introduction  
Stealth® Liposomes  
CRC Press Boca Raton London Tokio 1995
- Laufman, L.R., Nims, T.A., Guy, J.T., File, J., Courter, S. (1984):  
Hepatic arterial ligation and portal vein infusion for liver metastases from colon cancer  
*J Clin Oncol* 1984; 2: 1382-1389
- Lauterbur, P.C. (1973):  
Image formation by induced local interactions: Examples employing nuclear magnetic resonance  
*Nature* 1973; 242: 190-191
- Lavin, P., Mittelman, A., Douglass, H. (1980):  
Survival and response to chemotherapy for advanced colorectal adenocarcinoma:  
An Eastern Cooperative Oncology Group report  
*Cancer* 1980; 46: 1536

## Literaturverzeichnis

- Leander, P. (1995):  
Liver-specific contrast media for MRT and CT experimental studies  
Acta Radiol Suppl 1995; 396: 1-36.
- Leander, P., Mansson, S., Ege, T., Besjakov, J. (1996):  
CT and MR imaging of the liver using liver-specific contrast media  
Acta Radiol 1996; 37: 242-249
- The Liver Cancer Group of Japan (1985):  
Primary liver cancer in Japan  
Ann Surg 1985; 751-757
- The Liver Cancer Group of Japan (1990):  
Primary liver cancer in Japan  
Ann Surg 1990; 211: 277-287
- Muhrer, K.H., Schwemmle, K. (1988):  
Therapiekonzepte bei kolorektalen Lebermetastasen  
Leber Magen Darm 1988; 6: 281-289
- Nagao, T., Inoue, S., Yoshimi, F. (1990):  
Postoperative recurrence of hepatocellular carcinoma  
Ann Surg 1990; 211: 28-33
- Nakajimja, Y., Ohmura, T., Kumura, J. (1993):  
Role of surgical treatment for recurrent hepatocellular carcinoma  
after hepatic resection  
World J Surg 1993; 17: 792-795
- Nakao, N., Kamino, K., Miura, K. (1991):  
Recurrent hepatocellular carcinoma after partial hepatectomy:  
Value of treatment with transcatheter arterial embolisation  
AJR 1991; 156: 1177-1179
- Needham, D., McIntosh, T.J., Lasic, D.D. (1992):  
Repulsive interactions and mechanical stability of polymer-grafted lipid membranes  
Biochim et Biophys Acta 1992; 1108: 40-48
- Ni, Y., Marchal, G., Yu, J., Muhler, A., Lukito, G., Baert, A.L. (1994):  
Prolonged positive contrast enhancement with Gd-EOB-DTPA in experimental  
liver tumors: Potential value in tissue characterization.  
J Magn Reson Imag 1994; 4: 355-363.
- Niendorf, H.P., Dinger, J.D., Haustein, J., Cornelius, I., Alhassan, A., Clauß, W. (1991):  
Tolerance data of Gd-DTPA: A review  
Eur J of Radiol 1991; 13: 15-20
- Nilsson, L.A. (1966):  
Therapeutic hepatic arterial ligation in patients with secondary liver tumors  
Rev Surg 1966; 23: 374-376

## Literaturverzeichnis

- Oishi, H., Yoshimura, H., Uchida, H. (1989):  
Transcatheter arterial embolisation using iodized oil (Lipiodol) mixed with an anticancer drug for the treatment of hepatocellular carcinoma  
Cancer Chemother Pharmacol 1989; 23: 33-36
- Päuser, S., Reszka, R., Wagner, S., Wolf, K.-J., Buhr, H.-J., Berger, G. (1997):  
Liposome-encapsulated superparamagnetic iron oxide particles as markers in an MRI-guided search for tumor-specific drug carriers  
Anti-Cancer Drug Design 1997; 12: 125-135
- Papahadjopoulos, D. (1995)  
Stealth® liposomes: From steric stabilization to targeting  
aus: Lasic, D., Martin, F. (Hrsg.)  
Stealth® Liposomes  
CRC Press Boca Raton London Tokio 1995
- Peng, F.K., Wu C.W., Chang T.J., Lui W.Y. (1989):  
A comparison of regional and systemic drug injection  
Cancer Chemother Pharmacol 1989; 23: 363-366
- Persson, B.G., Jeppson, B., Ekberg, H. (1990):  
Repeateet dearterilization of hepatic tumors with an implantable occluder  
Cancer 1990; 66: 1139-1146
- Petrelli, N.J., Barcewicz, P.A., Evans, J.T., Ledesma, E.J., Lawrence, E-D., Mittelmann, A. (1984):  
Hepatic artery ligation for metastasis in colorectal carcinoma  
Cancer 1984; 53: 1347-1353
- Pfeifer, S., Pflegel, P., Borchert, G. (1984):  
Grundlagen der Biopharmazie  
Weinheim, Deerfield Beach Florida, Basel: Verlag Chemie 1984; 43
- Pohlen, U., Berger, G., Jung, M., Reszka, R., Regenstein, J., Buhr, H.J. (1998):  
Tumorregression im Langzeitverlauf bei Gabe von liposomal verkapseltem 5-FU  
Langenbecks Arch. Chir. 1998; 1: 47-53
- Purcell, E., Torrey, H., Powel, R. (1946):  
Resonance absorption by nuclear magnetic moments in a solid  
Phys Rev 1946; 69: 37-43
- Reszka, R. C., Pohlen, U., Schlüter, R., Berndt, A., Berger, I., Lehmann, Ch., Binnenhei, M., Winter, R., Berger, G. (1999):  
A new application system for drug targeting into the angiogenetic area of the liver  
zur Veröffentlichung eingereicht
- Richter, A.W., Akerblom, E. (1983):  
Antibodies against polyethylene glycol produced in animals by immunization with monomethoxy polyethylene glycol modified proteins  
Int Arch Allergy Appl Immunol 1983; 70: 124-131

## Literaturverzeichnis

- Ridge, J.A., Collin, C., Bading, J.R., Hancock, C., Conti, P.S., Daly, J.M., Raaf, J.H. (1988):  
Increased adriamycin levels in hepatic implants of rabbit VX-2 carcinoma from regional infusion  
Cancer Research 1988; 48: 4584-4587
- Rinck, P.A., Petersen, S.B., Muller, R. (1985):  
Magnetresonanz in der Medizin. Eine Einführung  
Georg Thieme Verlag Stuttgart New York 1985
- Rofsky, N.M., Weinreb, J.C. (1992):  
Manganese(II) N,N'-dipyridoxylethylenediamine-N,N'-diacetate 5,5'-bis(phosphate).  
Clinical experience with a new contrast agent  
Magn Reson 1992; 8: 162-170
- Schild, H.H. (1990):  
MRI made easy  
Schering Aktiengesellschaft 1990
- Schlag, P.M. (1998):  
Pathomorphologie und Chirurgie - Standards beim kolorektalen Karzinom  
Onkologie 1998, 4: 23-27
- Schlag, P., Hohenberger, P. (1988):  
Regionale Chemotherapie von Lebermetastasen - Eine Situationsanalyse  
Chirurg 1988; 59: 218
- Schreyer, H., Lammer, J., Neumayer, K., Klein, E. (1991):  
Embolisation  
aus: Lammer, J., Schreyer, H. (Hrsg.)  
Praxis der Interventionellen Radiologie  
Hippokrates Stuttgart 1991, 72-140
- Schuhmacher, K., Beuth, J., Uhlenbruck, G. (1998):  
Prophylaxe von Lebermetastasen durch Blockade von Adhäsionsmolekülen bei kolorektalen Karzinomen  
Onkologie 1998; 4: 28-34
- Schumann-Giampieri, G. (1993):  
Liver contrast media for Magnetic Resonance Imaging  
Invest Radiol 1993; 28: 753-761
- Schwenderer, R.A., Wüthrich, R., Duewell, S., Wehrli, E., von Schulthess, G.K. (1990):  
A pharmakokinetic and MRI study of unilamellar gadolinium-, manganese- and iron-DTPA-stearate liposomes as organ-specific contrast agent  
Invest Radiol 1990; 25: 922-932
- Segal A.W., Gregoriades G., Black C.D.V. (1975):  
Liposomes as vehicles for the local release of drugs  
Clinical Science of Molecular Medicine 1975; 49: 4758

## Literaturverzeichnis

- Semelka, R.C., Worawattanakul, S., Mauro, M.A., Bernard, S.A., Cance, W.G. (1998):  
Malignant hepatic tumors: Changes on MRI after hepatic arterial  
chemoembolisation - preliminary findings  
*J Magn Reson Imag* 1998; 8: 48-56
- Smith, R.L. (1973):  
The excretory function of bile  
Chapman and Hall, London 1973: 9-15
- Suzuki, M., Takahashie, T., Sato, T. (1987):  
Medial regression and it's functional significance in tumor-supplying  
host arteries-A morphometric study of hepatic arteries in human livers  
with hepatocellular carcinoma  
*Cancer* 1987; 151: 135-138
- Takayasu, K. (1990):  
Interventional angiography for primary and secondary hepatic malignancies:  
A review *Jpn J Clin Oncol* 1990; 20: 225-231
- Thomas, C., Nijenhuis, A.M., Tiemens, W., Kuppen, P.J., Daemen, T.,  
Scherphof, G.L. (1993):  
Liver metastases model of colon cancer in the rat: Immunohistochemical  
characterization  
*Invasion Metastasis* 1993; 13: 102-112
- Tilcock, C., Unger, E., Cullis, P., MacDougall, P. (1989):  
Liposomal Gd-DTPA: Preparation and characterization of relaxivity  
*Radiol* 1989; 171: 81-85.
- Torchilin, V.P., Papisov, M.I., Bigdanov, A.A., Omelyanenko, V.G. (1995a):  
Molecular mechanism of liposome and immunoliposome steric protection with  
poly ethylene glycol: Theoretical and experimental proofs of the role of polymer  
chain flexibility  
aus: Lasic, D. and Martin, F. (Hrsg.)  
Stealth® Liposomes  
CRC Press Boca Raton London Tokio 1995
- Torchilin, V.P., Trubetskoy, V.S., Narula, J., Khaw, B.A. (1995b):  
PEG-modified liposomes for gamma- and magnetic resonance imaging  
aus: Lasic, D. and Martin, F. (Hrsg.)  
Stealth® Liposomes  
CRC Press Boca Raton London Tokio 1995
- Unger, E., MacDougall, P., Cullis, P., Tilcock, C. (1989a):  
Liposomal Gd-DTPA: Effect of encapsulation on enhancement of hepatoma  
model by MRI  
*Magn Reson Imag* 1989; 7: 417-423

## Literaturverzeichnis

- Unger, E., Winokur, T., Mac Dougall, P., Rosenblum, J., Clair, M., Gatenby, R., Tilcock, C. (1989b):  
Hepatic metastases: Liposomal Gd-DTPA-enhanced MR imaging  
Radiol 1989; 171: 81-85
- Unger, E., Cardenas, D., Zerella, A., Fajardo, L., Tilcock, C. (1990):  
Biodistribution and clearance of liposomal gadolinium-DTPA  
Invest Radiol 1990, 24: 638-644
- Voss, H (1961):  
Grundriß der normalen Histologie und der mikroskopischen Anatomie  
VEB Georg Thieme Verlag Leipzig, 11. Auflage, 1961: 113-118
- Weinstein, J.N., Leserman, L.D. (1984):  
Liposomes as drug carriers in cancer chemotherapy  
Pharmacol Ther 1984; 24: 207-233
- Weissleder, R., Stark, D., Engelstad, B., Bacon, B., Compton, C., White, D., Jacobs, P., Lewis, J. (1989):  
Superparamagnetic iron oxide: Pharmacokinetics and toxicity  
AJR 1989; 152: 167-173
- Wernecke, K., Hencke, L., Vasallo, P. (1992):  
Pathology explanation for hypoechoic halo seen on sonograms of malignant liver tumors. An in vitro correlative study.  
AJR 1992; 159: 1011-
- Wilt, van der, C.L., Marinelli, A., Pinedo, J., Cloos, J., Smid, K., van de Velde, C.J.H., Peters, G.J. (1995):  
The effect of different routes of administration of 5-fluorouracil on thymidilate synthase inhibition in the rat  
European Journal of Cancer 1995; 31: 754-760
- Wu, N.Z., Da, D., Rudoll, T.L., Needham, D., Whorton, A.R., Dewhirst, M.W. (1993):  
Increased microvascular permeability contributes to preferential accumulation of stealth liposomes in tumor tissue  
Cancer Res 1993; 53: 3765-3770
- Yuan, F., Leunig, M., Huang, S.K., Berk, D., Papahadjopoulos, D., Jain, R.K. (1994):  
Microvascular permeability and interstitial penetration of sterically stabilized (stealth) liposomes in a human tumor xenograft  
Cancer Res 1994; 54: 3352-3356
- Ziessman, H.A., Thrall, J.H., Gyves, J.W. (1983):  
Quantitative hepatic arterial perfusion scintigraphy and starch microspheres in cancer chemotherapy  
J Nucl Med 1983; 24: 871-875