

6 Literaturverzeichnis

- Albengres E, Urien S, Tillement JP, Oury P, Decourt S, Flouvat B, Drieu K (1985).** Interactions between smectite, a mucus stabilizer, and acidic and basic drugs. In vitro and in vivo studies. Eur J Clin Pharmacol. 28:601-5
- Argenzio RA (1984).** Intestinal transport of electrolytes and water, in: Swenson MJ (Hrsg.): Duke's physiology of domestic animals, Cornell University Press, London
- Argenzio RA, Henriksen CK, Liacos JA (1988).** Restitution of barrier and transport function of porcine colon after acute mucosal injury. Am J Physiol 255:G62-71
- Argenzio RA, Meuten DJ (1991).** Short-chain fatty acids induce reversible injury of porcine colon. Dig Dis Sci 36:1459-68
- Argenzio RA, Whipp SC (1981).** Effect of Escherichia coli heat-stable enterotoxin, cholera toxin and theophylline on ion transport in porcine colon. J Physiol 320:469-487
- Babyatski MW, de Beaumont M, Thim L, Podolsky DK (1996).** Oral trefoil peptides protect against ethanol- and indomethacin-induced gastric injury in rats. Gastroenterology 110:489-497
- Baker JW, Deitch EA, Li M, Berg RD, Specian RD (1988).** Hemorrhagic shock induces bacteria translocation from the gut. J Trauma 28:896-906
- Beaugerie L, Massot N, Carbonnel F, Cattan S, Gendre JP, Cosnes J (2001).** Impact of cessation of smoking on the course of ulcerative colitis. Am J Gastroenterol 96:2113-2116
- Bjarnason I, Hayllar J, Macperson AJ, Russel AS (1993).** Side effects of nonsteroidal anti-inflammatory drugs on the small and large intestine in humans. Gastroenterology 104: 1832-1847
- Bjarnason I, MacPherson A, Hollander D (1995).** Intestinal permeability: An Overview. Gastroenterology 108:1566-1581
- Bjarnason I, Peters TJ (1984).** In vitro determination of permeability: demonstration of a persistent defect in patients with coeliac disease. Gut 25: 202-210

- Bone RC, Balk RA, Cerra FB, Dellinger RP, Fein AM, Knaus WA, Schein RM, Sibbald WJ (1992).** Definitions for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis. The ACCP/SCCM Consensus Conference Committee. American College of Chest Physicians/Society of Critical Care Medicine. *Chest* 101:1644-1655
- Brouillard MY, Rateau JG (1989).** Pouvoir d'absorption de deux argiles, la smectite et le kaolin sur des enterotoxines bactériennes. Etude in vitro sur culture cellulaire et sur intestin de souriceau nouveau. *Gastroenterol Clin Biol*; 13:18-24
- Bühner S, Bode H, Mayr B, Schmitz H, Schulzke JD, Fromm M, Lochs H (2006).** Serosal lipopolysaccharide stimulates ion secretion via a cyclooxygenase dependent mechanism in the human distal colon. Arbeit zur Publikation eingereicht
- Bühner S, Buning C, Genschel J, Kling K, Hermann D, Dignass A, Kuechler I, Krueger S, Schmidt HJ, Lochs H (2005).** Genetic basis for increased permeability in families with Crohn's disease: Role of CARD15 3020insC mutation?. *Gut* published online 29 Jul 2005; doi:10.1136/gut.2005.065557
- Bühner S, Reese I, Kuehl F, Lochs H, Zuberbier T (2004).** Pseudoallergic reactions in chronic urticaria are associated with altered gastroduodenal permeability. *Allergy* 59:1118-1123
- Buning C, Genschel J, Bühner S, Krüger S, Kling K, Dignass A, Baier P, Bochow B, Ockenga J, Schmidt HHJ, Lochs H (2004).** Mutations in the NOD2/CARD15 gene in Crohn's disease are associated with ileocecal resection and are a risk factor for reoperation. *Aliment Pharmacol Ther* 19:1073-1078
- Cerejido M (1991):** Tight junctions, CRC press, Boca Raton
- Chen MC, Solomon TE, Kui R, Soll AH (2002).** Apical EGF receptors regulate epithelial barrier to gastric acid: endogenous TGF- α is an essential facilitator. *Am J Physiol Gastrointest Liver Physiol* 283:G1098-G1106
- Ciacci C, Lind SE, Podolsky DK (1993).** Transforming growth factor β regulation of migration in wounded rat intestinal epithelial monolayers. *Gastroenterology* 105:93-101

- Cobden I, Dickenson RI, Rothwell J, Axon ATR (1978).** Intestinal permeability by excretion ratios of molecules: results in coeliac disease. Br Med J 1:1060
- Cohen JD, Kao HW, Tan ST, Lechago J, Snape WJ (1986).** Effect of acute experimental colitis on rabbit colonic smooth muscle. Am J Physiol 251:G538-45
- Coltart RS, Howard GC, Wraight EP, Bleethand NM (1988).** The effect of hyperthermia and radiation on small bowel permeability using ⁵¹Cr-EDTA and ¹⁴C-mannitol in man. Int J Hyperthermia 4:467-477
- Cosnes J, Beaugerie L, Carbonnel F, Gendre JP (2001).** Smoking cessation and the course of Crohn's disease : an intervention study. Gastroenterology 120:1093-1099
- Deitch EA (1990).** Intestinal permeability is increased in burn patients shortly after injury. Surgery 102:411-412
- Deitch EA, Berg R, Specian RD (1987).** Endotoxin promotes the translocation of bacteria from the gut. Arch Surg 122:185-190
- Deitch EA, Bridges RM (1987).** Effect of stress and trauma on bacterial translocation from the gut. J Surg Res 42:536-542
- Deitch EA, Morrison J, Berg R, Specian RD (1990).** Effect of hemorrhagic shock on bacterial translocation, intestinal morphology, and intestinal permeability in conventional and antibiotic-decontaminated rats. Crit Care Med 18:529-536
- Dignass A (1996).** Wachstumsfaktoren im Intestinaltrakt. In: Kist et al. (Hrsg.): Ökosystem Darm VII, Springer, Berlin, Heidelberg, S. 123-133
- Dignass AU, Podolsky DK (1993).** Cytokine modulation of intestinal epithelial restitution: central role of transforming growth factor β. Gastroenterology 105:1323-32
- Droy-Lefaix MT, Drouet Y, Schatz B (1985).** Sodium deoxycholate and spinability of gastrointestinal mucus: protective effect of smectite. Gastroenterology; 88:1365
- Duchmann R, Kaiser I, Hermann E, Mayet W, Ewe K, Meyer zum Büschenefelde KH (1995).** Tolerance exists towards resident intestinal flora but is broken in active inflammatory bowel disease (IBD). Clin Exp Immunol 102:448-455

- Dupont C, Moreno JL, Barau E, Bargaoui K, Thiane E, Plique O (1992).** Effect of diosmectite on intestinal permeability changes in acute diarrhea: a double-blind placebo-controlled trial. *J Pediatr Gastroenterol Nutr* 14:413-9
- Feil W, Lacy ER, Wong YM, Burger D, Wenzl E, Starlinger M, et al. (1989).** Rapid epithelial restitution of human and rabbit colonic mucosa. *Gastroenterology* 97:685-701
- Fink MP (1992).** Intestinal epithelial restitution after ischemia. *Crit Care Med.* 20(1):6-7
- Fink MP (2002).** Clinical tests of gastrointestinal permeability that rely on the urinary recover of enterally administered probes can yield invalid results in critically ill patients. *Intensive Care Med* 28:103-104
- Fink MP (2003).** Intestinal epithelial hyperpermeability: update on the pathogenesis of gut mucosal barrier dysfunction in critical illness. *Curr Opin Crit Care*, Vol. 9 (2):143-151
- Fromm M, Hierholzer K (1997):** Epithelien, in Schmidt, Thews (Hrsg): *Physiologie des Menschen*, 27.Aufl. Berlin, Springer, S. 719-736
- Fromm M, Schultz SG (1981):** Potassium transport across rabbit descending colon in vitro: evidence for single-file diffusion through a paracellular pathway. *J Membrane Biol.* 63: 93-98
- Fromm M, Schulzke JD, Hegel U (1985).** Epithelial and subepithelial contributions to transmural electrical resistance of intact rat epithelium. *Pflugers Arch* 405: 400-402
- Fromm M, Schulzke JD, Hegel U (1993):** Control of electrogenic Na⁺ absorption in rat late distal colon by nanomolar aldosterone added in vitro. *Am J Physiol* 264:E68-E73
- Gitter AH, Bertog M, Schulzke JD, Fromm M (1997).** Measurement of paracellular epithelial conductivity by conductance scanning. *Pflugers Arch* 434:830-840
- Gitter AH, Schulzke JD, Sorgenfrei D, Fromm M (1997).** Ussing chamber for high-frequency transmural impedance analysis of epithelial tissues. *J Biochem Biophys Methods* 35:81-88
- Gitter AH, Wullstein F, Fromm M, Schulzke JD (2001).** Epithelial barrier defects in ulcerative colitis: Characterization and quantification by electrophysiological imaging. *Gastroenterology* 121: 1320-1328

- Go LL, Healey PJ, Watkins SC, Simmons RL, Rowe MI (1995).** The effect of endotoxin on intestinal mucosal permeability to bacteria in vitro. Arch Surg 130:53-58
- Halme L, Turunen A, Paavola-Sakki P, Heliö T, Lappalainen M, Färkkilä M, Kontula K, Repo H (2004).** CARD15 frameshift mutation in patients with Crohn disease is associated with immune dysregulation. Scand J Gastroenterol;39:1243-1249
- Hartwell JL, Shear MJ, Adams JR (1943).** Nature of the bacterial polysaccharide which produces hemorrhage in mouse sarcoma. Cancer Research 3:122
- Heine H, Rietschel ET, Ulmer AJ (2001).** The biology of endotoxin. Mol Biotechnol 19: 279-296
- Henrikson CK, Argenzio RA, Liacos JA, Khosla J (1989).** Morphologic and functional effects of bile salt on the porcine colon during injury and repair. Lab Invest 60(1):72-87
- Herbert TB, Cohen S (1993).** Stress and immunity in Humans: a meta-analytic review. Psychosom Med 55:364-379
- Hollander D (1992).** The Intestinal Permeability barrier: A hypothesis to its regulation and involvement in Crohn's disease. Scand J Gastroenterol 27:721-726
- Hollander D, Vadheim CM, Brettholz E et al. (1986).** Increased intestinal permeability in patients with Crohn's disease and their relatives. Ann Intern Med 105:883
- Holtug K, Hansen MB, Skadhauge E (1996).** Experimental studies of intestinal ion and water transport. Scand J Gastroenterol 31 Suppl 216:95-110
- Homaidan FR, Tripodi J, Cheng P, Donovan V, Burakoff R (1999).** Ion transport across the cecum in normal and colitic mice. Dig Dis Sci 44 (8): 1539-1546
- Howe K, Gauldie J, McKay DM (2002).** TGF-beta effects on epithelial ion transports and barrier: reduced Cl⁻secretion blocked by a p38 MAPK inhibitor. Am J Physiol Cell Physiol 283(6):C1667-74
- Hugot JP, Chamaillard M, Zouali H et al. (2001).** Association of NOD2 leucine-rich repeat variants with susceptibility to Crohn's disease. Nature 411:599-603d
- Hugot JP, Laurent-Puig P, Gower-Rousseau C et al. (1996).** Mapping of a susceptibility locus for Crohn's disease on chromosome 16. Nature 379:821-823

- Hynnenen M, Valtonen M, Vaara M, Markkanen H, Kuusela P, Saxen H, Takkunen O (1995).** Plasma endotoxin and cytokine levels in neutropenic and non-neutropenic bacteremic patients. Eur J Clin Microbiol Infect Dis 269:1039-1045
- Jackson PG, Lessof MH, Baker RW, Ferre J, Macdonald DM (1981).** Intestinal permeability in patients with eczema and food allergy. Lancet ii:1285-1286
- Jenkins AP, Trew DR, Jones DB (1991).** Do non-steroidal drugs increase colonic permeability? Gut 32:66-69
- Junqueira LCU, Carneiro J (2005).** Verdauungstrakt (Kap.14). in: Histologie. hrsg. von Gratzl M: Springer Heidelberg. S. 260-267
- Kapembwa MS, Fleming S, Sewankambo N, Serwadda D, Lucas S, Moody A, Griffin GE (1991).** Altered small-intestinal permeability associated with diarrhea in human-immuno-deficiency-virus-infected caucasian and african subjects. Clin Sci 81:327-334
- Kastowsky M, Gutberlet T, Bradaczek H (1992).** Molecular modelling of the three-dimensional structur and conformational flexibility of bacterial lipopolysaccharide. J Bacteriol 174:4798-4806
- Katz K, Hollander D, Vadheim CM et al. (1989).** Intestinal permeability in patients with Crohn's disease and their halthy relatives. Gastroenterology 97:927-31
- Kilian M, Mestecky J, Russell MW (1988).** Defense mechanisms involving Fc-dependent functions of immunoglobulin A (IgA) and their subversion by bacterial immunoglobulin Aproteases. Microbiol Rev 52: 296-303
- Köckerling A, Sorgenfrei D, Fromm M (1993).** Electrogenic Na⁺ absorption of rat distal colon is confined to surface epithelium: a voltage-scanning study. Am J Physiol 264:C1285-1293
- Kreusel KM, Fromm M, Schulzke JD, Hegel U (1991).** Cl⁻ secretion in epithelial monolayers of mucus-forming human colon cells (HT-29/B6). Am J Physiol 261:C574-582
- Krugliak P, Hollander D, Lee K (1990).** Regulation of polyethylene glycol 400 intestinal permeability by exogenous and endogenous prostanoids. Influence of non-steroidal drugs. Gut 31:417-421

- Kunzelmann K, Mall M (2002).** Electrolyte transport in the mammalian colon: Mechanisms and implications for disease. *Physiol. Rev.* 82: 245-289
- Kurokawa M, Lynch K, Podolsky DK (1987).** Effects of growth factors on an intestinal epithelial cell line: transforming growth factor β inhibits proliferation and stimulates differentiation. *Biochem Biophys Res Commun* 142:775-782
- Kuster W, Pascoe L, Purrmann J, Funk S, Majewski F (1989).** The genetics of Crohn disease: complex segregation analysis of a family study with 265 patients with Crohn disease and 5,387 relatives. *Am J Med Genet* 32:91-95
- Lacy ER, Ito S (1984).** Rapid epithelial restitution of the rat gastric mucosa after ethanol injury. *Lab Invest* 51:573-83.
- Lennernäs H (1998).** Human intestinal permeability. *Journal of Pharmaceutical Sciences* 87, 4: 403-410
- Levenstein S, Prantera C, Varvo V et al. (2000).** Stress and exacerbation in ulcerative colitis : a prospective study of patients enrolled in remission. *Am J Gastroenterol* 95:1213-1220
- Levine DS, Haggitt RC (1989).** Normal histology of the colon. *Am J Surg Pathol* 13(11):966-984
- Lewis SA, Clausen CJ Diamond JM (1975).** A transport-related conductance pathway in frog skin and urinary bladder (Abstract). *Physiologist* 8:291
- Lifschitz CH, Mahoney DH (1989).** Low dose methotrexate induced changes in intestinal permeability determined by polyethylene polymers. *J Pediatr Gastroenterol Nutr* 9:301-306
- Lipkin M, Sherlock P, Bell P (1963).** Cell proliferation kinetics in the gastrointestinal tract of man. II. Cell renewal in stomach, ileum, colon and rectum. *Gastroenterol* 45:721-729
- Loppnow H, Brade L, Brade H, Rietschel ET, Kusumoto S, Shiba T, Flad HD (1986).** Induction of human interleukin 1 by bacterial and synthetic lipid A. *Eur J Immunol* 16:1263-1267
- Loucks DC, Buell MG (1994).** The differing protective effect of short chain fatty acids on ethanol-induced colonic mucosal injury. *Gastroenterology* 106: A1036

- Lundin PDP, Weström BR, Pantzar N, Karlsson BW (1997).** Bidirectional small intestine permeability changes to different-sized molecules after HCl-induced injury in the rat. *Dig Dis Sci* 42 (3): 677-683
- Ma TY (1997).** Intestinal epithelial barrier dysfunction in Crohn's disease. *PSEBM* 214: 318-327
- Ma TY, Hollander D, Katz KD, Krugliak P (1990).** Crohn's disease and NSAID enteropathy. *Gastroenterology* 99:1190-1192
- Madara JL (1987).** Intestinal absorptive cell tight junctions are linked to cytoskeleton. *Am J Physiol* 253: C171-175
- Madkour AA, Madina EMH, El-Azzouni OEZ, Amer MA, El-Walili TMK, Abbass T (1993).** Smectite in acute diarrhea in children: a double-blind placebo-controlled clinical trial. *J Pediatr Gastroenterol Nutr* 17:176-81
- Mahraoui L, Heyman M, Plique O, Droy-Lefaix MT, Desjeux JF (1997).** Apical effect of diosmectite on damage to the intestinal barrier induced by basal tumor necrosis factor- α . *Gut* 40: 339-343
- Massagué J (1990).** The transforming growth factor- β family. *Annu Rev Cell Biol* 6:597-641
- Mayrhofer G (1984).** Physiology of the intestinal immune system. In: Local immune responses of the gut, hrsg. Von Newby TJ und Stokes CR, Boca Raton, CRC 1984; ch.1, p.1-96
- Menzies IS (1972).** Intestinal permeability in coeliac disease. *Gut* 37:302-309
- Meyer TA, Noguchi Y, Ogle CK, Tiao G, Wang JJ, Fischer JE, Hasselgren PO (1994).** Endotoxin stimulates interleukin 6 production in intestinal epithelial cells. *Arch Surg* 129:1290-1295
- Nylander O, Kviety P, Granger DN (1989).** Effects of hydrochlorid acid on duodenal and jejunal mucosal permeability in the rat. *Am J Physiol* 257:G653-660
- Ogle CK, Guo X, Hasselgren PO, Ogle JD, Alexander JW (1997).** The gut as a source of inflammatory cytokines after stimulation with endotoxin. *Eur J Surg* 163:45-51

- Ogura Y, Bonen DK, Inohara N et al. (2001).** A frameshift mutation in NOD2 associated with susceptibility to Crohn's disease. *Nature* 411:603-606
- Orholm M, Fonager K, Sorensen HT (1999).** Risk of ulcerative colitis and Crohn's disease among offspring of patients with chronic inflammatory bowel disease. *Am J Gastroenterol* 94:3236-3238
- Orholm M, Iselius L, Sorensen TI et al. (1993).** Investigation of inheritance of chronic inflammatory bowel diseases by complex segregation analysis. *BMJ* 306:20-24
- Orholm M, Munkholm P, Langholz E, Nielsen OH, Sørensen TIA, Binder V (1991).** Familial occurrence of inflammatory bowel disease. *N Engl J Med* 324:84-88
- Orlando RC, Bryson JC, Powell DW (1984).** Mechanisms of H⁺ injury in rabbit esophageal epithelium. *Am J Physiol* 246:G718-724
- Osman NE, Westrom B, Karlsson B (1998).** Serosal but not mucosal endotoxin exposure increases intestinal permeability in vitro in the rat. *Scand J Gastroenterol* 33(11):1170-4.
- Ott M, Lembcke B, Staszewski S, Helm EB, Caspary WF (1991).** Intestinale Permeabilität bei Patienten mit erworbenem Immundefekt-Syndrom (AIDS). *Klin. Wochenschrift* 69:715-721.
- Pfeiffer R (1892).** Untersuchungen über das Choleragift. *Zf. Hyg.* 11:393-412
- Philpott DJ, Girardin SE (2004).** The role of Toll-like receptors and Nod proteins in bacterial infection. *Mol Immunol* 41:1099-1108
- Planchon SM, Martins CAP, Guerrant RL, Roche JK (1994).** Regulation of intestinal barrier function by TGF-β1. Evidence for its role in abrogating the effect of a T cell cytokine. *J Immunol* 153:5730-5739
- Powell DW (1981).** Barrier function of epithelia. *Am J Physiol*.241, G275-G288
- Püspök A, Oberhuber G, Wyatt J, Maier-Dobersberger T, Hammer J, Pfeffel F, Wrba F, Pötzi R, Vogelsang H (1998).** Gastroduodenal permeability in Crohn's disease. *Eur J Clin Invest* 28 (1): 67-71
- Qiu BS, Vallance BA, Blennerhassett PA, Collins SM (1999).** The role of CD4+ lymphocytes in the susceptibility of mice to stress-induced reactivation of experimental colitis. *Nat Med* 5: 1178-1182

- Raetz CR (1990).** Biochemistry of endotoxins. Annu Rev Biochem 59:129-170
- Riegler M, Sedivy R, Sogukoglu T, Cosentini E, Bischof G, Teleky B, Feil W, Schiessel R, Hamilton G, Wenzl E (1996).** Epidermal growth factor promotes rapid response to epithelial injury in rabbit duodenum in vitro. Gastroenterology 111:28-36
- Rietschel ET, Kirikae T, Schade FU, Mamat U, Schmidt G, Loppnow H, Ulmer AJ, Zahringer U, Seidel U, Di Padova F (1994).** Bacterial endotoxin: molecular relationships of structure to activity and function. FASEB 217-225
- Rietschel ET, Kirikae T, Schade FU, Ulmer AJ, Holst O, Brade H, Schmidt G, Mamat U, Grimmelk HD, Kusumoto S, Zähringer U (1993).** The chemical structure of bacterial endotoxin in relation to bioactivity. Immunobiol 187:169-190
- Robert FSM, Rao JP (1996).** Bacterial Lipopolysaccharides induces diarrhea in caececromized mice. J Diarrheal Dis Res 14:280-282
- Ross MH, Romrell LJ, Kaye GI (1995).** Histology. A Text and Atlas. 3rd Edition. Williams & Wilkins; Baltimore. S. 464ff.
- Saladin KS (2001)..** Anatomy & Physiology: the unity of form and function. 2nd Ed. McGraw-Hill, New York; p.939
- Scheppach W, Dusel G, Kuhn T, Loges C, Karch H, Bartram HP, Richter F, Christl SU, Kasper H (1995).** Effect of L-glutamine and n-butyrate on the restitution of rat colonic mucosa after acid induced injury. Gut 38:878-885
- Schlitter K, Ebenezer C. (1988).** In: Skilpin, Pharmakologie und Klinik, Produktbeschreibung. Karlsruhe: Harsch
- Schmid M, Fellermann K, Wehkamp J, Herrlinger K, Stange EF (2004).** Die Rolle der Defensine in der Pathogenese chronisch-entzündlicher Darmerkrankungen. Z Gastroenterol 42: 333-338
- Schmitz H, Barmeyer C, Fromm M, Runkel N, Foss HD, Bentzel CJ, Riecken EO, Schulzke JD (1999).** Altered tight junction structure contributes to the impaired epithelial barrier function in ulcerative colitis. Gastroenterology 1999 Feb;116(2):301-9

- Schmitz H, Barmeyer C, Gitter AH, Wullstein F, Bentzel CJ, Fromm M, Riecken EO, Schulzke JD (2000).** Epithelial barrier transport function of the colon in ulcerative colitis. Ann N Y Acad Sci 915:312-26
- Schmitz H, Fromm M, Bentzel CJ, Scholz P, Detjen K, Mankertz J, Bode H, Epple HJ, Riecken EO, Schulzke JD (1999).** Tumor necrosis factor-alpha (TNF- α) regulates the epithelial barrier function in the human intestinal cell line HT-29/B6. J Cell Sci 112:137-146
- Schmitz H, Fromm M, Bode H, Scholz P, Riecken EO, Schulzke JD (1996).** Tumor necrosis factor-alpha induces Cl⁻ and K⁺ secretion in human distal colon driven by prostaglandin E₂. Am J Physiol 271:G669-674
- Schreiber S, Nikolaus S, Hampe J (1998).** Activation of nuclear factor κ B in inflammatory bowel disease. Gut 42:477-484
- Schulzke JD, Fromm M (1994).** Die physiologische Barrierefunktion des Dünndarmes, in Caspary et al.(Hrsg): Ökosystem Darm VI, Springer Heidelberg; S. 61-69
- Schulzke JD, Fromm M, Hegel U (1986):** Epithelial and subepithelial resistance of rat large intestine: segmental differences, effect of stripping, time course, and action of aldosterone. Pflügers Arch.407: 632-627
- Schwandner R, Dziarski R, Wesche H, Rothe M, Kirschning CJ (1999).** Peptidoglycan- and lipoteichoic acid-induced cell activation is mediated by toll-like receptor 2. J Biol Chem 274:17406-17409
- Shanahan F (2000).** Probiotics and inflammatory bowel disease: is there a scientific rationale? Inflamm Bowel Dis 6:107-115
- Shear MJ, Turner FC (1943).** Chemical treatment of tumors. V. Isolation of the hemorrhage-producing fraction from *Serratia marcescens* (*Bacillus prodigiosus*) culture filtrate. J Nat Cancer Inst 4:81-97
- Silber GR, Mayer RJ, Levin MJ (1980).** Increased gastrointestinal absorption of large molecules in patients after 5-fluorouracil therapy for metastatic colon carcinoma. Cancer Res 40:3430-3436
- Silverthorn DU.** Human Physiology: an integrated approach. 2nd edition, Prentice Hall, New Jersey 2001; p. 602-604

- Simon GL, Gorbach SL (1984).** Intestinal flora in health and disease. *Gastroenterology* 86:174-93
- Skarnes RC, Rosen FS, Shear MJ, Landy M (1958).** Inactivation of Endotoxin by a humoral component. II. Interaction of Endotoxin with serum and plasma. *J Exp Med* 108:685-700
- Soderholm JD, Hedman L, Artursson P, Franzen L, Larsson J, Pantzar N, Permert J, Olaison G (1998).** Integrity and metabolism of human ileal mucosa in vitro in the Ussing chamber. *Acta Physiol Scand* 162:1-47
- Soderholm JD, Perdue MH (2001).** Stress and the gastrointestinal tract. II. Stress and intestinal barrier function. *Am J Physiol Gastrointest Liver Physiol* 280:G7-G13
- Stallmach A, Zeitz M (1999).** Immunologie des Intestinaltrakts. In Caspary WF, Stein J (Hrsg.): Darmkrankheiten, Springer Berlin, Heidelberg 1999. Kap.5, 55-61
- Stein J, Makowiec F, Starlinger RM, Caspary WF (1999) [1].** Morbus Crohn. In: Darmkrankheiten, hrsg. Von Caspary WF und Stein J, Springer Berlin, Heidelberg; Kap.42, S. 440-464
- Stein J, Makowiec F, Starlinger RM, Caspary WF (1999) [2].** Colitis ulcerosa. In: Darmkrankheiten, hrsg. Von Caspary WF und Stein J, Springer Berlin, Heidelberg; Kap.43, S. 465-490
- Stockmann M, Gitter AH, Sorgenfrei D, Fromm M, Schulzke JD (1999).** Low edge damage container insert that adjusts intestinal forceps biopsies into Ussing chamber systems. *Pflügers Arch-Eur J Physiol* 438:107-112
- Suemori S, Ciacci C, Podolsky DK (1991).** Regulation of transforming growth factor expression in rat intestinal epithelial cell lines. *J Clin Invest* 87:2216-2221
- Swidsinski A, Ladhoff A, Pernthaler A, Swidsinski S, Loening-Baucke V, Ortner M, Weber J, Hoffmann U, Schreiber S, Dietel M, Lochs H (2002).** Mucosal flora in inflammatory bowel disease. *Gastroenterology* 122:44-54
- Teahon K, Smethurst P, Levi AJ, Menzies IS, Bjarnason I (1992).** Intestinal permeability in patients with Crohn's disease and their first-degree relatives. *Gut* 33:320-3
- Thews G, Vaupel P (2001).** Funktion des Magen-Darm-Traktes, in *Vegetative Physiologie*, 4.Aufl.; Springer, Berlin 2001;Kap.12, S. 388-394

- Tobey NA, Koves G, Orlando RC (1997).** HCl-induced cell edema in primary cultured rabbit esophageal epithelium. *Gastroenterology* 112(3):847-54
- Tomita M, Menconi MJ, Delude RL, Fink MP (2000).** Polarized transport of hydrophilic compounds across rat colonic mucosa from serosa to mucosa is temperature dependent. *Gastroenterology* 118:535-543
- Tysk C, Lindberg E, Jarnerot G, Floderus-Myrhed B (1988).** Ulcerative colitis and Crohn's disease in an unselected population of monozygotic and dizygotic twins:a study of heritability and the influence of smoking. *Gut* 29:990-996
- Ukabam SO, Clamp JR, Cooper BT (1983).** Abnormal intestinal permeability to sugars in patients with Crohn's disease of the terminal ileum and colon. *Digestion* 27:70
- Ulevitch RJ, Tobias PS (1999).** Recognition of gram-negative bacteria and endotoxin by the innate immune system. *Immunology* 11:19-22
- Ussing HH, Zerahn K (1951):** Active transport of sodium as the source of electric current in the short-circuited isolated frog skin. *Acta Physiol Scand.* 23: 110-127
- Van Saene JJM, Stoutenbeek CP, van Saene HKF, Matera G, Martinez-Pellus AE, Ramsay G (1996).** Reduction of the intestinal endotoxin pool by three different SDD regimens in human volunteers. *J Endotox Res* 3:337-343
- Vaupel P (2001).** Funktionen des Magen-Darm-Traktes, in Schmidt, Thews und Lang (Hrsg): *Physiologie des Menschen*, hrsg.; 28. Aufl., Springer Berlin; S. 806-808
- Vivatvakin B, Jongpipatvanich S, Harikul S, Eksaengri P, Lortholary O (1992).** Control study of oral rehydratation solution (ORS)/ORS + dioctahedral smectite in hospitalized Thai infants with acute secretory diarrhea. *Southeast Asian J Trop Med Public Health* 23:414-9
- Vogelsang H, Schwarzenhofer M, Steiner B, Wyatt J, Oberhuber G (2001).** In vivo and in vitro permeability in coeliac disease. *Aliment Pharmacol Ther* 15:1417-1425
- Walker WA (1975).** Antigen absorption from the small intestine and gastrointestinal disease. *Pediatr clin North Am* 22(4): 731-46
- Walker WA (1986).** Antigen handling by the small intestine. *Clin Gastroenterol* 15:1-20
- Weiss L (1983).** *Cell and Tissue Biology: A Textbook of Histology*. 5th Edition. Urban & Schwarzenberg; Baltimore, München. S. 675ff.

Wilkinson SG (1996). Bacterial lipopolysaccharides-themes and variations. Prog Lipid Res 35:283-343

Wittig BM, Zeitz M (2001). Zytokin- und Antizytokintherapien bei chronisch entzündlichen Darmerkrankungen. DMW 126: 52-58

Wyatt J, Vogelsang H, Hübl W, Waldhöer T, Lochs H (1993). Intestinal permeability and the prediction of relapse in Crohn's disease. Lancet 341: 1437-39

Yang RB, Mark MR, Gray A, Huang A, Xie MH, Zhang M, Goddard A, Wood WI, Gurney AL, Godowski PJ (1998). Toll-like receptor -2 mediates lipopolysaccharide-induced cellular signalling. Nature 395:284-288

Ziegler TR, Smith RJ, O'Dwyer ST, Demling RH, Wilmore DW (1988). Increased intestinal permeability associated with infection in burn patients. Arch Surg 123:1313-1319